

Sumter City-County Zoning Board of Appeals

October 8, 2025

BOA-25-27 2434 Wedgefield Rd (City)

The applicant (Duke Energy Progress, Inc.) is requesting that the Sumter City-County Board of Zoning Appeals grant special exception approval for the establishment of a +/- 120 ft. tall monopole telecommunications tower in a residential zoning district pursuant to *Article 3, Exhibit 3-5: Permitted Uses in All Zoning Districts*, *Article 5.b.2. Enumeration of Certain Hazardous and/or Potentially Disruptive Land Development Activities*, and *Article 5.b.4: Communication Towers and Antennae of the City of Sumter Zoning & Development Standards Ordinance*. The telecommunications tower is proposed to be located within the area of an existing electrical utility substation on the property. The property is located at 2434 Wedgefield Rd., is zoned Residential-15 (R-15), and is represented by TMS# 206-00-02-010.



Appeals - Variance - Special Exception

Sumter City-County Zoning Board of Appeals

October 8, 2025

BOA-25-27 2434 Wedgefield Rd

I. THE REQUEST

Applicant: Duke Energy Progress Inc.

Status of the Applicant: Authorized Agent

Request: Special Exception approval to establish a monopole telecommunications tower on the property.

City Council Ward Ward 6

Location: 2434 Wedgefield Rd.


Present Use/Zoning: Duke Energy Electrical Substation / Residential-15 (R-15)

Tax Map Reference: 206-00-02-010

II. BACKGROUND

The applicant requests approval to construct a 120 ft. tall monopole telecommunications tower on property addressed as 2434 Wedgefield Rd.. The location of the property indicated in red on the map to the right. As shown in **Figure 1**, one page 2 of this report, the proposed location is near the front of the property and over 190 ft. from all property lines.

Duke Energy is requesting the placement of this tower to enhance its internal communications. The improved infrastructure will allow for faster notification of power outages in the area and more efficient coordination of response efforts.



Telecommunications towers (NAICS 517) located within any residential zoning district are required to be reviewed and approved as a Special Exception Use. Special Exceptions are to be

evaluated in accordance with *Article 1.h.4.c* and *Article 3.b.4.a.* and in accordance with *Article 5.b.4.* of the *City of Sumter Zoning & Development Standards Ordinance*:



Figure 1: Proposed tower placement location



Figure 2: Photo of existing conditions at Wedgefield Rd

The applicant has submitted the following information in support of the application, as required under *Article 5.b.4*. These items are attached to this report as *Exhibits 1 -9*.

| Items Needed | Date of Submission (Description as Needed) |
|-------------------------------|--|
| 1. Specifications | 7-18-25 |
| 2. Site Plan | 7-18-25 |
| 3. Tower Location Map | 7-18-25 <ul style="list-style-type: none"> The property is owned by Duke Energy and is zoned R-15. |
| 4. Antenna Capacity/Wind Load | 7-18-25 |
| 5. Antenna Ownership | 7-18-25 |
| 6. Owner Authorization | 7-18-25 <ul style="list-style-type: none"> Duke owns the Property, and has previously developed it with a substation |
| 7. FCC License | 7-18-25 |
| 8. Visual Impact Analysis | 7-18-25 <ul style="list-style-type: none"> The proposed tower, antenna or accessory structure will be placed on site in such a manner that it will minimize the visual impact on the surrounding properties |
| 9. Removal Agreement | 8-14-25 |
| 10. Conditions Met | Staff evaluation: all <i>Article 5</i> conditions appear to have been met, subject to Board of Zoning Appeals Decision regarding Special Exception. |




Figure 3: Zoning Map

III. SPECIAL EXCEPTION REVIEW CRITERIA

In Residential-15 (R-15) zoning districts, telecommunication towers are special exception uses requiring the review and approval of the Board of Zoning Appeals. Special exception requests for telecommunications towers are evaluated in accordance with *Article 1.h.4.c.* and *Article 5.b.4.*

Article 1.h.4.c: Special Exceptions

2. Permits for Special Exceptions shall be evaluated by the Board of Zoning Appeals on the basis of the following criteria:

- a. **That the Special Exception complies with all applicable development standards contained elsewhere in this Ordinance, including landscaping and bufferyards, off-street parking, and dimensional requirements;**

Staff Review: The proposed tower will be located in an existing Duke Energy Electrical Substation. Based on staff's evaluation, the site meets minimum development standards applicable to the proposed commercial use, not including the special design criteria in *Article 5.b.4.*

- b. **That the special exception will be in substantial harmony with the area in which it is located;**

Staff Review: The property is zoned Residential-15 (R-15) and is in the Suburban Development Planning Area according to the 2040 Comprehensive Land Use Plan. Staff is of the opinion that the construction of the proposed tower will be in substantial harmony with the surrounding area, based on the existing utility development on the property.

- c. **That the special exception will not discourage or negate the use of surrounding property for use(s) permitted by right.**

Staff Review: The proposed tower will be set back over 190 ft. from all property lines and is not expected to cause any negative impacts that would discourage or negate use of surrounding properties.

Article 5.b.4. Communication Towers and Antennas:

1. **Location and Visual Impact:** The proposed tower, antenna or accessory structure will be placed on site in such a manner that it will minimize the visual impact on the surrounding properties;

Staff Review: According to the visual impact analysis, the view of the tower from surrounding property and right-of-way will be minimal. The property is naturally

buffered by surrounding vegetation, which will serve as a visual screen, further reducing its visibility.

2. **Inability to locate on existing structures:** The applicant must show that a proposed antenna and equipment cannot be accommodated and function as required by applicable regulations and the applicants' technical design requirements without unreasonable modifications on any existing structure or tower under control of applicant, or to locate on an available and suitable nearby tower at reasonable costs (i.e., at or below local area rent average);

Staff Review: The property is owned by Duke Energy, which has developed an electric substation on the site. The proposed tower would be an operational addition to the existing facility, as it is specifically designed to interface with the substation and enhance response times in the event of an emergency/power outage.

3. **Necessity for location in residential district:** The applicant must show that the portion of the city and/or county intended to receive coverage cannot be adequately served by a communications tower or antenna placed in a non-residential district for valid technical reasons;

Staff Review: The property, acquired by Duke Energy in 1993, is zoned Residential-15 (R-15). As previously mentioned, a Duke Energy electric utility substation already exists on the site, which is a permitted by-right use in a residential zone.

4. **Public property or other private property not suitable:** Prior to consideration of a permit for location on private property which must be acquired, the applicant must show that available publicly owned sites, and available privately owned sites occupied by a compatible use, are unsuitable for operation of the facility under applicable communications regulations and the applicant's technical design requirements;

Staff Review: The subject property is owned by Duke Energy, and this tower is specifically to serve the substation as part of Duke's communications and monitoring systems.

5. **Design for multiple use:** Applicants must show that a new tower is designed to accommodate additional antennae equal to applicant's present and future requirements;

Staff Review: According to the applicant, no additional antennas from other telecommunications providers will be permitted due to operational security and safety concerns, as the tower will be located within the electric substation and the tower's purpose is to facilitate the company's communications with elements of the electrical grid.

6. **Safety Codes Met:** Applicant must show that all applicable health, nuisance, fire, building, and life safety code requirements are met;

Staff Review: The applicant must obtain all required building permits. The Sumter City-County building inspections department will inspect the construction project to ensure that code requirements are met.

7. **Paint and illumination:** A communications tower must not be painted or illuminated unless otherwise required by state or federal regulations.

Staff Review: The tower will meet FCC and FAA requirements for visibility; no other painting or illumination is proposed.

8. **Distance from existing tower:** A permit for a proposed tower site within 1,000 ft of an existing tower shall not be issued unless the applicant certifies that the existing tower does not meet the applicants structural specifications and design requirements, or that a co-location agreement could not be obtained;

Staff Review: The unique nature of this tower, serving as a communications link between Duke Energy's facilities and the substation on the property, also means that no existing tower in the vicinity is able to meet the applicant's technical specifications.

9. **Indemnity and claims resolution:** The applicant must show by certification from a registered professional engineer that the proposed facility will contain only equipment meeting FCC rules, and must file with the Zoning Administrator a written indemnification of the city or county of Sumter and proof of liability insurance or financial ability to respond to claims up to \$1,000,000.00 in the aggregate which may arise from the operation of the facilities during its life, at not cost to the city and county and in a form approved by the City of County Attorneys.

Staff Review The applicant has submitted proof of adequate insurance.

10. **Minimum Setback:** A tower must be set back from all lot lines by a distance equal to the district setback requirement or 100% of the tower height, whichever is greater;

Staff Review: The proposed tower is to be set back from all lot lines by a height equal to or greater than 120 ft. (height of the tower).

11. **Technical Assistance:** Prior to issuing a permit, the Zoning Administrator may make use of professional technical services to determine if the standards in *Article 5.b.4.d.* are met;

Not Applicable

12. **Maintenance:** The communications tower shall be maintained by common corrosion control procedures so it continuously maintains a minimum visual impact on surrounding properties.

Staff Review: the proposed tower will be maintained will be done by Duke Energy.

IV. STAFF RECOMMENDATION

Staff recommends no additional conditions of approval *if* the Board makes the necessary findings to approve this request.

V. DRAFT MOTIONS for BOA-25-27

- A. I move the Zoning Board of Appeals **approve** BOA-25-27, subject to the findings of fact and conclusions developed by the BZA and so stated:
- B. I move the Zoning Board of Appeals **deny** BOA-25-27, subject to the following findings of fact and conclusions:
- C. I move the Zoning Board of Appeals enter an alternative motion for BOA-25-27.

VI. BOARD OF APPEALS – October 8, 2025

Date: 07/11/2025

Robert Jackson
Sr Telecom Analyst
Duke Energy
910-523-8708
Robert.Jackson3@duke-energy.com



Engineered Tower Solutions, PLLC
3227 Wellington Court
Raleigh, NC 27615
(919) 782-2710

Subject: Structural Analysis Report

Duke Energy Designation: Duke Energy Site Name: Sumter Wedgefield Road 230 Sub

Engineering Firm Designation: ETS, PLLC Job Number: 24131425.STR.3889

Site Data: 2434 Wedgefield Rd, Sumter, Sumter County, SC 29154
Latitude 33.912755°, Longitude -80.393316°
140-ft Valmont H10 (Direct Bury 120-ft AGL) – Monopole

Dear Robert Jackson,

Engineered Tower Solutions, PLLC is pleased to submit this “Structural Analysis Report” to determine the structural integrity of the above-mentioned tower.

The purpose of the analysis is to determine acceptability of the tower stress level. Based on our analysis we have determined the tower stress level for the structure and foundation, under the following load case, to be:

| | | | |
|--------------------------------|--------------------|---------------|----------------------------|
| Final Equipment Configuration: | Tower: | 89.8% | Sufficient Capacity |
| | Foundation: | 101.9% | Sufficient Capacity |

This analysis utilizes an ultimate 3-second gust wind speed of 133 mph as required by the 2021 International Building Code. Applicable Standard references and design criteria are listed in Section 2 – Analysis Criteria.

Structural Analysis Report prepared by:

J. Scott Hilgoe, PE
Structural Engineering Manager

Respectfully submitted by:

Christopher G. Ply, PE, SE
President / CEO



07/11/25




TABLE OF CONTENTS

1) INTRODUCTION

2) ANALYSIS CRITERIA

Table 1 - Proposed Equipment Configuration

Table 2 - Other Considered Equipment

3) ANALYSIS PROCEDURE

Table 3 - Documents Provided

3.1) Analysis Method

3.2) Assumptions

4) ANALYSIS RESULTS

Table 4 - Section Capacity (Summary)

Table 5 - Tower Component Stresses vs. Capacity

4.1) Recommendations

4.2) Dish Deflection Table

5) APPENDIX A

tnxTower Output

6) APPENDIX B

Pole Design Specifications

7) APPENDIX C

Additional Calculations

1) INTRODUCTION

This tower is a proposed 140-ft Valmont Class H10 direct-embedded monopole tower designed by Valmont. This pole is to be embedded 20-ft for a final height above grade of 120-ft. The embedded pole has been designed considering a surrounding gravel annulus of 12" larger than the bottom pole diameter.

2) ANALYSIS CRITERIA

| | |
|-----------------------------|-----------|
| Building Code: | 2018 IBC |
| TIA-222 Revision: | TIA-222-H |
| Risk Category: | III |
| Wind Speed: | 133 mph |
| Exposure Category: | C |
| Topographic Factor: | 1 |
| Ice Thickness: | 1.0 in |
| Wind Speed With Ice: | 30 mph |
| Service Wind Speed: | 60 mph |
| Ss: | 0.384 |
| S1: | 0.128 |

Table 1 - Proposed Equipment Configuration

| Mounting Level (ft) | Center Line Elevation (ft) | Number of Antennas | Antenna Manufacturer | Antenna Model | Number of Feed Lines | Feed Line Size (in) |
|------------------------|----------------------------|--------------------|----------------------|---------------------------|----------------------|---------------------|
| 118.0 (Duke Energy) | 118.0 | 1 | Radiowaves | HPD4-5.2 | 1 | CAT5E |
| | | 1 | Cambium | PMP450I Non-Integrated | | |
| | | 2 | Tower Mounts | Stiff Arm/Stabilizer Bar | | |
| | | 1 | SitePro 1 | DCH8 Chain Mount | | |
| | | 1 | Tower Mount | 2.375"ø x 2-ft Pipe Mount | | |
| | | 1 | Tower Mount | 4.5"ø x 5-ft Pipe Mount | | |

Table 2 - Other Considered Equipment

| Mounting Level (ft) | Center Line Elevation (ft) | Number of Antennas | Antenna Manufacturer | Antenna Model | Number of Feed Lines | Feed Line Size (in) |
|---------------------|----------------------------|--------------------|----------------------|--|----------------------|---------------------|
| 60.0 * (Future) | 60.0 | 9 | JMA | X7CQAP-86-880-VR0 | 15 | 1-5/8 Hybrid |
| | | 9 | Ericsson | RRUS 32 | | |
| | | 3 | Raycap | DC6-48-60-18-8C | | |
| | | 1 | Perfect-Vision | PV-LPPGS-12M-HR2-AP19-AT (12.5 ft Platform Mount) | | |

*Future LTE loading considered in this analysis.

3) ANALYSIS PROCEDURE

Table 3 - Documents Provided

| Document | Remarks | Reference | Source |
|---|--|------------|---------|
| Tower Design Drawings/Pole Specifications | Valmont H10 SW10 CS78231 (Drawing No. 307137Z) | 01/19/2021 | On File |
| Path Study | Cambium Networks Link Planner (Proj. DEP 04-04-23_png) | 10/28/2024 | On File |
| Geotechnical Report | ETS, PLLC (Job Number: 24131425) | 06/19/2025 | On File |

3.1) Analysis Method

tnxTower (version 8.3.1.2), a commercially available analysis software package, was used to create a three-dimensional model of the tower and calculate member stresses for various loading cases. Selected output from the analysis is included in Appendix A.

3.2) Assumptions

- 1) Tower and structures were built and have been maintained in accordance with the manufacturer's specifications.
- 2) The configuration of antennas, transmission cables, mounts and other appurtenances are as specified in Table(s) 1 and 2 and the referenced drawings.
- 3) The proposed cables were assumed to be banded to the exterior of the pole.

This analysis may be affected if any assumptions are not valid or have been made in error. Engineered Tower Solutions, PLLC should be notified to determine the effect on the structural integrity of the tower.

4) ANALYSIS RESULTS

Table 4 - Section Capacity (Summary)

| Section No. | Elevation (ft) | Component Type | Size | Critical Element | P (K) | SF*P _{allow} (K) | % Capacity | Pass / Fail |
|-------------|-------------------|----------------|--------------------|------------------|---------|---------------------------|-------------|-------------|
| L1 | 120 - 67.0833 | Pole | TP26.08x16.51x0.22 | 1 | -2.715 | 1035.760 | 29.9 | Pass |
| L2 | 67.0833 - 31.6667 | Pole | TP32.05x24.89x0.25 | 2 | -10.305 | 1456.360 | 64.6 | Pass |
| L3 | 31.6667 - 0 | Pole | TP37.28x30.68x0.28 | 3 | -16.608 | 1958.240 | 89.8 | Pass |
| | | | | | | | Summary | |
| | | | | | | Pole (L3) | 89.8 | Pass |
| | | | | | | RATING = | 89.8 | Pass |

Table 5 - Tower Component Stresses vs. Capacity

| Notes | Component | Elevation (ft) | % Capacity | Pass / Fail |
|-------|----------------------------------|----------------|------------|-------------|
| 1 | Embedded Pole Foundation | 0 | 91.4 | Pass |
| 1,2 | Base Foundation Soil Interaction | 0 | 101.9 | Pass |

| | |
|---|----------------------------|
| Structure Rating (max from all components) = | 101.9% ² |
|---|----------------------------|

Notes:

- 1) See additional documentation in "Appendix C - Additional Calculations" for calculations supporting the % capacity consumed.
- 2) Capacity usage up to 105% is considered acceptable.

4.1) Recommendations

The tower and its foundation have sufficient capacity to carry the final load configuration. No modifications are required at this time.

4.2) Proposed Dish Antenna Deflection Results

As requested, the results of the tilt and twist values for a 60 mph 3-second gust service wind speed per the TIA-222-H standard are given below:

Critical Deflections and Radius of Curvature - Service Wind

| Elevation ft | Appurtenance | Gov. Load Comb. | Deflection in | Tilt ° | Twist ° | Radius of Curvature ft |
|-----------------|--------------|-----------------|------------------|-----------|------------|---------------------------|
| 118.00 | HPD4-5.2 | 48 | 13.00 | 0.81 | 0.01 | 104440 |

APPENDIX A

TNXTOWER OUTPUT

120.0 ft

DESIGNED APPURTENANCE LOADING

| TYPE | ELEVATION | TYPE | ELEVATION |
|--|-----------|---------------------------|-----------|
| 1/2-in x 4-ft Lightning Rod | 120 | (3) X7CQAP-86-880-VR0_TIA | 60 |
| 4.5" x 5-ft Pipe Mount w/ DCH8 Chain Mount | 118 | (3) RRUS 32 | 60 |
| 2.4" x 2-ft Pipe Mount | 118 | (3) RRUS 32 | 60 |
| (2) Pipe Mount/Stabilizer | 118 | DC6-48-60-18-8C | 60 |
| PMP 450I | 118 | DC6-48-60-18-8C | 60 |
| HPD4-5.2 | 118 | DC6-48-60-18-8C | 60 |
| (3) X7CQAP-86-880-VR0_TIA | 60 | PV-LPPGS-12M-HR2-AP19 | 60 |
| (3) X7CQAP-86-880-VR0_TIA | 60 | | |


MATERIAL STRENGTH

| GRADE | Fy | Fu | GRADE | Fy | Fu |
|---------|--------|--------|-------|----|----|
| A572-65 | 65 ksi | 80 ksi | | | |

TOWER DESIGN NOTES

1. Tower designed for Exposure C to the TIA-222-H Standard.
2. Tower designed for a 133 mph basic wind in accordance with the TIA-222-H Standard.
3. Tower is also designed for a 30 mph basic wind with 1.00 in ice. Ice is considered to increase in thickness with height.
4. Deflections are based upon a 60 mph wind.
5. Tower Risk Category III.
6. Topographic Category 1 with Crest Height of 0.00 ft
7. TOWER RATING: 89.8%

67.1 ft



31.7 ft

ALL REACTIONS
ARE FACTORED

AXIAL
30 K

SHEAR
1 K

MOMENT
94 kip-ft

TORQUE 0 kip-ft
30 mph WIND - 1.00 in ICE

AXIAL
17 K

SHEAR
22 K

MOMENT
1359 kip-ft

TORQUE 3 kip-ft
REACTIONS - 133 mph WIND

0.0 ft

| | | | | |
|--------------------|-------|---------|-------|-----|
| Section | 1 | 2 | 3 | |
| Length (ft) | 52.92 | 39.58 | 36.50 | |
| Number of Sides | 12 | 12 | 12 | |
| Thickness (in) | 0.22 | 0.25 | 0.28 | |
| Socket Length (ft) | 4.17 | 4.83 | | |
| Top Dia (in) | 16.51 | 24.89 | 30.68 | |
| Bot Dia (in) | 26.08 | 32.05 | 37.28 | |
| Grade | | A572-65 | | |
| Weight (K) | 2.7 | 3.1 | 3.8 | 9.5 |

| | | | |
|---|--|---|--|
| ETS, PLLC 3227 Wellington Court Raleigh, NC 27615 Phone: (919) 782-2710 FAX: | | Job: Sumter Wedgefield Road 230 Sub Project: ETS, PLLC Job No.24131425.STR.3889 Client: Duke Energy Code: TIA-222-H Path: | Drawn by: J. Scott Hilgoe, PE Date: 07/11/25 Scale: NTS Dwg No. E-1 |
|---|--|---|--|

| | | | | |
|--|----------------|------------------------------------|--------------------|---------------------|
| tnxTower ETS, PLLC 3227 Wellington Court Raleigh, NC 27615 Phone: (919) 782-2710 FAX: | Job | Sumter Wedgefield Road 230 Sub | Page | 1 of 13 |
| | Project | ETS, PLLC Job No.24131425.STR.3889 | Date | 20:59:39 07/11/25 |
| | Client | Duke Energy | Designed by | J. Scott Hilgoe, PE |

Tower Input Data

The tower is a monopole.

This tower is designed using the TIA-222-H standard.

The following design criteria apply:

Tower base elevation above sea level: 183.87 ft.

Basic wind speed of 133 mph.

Risk Category III.

Exposure Category C.

Simplified Topographic Factor Procedure for wind speed-up calculations is used.

Topographic Category: 1.

Crest Height: 0.00 ft.

Nominal ice thickness of 1.00 in.

Ice thickness is considered to increase with height.

Ice density of 56 pcf.

A wind speed of 30 mph is used in combination with ice.

Temperature drop of 50 °F.

Deflections calculated using a wind speed of 60 mph.

Non-linear (P-delta) analysis was used.

Pressures are calculated at each section.

Stress ratio used in pole design is 1.

Local bending stresses due to climbing loads, feed line supports, and appurtenance mounts are not considered.

Options

| | | |
|-------------------------------------|--------------------------------------|---|
| Consider Moments - Legs | Assume Legs Pinned | Calculate Redundant Bracing Forces |
| Consider Moments - Horizontals | √ Assume Rigid Index Plate | Ignore Redundant Members in FEA |
| Consider Moments - Diagonals | √ Use Clear Spans For Wind Area | SR Leg Bolts Resist Compression |
| Use Moment Magnification | Use Clear Spans For KL/r | All Leg Panels Have Same Allowable |
| √ Use Code Stress Ratios | Retention Guys To Initial Tension | Offset Girt At Foundation |
| √ Use Code Safety Factors - Guys | √ Bypass Mast Stability Checks | √ Consider Feed Line Torque |
| Escalate Ice | √ Use Azimuth Dish Coefficients | Include Angle Block Shear Check |
| Always Use Max Kz | √ Project Wind Area of Appurtenances | Use TIA-222-H Bracing Resist. Exemption |
| Kz In Exposure D Hurricane Region | Alternative Appurt. EPA Calculation | Use TIA-222-H Tension Splice Exemption |
| Include Bolts In Member Capacity | Autocalc Torque Arm Areas | Poles |
| Leg Bolts Are At Top Of Section | Add IBC .6D+W Combination | √ Include Shear-Torsion Interaction |
| Secondary Horizontal Braces Leg | √ Sort Capacity Reports By Component | Always Use Sub-Critical Flow |
| Use Diamond Inner Bracing (4 Sided) | Triangulate Diamond Inner Bracing | Use Top Mounted Sockets |
| SR Members Have Cut Ends | Treat Feed Line Bundles As Cylinder | Pole Without Linear Attachments |
| SR Members Are Concentric | Ignore KL/ry For 60 Deg. Angle Legs | Pole With Shroud Or No Appurtenances |
| Distribute Leg Loads As Uniform | Use ASCE 10 X-Brace Ly Rules | Outside and Inside Corner Radii Are Known |
| Use Special Wind Profile | | |

Tapered Pole Section Geometry

| Section | Elevation | Section Length | Splice Length | Number of Sides | Top Diameter | Bottom Diameter | Wall Thickness | Bend Radius | Pole Grade |
|---------|--------------|----------------|---------------|-----------------|--------------|-----------------|----------------|-------------|---------------------|
| | ft | ft | ft | | in | in | in | in | |
| L1 | 120.00-67.08 | 52.92 | 4.17 | 12 | 16.51 | 26.08 | 0.22 | 0.88 | A572-65 (65 ksi) |
| L2 | 67.08-31.67 | 39.58 | 4.83 | 12 | 24.89 | 32.05 | 0.25 | 1.00 | A572-65 |

| | | | | |
|--|----------------|------------------------------------|--------------------|---------------------|
| tnxTower ETS, PLLC 3227 Wellington Court Raleigh, NC 27615 Phone: (919) 782-2710 FAX: | Job | Sumter Wedgefield Road 230 Sub | Page | 2 of 13 |
| | Project | ETS, PLLC Job No.24131425.STR.3889 | Date | 20:59:39 07/11/25 |
| | Client | Duke Energy | Designed by | J. Scott Hilgoe, PE |

| Section | Elevation ft | Section Length ft | Splice Length ft | Number of Sides | Top Diameter in | Bottom Diameter in | Wall Thickness in | Bend Radius in | Pole Grade |
|---------|-----------------|-------------------------|------------------------|-----------------------|-----------------------|--------------------------|-------------------------|----------------------|---------------------------------|
| L3 | 31.67-0.00 | 36.50 | | 12 | 30.68 | 37.28 | 0.28 | 1.12 | (65 ksi) A572-65 (65 ksi) |

Tapered Pole Properties

| Section | Tip Dia. in | Area in ² | I in ⁴ | r in | C in | I/C in ³ | J in ⁴ | It/Q in ² | w in | w/t |
|---------|----------------|-------------------------|----------------------|---------|---------|------------------------|----------------------|-------------------------|---------|--------|
| L1 | 17.02 | 11.49 | 389.16 | 5.83 | 8.55 | 45.50 | 788.55 | 5.65 | 3.84 | 17.524 |
| | 26.92 | 18.24 | 1556.76 | 9.26 | 13.51 | 115.24 | 3154.42 | 8.98 | 6.40 | 29.235 |
| L2 | 26.46 | 19.83 | 1536.82 | 8.82 | 12.89 | 119.21 | 3114.01 | 9.76 | 6.00 | 24 |
| | 33.09 | 25.60 | 3304.18 | 11.38 | 16.60 | 199.02 | 6695.16 | 12.60 | 7.92 | 31.678 |
| L3 | 32.56 | 27.50 | 3242.91 | 10.88 | 15.89 | 204.09 | 6571.01 | 13.54 | 7.47 | 26.576 |
| | 38.49 | 33.47 | 5847.83 | 13.24 | 19.31 | 302.85 | 11849.29 | 16.48 | 9.24 | 32.872 |

| Tower Elevation | Gusset Area (per face) | Gusset Thickness | Gusset Grade | Adjust. Factor A _f | Adjust. Factor A _r | Weight Mult. | Double Angle Stitch Bolt Spacing Diagonals in | Double Angle Stitch Bolt Spacing Horizontals in | Double Angle Stitch Bolt Spacing Redundants in |
|--------------------|------------------------------|---------------------|--------------|----------------------------------|-------------------------------------|--------------|---|---|--|
| ft | ft ² | in | | | | | | | |
| L1 120.00-67.08 | | | | 1 | 1 | 1 | | | |
| L2 67.08-31.67 | | | | 1 | 1 | 1 | | | |
| L3 31.67-0.00 | | | | 1 | 1 | 1 | | | |

Feed Line/Linear Appurtenances - Entered As Round Or Flat

| Description | Sector | Exclude From Torque Calculation | Component Type | Placement ft | Total Number | Number Per Row | Start/End Position | Width or Diameter in | Perimeter in | Weight plf |
|--|--------|--|----------------------|------------------|-----------------|-------------------|-----------------------|----------------------------|-----------------|---------------|
| *** | | | | | | | | | | |
| Safety Line 3/8 | C | No | Surface Ar (CaAa) | 120.00 - 5.00 | 1 | 1 | 0.000 0.000 | 0.38 | | 0.22 |
| Step Pegs (5/8" SR) 7-in. w/ 30" Step | C | No | Surface Ar (CaAa) | 120.00 - 5.00 | 2 | 2 | 0.000 0.000 | 0.35 | | 0.49 |
| *** | | | | | | | | | | |
| CAT5E(1/4) | A | No | Surface Ar (CaAa) | 118.00 - 5.00 | 1 | 1 | -0.100 0.100 | 0.25 | | 0.10 |
| *** | | | | | | | | | | |
| 1 5/8 | C | No | Surface Ar (CaAa) | 60.00 - 5.00 | 15 | 8 | -0.100 0.100 | 1.98 | | 1.04 |
| *** | | | | | | | | | | |

Feed Line/Linear Appurtenances - Entered As Area

| | | | | |
|--|----------------|------------------------------------|--------------------|---------------------|
| tnxTower ETS, PLLC 3227 Wellington Court Raleigh, NC 27615 Phone: (919) 782-2710 FAX: | Job | Sumter Wedgefield Road 230 Sub | Page | 3 of 13 |
| | Project | ETS, PLLC Job No.24131425.STR.3889 | Date | 20:59:39 07/11/25 |
| | Client | Duke Energy | Designed by | J. Scott Hilgoe, PE |

| Description | Face or Leg | Allow Shield | Exclude From Torque Calculation | Component Type | Placement ft | Total Number | C _A A _A ft ² /ft | Weight plf |
|-------------|-------------------|-----------------|--|-------------------|-----------------|-----------------|--|---------------|
| *** | | | | | | | | |

Feed Line/Linear Appurtenances Section Areas

| Tower Section | Tower Elevation ft | Face | A _R ft ² | A _F ft ² | C _A A _A In Face ft ² | C _A A _A Out Face ft ² | Weight K |
|------------------|--------------------------|------|-----------------------------------|-----------------------------------|---|--|-------------|
| L1 | 120.00-67.08 | A | 0.000 | 0.000 | 1.273 | 0.000 | 0.005 |
| | | B | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| | | C | 0.000 | 0.000 | 5.689 | 0.000 | 0.063 |
| L2 | 67.08-31.67 | A | 0.000 | 0.000 | 0.885 | 0.000 | 0.004 |
| | | B | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| | | C | 0.000 | 0.000 | 48.687 | 0.000 | 0.484 |
| L3 | 31.67-0.00 | A | 0.000 | 0.000 | 0.667 | 0.000 | 0.003 |
| | | B | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| | | C | 0.000 | 0.000 | 45.107 | 0.000 | 0.448 |

Feed Line/Linear Appurtenances Section Areas - With Ice

| Tower Section | Tower Elevation ft | Face or Leg | Ice Thickness in | A _R ft ² | A _F ft ² | C _A A _A In Face ft ² | C _A A _A Out Face ft ² | Weight K |
|------------------|--------------------------|-------------------|------------------------|-----------------------------------|-----------------------------------|---|--|-------------|
| L1 | 120.00-67.08 | A | 1.274 | 0.000 | 0.000 | 14.247 | 0.000 | 0.126 |
| | | B | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| | | C | | 0.000 | 0.000 | 36.954 | 0.000 | 0.352 |
| L2 | 67.08-31.67 | A | 1.197 | 0.000 | 0.000 | 9.910 | 0.000 | 0.088 |
| | | B | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| | | C | | 0.000 | 0.000 | 89.858 | 0.000 | 2.260 |
| L3 | 31.67-0.00 | A | 1.068 | 0.000 | 0.000 | 7.048 | 0.000 | 0.059 |
| | | B | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| | | C | | 0.000 | 0.000 | 78.468 | 0.000 | 2.028 |

Feed Line Center of Pressure

| Section | Elevation ft | CP _X in | CP _Z in | CP _X Ice in | CP _Z Ice in |
|---------|-----------------|-----------------------|-----------------------|------------------------------|------------------------------|
| L1 | 120.00-67.08 | -0.12 | 0.55 | -0.67 | 1.61 |
| L2 | 67.08-31.67 | -0.08 | 6.34 | -0.51 | 5.95 |
| L3 | 31.67-0.00 | -0.07 | 6.57 | -0.46 | 6.37 |

Note: For pole sections, center of pressure calculations do not consider feed line shielding.

| | | |
|--|--|---|
| tnxTower ETS, PLLC 3227 Wellington Court Raleigh, NC 27615 Phone: (919) 782-2710 FAX: | Job Sumter Wedgefield Road 230 Sub | Page 4 of 13 |
| | Project ETS, PLLC Job No.24131425.STR.3889 | Date 20:59:39 07/11/25 |
| | Client Duke Energy | Designed by J. Scott Hilgoe, PE |

Shielding Factor Ka

| Tower Section | Feed Line Record No. | Description | Feed Line Segment Elev. | K _a No Ice | K _a Ice |
|---------------|----------------------|---------------------------------------|-------------------------|-----------------------|--------------------|
| L1 | 2 | Safety Line 3/8 | 67.08 - 120.00 | 1.0000 | 1.0000 |
| L1 | 3 | Step Pegs (5/8" SR) 7-in. w/ 30" Step | 67.08 - 120.00 | 1.0000 | 1.0000 |
| L1 | 6 | CAT5E(1/4) | 67.08 - 118.00 | 1.0000 | 1.0000 |
| L2 | 2 | Safety Line 3/8 | 31.67 - 67.08 | 1.0000 | 1.0000 |
| L2 | 3 | Step Pegs (5/8" SR) 7-in. w/ 30" Step | 31.67 - 67.08 | 1.0000 | 1.0000 |
| L2 | 6 | CAT5E(1/4) | 31.67 - 67.08 | 1.0000 | 1.0000 |
| L2 | 8 | 1 5/8 | 31.67 - 60.00 | 1.0000 | 1.0000 |
| L3 | 2 | Safety Line 3/8 | 5.00 - 31.67 | 1.0000 | 1.0000 |
| L3 | 3 | Step Pegs (5/8" SR) 7-in. w/ 30" Step | 5.00 - 31.67 | 1.0000 | 1.0000 |
| L3 | 6 | CAT5E(1/4) | 5.00 - 31.67 | 1.0000 | 1.0000 |
| L3 | 8 | 1 5/8 | 5.00 - 31.67 | 1.0000 | 1.0000 |

Discrete Tower Loads

| Description | Face or Leg | Offset Type | Offsets: Horz Lateral Vert ft ft ft | Azimuth Adjustment ° | Placement ft | | C _{AA} Front ft ² | C _{AA} Side ft ² | Weight K |
|---|-------------------|----------------|---|--------------------------------|---------------------|----------|---|--|-----------------|
| *** | | | | | | | | | |
| 1/2-in x 4-ft Lightning Rod | A | From Leg | 0.00 | 0.00 | 120.00 | No Ice | 0.20 | 0.20 | 0.003 |
| | | | 0.00 | | | 1/2" Ice | 0.61 | 0.61 | 0.005 |
| | | | 2.00 | | | 1" Ice | 0.95 | 0.95 | 0.010 |
| *** | | | | | | | | | |
| 4.5" x 5-ft Pipe Mount w/ DCH8 Chain Mount | C | From Leg | 1.00 | 0.00 | 118.00 | No Ice | 1.48 | 1.48 | 0.000 |
| | | | 0.00 | | | 1/2" Ice | 2.08 | 2.08 | 0.000 |
| | | | 0.00 | | | 1" Ice | 2.40 | 2.40 | 0.000 |
| 2.4" x 2-ft Pipe Mount | C | From Leg | 1.00 | 0.00 | 118.00 | No Ice | 0.34 | 0.34 | 0.000 |
| | | | 0.00 | | | 1/2" Ice | 0.47 | 0.47 | 0.000 |
| | | | 0.00 | | | 1" Ice | 0.61 | 0.61 | 0.000 |
| (2) Pipe Mount/Stabilizer | C | From Leg | 0.50 | 0.00 | 118.00 | No Ice | 0.42 | 0.42 | 0.000 |
| | | | 0.00 | | | 1/2" Ice | 0.57 | 0.57 | 0.000 |
| | | | 0.00 | | | 1" Ice | 0.73 | 0.73 | 0.000 |
| PMP 450I | C | From Leg | 1.00 | 0.00 | 118.00 | No Ice | 1.62 | 0.96 | 0.015 |
| | | | 0.00 | | | 1/2" Ice | 1.90 | 1.20 | 0.031 |
| | | | 0.00 | | | 1" Ice | 2.18 | 1.47 | 0.049 |
| *** | | | | | | | | | |
| PV-LPPGS-12M-HR2-AP19 | C | None | | 0.00 | 60.00 | No Ice | 19.00 | 19.00 | 2.000 |
| | | | | | | 1/2" Ice | 25.60 | 25.60 | 2.400 |
| | | | | | | 1" Ice | 32.20 | 32.20 | 2.800 |
| (3) X7CQAP-86-880-VR0_TIA | A | From Leg | 4.00 | 0.00 | 60.00 | No Ice | 13.44 | 9.06 | 0.072 |
| | | | 0.00 | | | 1/2" Ice | 14.04 | 9.66 | 0.153 |
| | | | 0.00 | | | 1" Ice | 14.65 | 10.26 | 0.242 |
| (3) X7CQAP-86-880-VR0_TIA | B | From Leg | 4.00 | 0.00 | 60.00 | No Ice | 13.44 | 9.06 | 0.072 |
| | | | 0.00 | | | 1/2" Ice | 14.04 | 9.66 | 0.153 |

| | | | | |
|--|----------------|------------------------------------|--------------------|---------------------|
| tnxTower ETS, PLLC 3227 Wellington Court Raleigh, NC 27615 Phone: (919) 782-2710 FAX: | Job | Sumter Wedgefield Road 230 Sub | Page | 5 of 13 |
| | Project | ETS, PLLC Job No.24131425.STR.3889 | Date | 20:59:39 07/11/25 |
| | Client | Duke Energy | Designed by | J. Scott Hilgoe, PE |

| Description | Face or Leg | Offset Type | Offsets: Horz Lateral Vert ft ft ft | Azimuth Adjustment ° | Placement ft | C _{AA} Front ft ² | C _{AA} Side ft ² | Weight K | |
|------------------------------|-------------------|----------------|---|----------------------------|-----------------|---|--|-------------|-------|
| (3) X7CQAP-86-880-VR0_TIA | C | From Leg | 0.00 | 0.00 | 60.00 | 1" Ice | 14.65 | 10.26 | 0.242 |
| | | | 4.00 | | | No Ice | 13.44 | 9.06 | 0.072 |
| | | | 0.00 | | | 1/2" Ice | 14.04 | 9.66 | 0.153 |
| | | | 0.00 | | | 1" Ice | 14.65 | 10.26 | 0.242 |
| (3) RRUS 32 | A | From Leg | 4.00 | 0.00 | 60.00 | No Ice | 2.86 | 1.78 | 0.055 |
| | | | 0.00 | | | 1/2" Ice | 3.08 | 1.97 | 0.077 |
| | | | 0.00 | | | 1" Ice | 3.32 | 2.17 | 0.103 |
| | | | 4.00 | | | No Ice | 2.86 | 1.78 | 0.055 |
| (3) RRUS 32 | B | From Leg | 0.00 | 0.00 | 60.00 | 1/2" Ice | 3.08 | 1.97 | 0.077 |
| | | | 0.00 | | | 1" Ice | 3.32 | 2.17 | 0.103 |
| | | | 4.00 | | | No Ice | 2.86 | 1.78 | 0.055 |
| | | | 0.00 | | | 1/2" Ice | 3.08 | 1.97 | 0.077 |
| (3) RRUS 32 | C | From Leg | 0.00 | 0.00 | 60.00 | 1" Ice | 3.32 | 2.17 | 0.103 |
| | | | 4.00 | | | No Ice | 2.86 | 1.78 | 0.055 |
| | | | 0.00 | | | 1/2" Ice | 3.08 | 1.97 | 0.077 |
| | | | 0.00 | | | 1" Ice | 3.32 | 2.17 | 0.103 |
| DC6-48-60-18-8C | A | From Leg | 4.00 | 0.00 | 60.00 | No Ice | 1.14 | 1.14 | 0.026 |
| | | | 0.00 | | | 1/2" Ice | 1.79 | 1.79 | 0.047 |
| | | | 0.00 | | | 1" Ice | 2.00 | 2.00 | 0.070 |
| | | | 4.00 | | | No Ice | 1.14 | 1.14 | 0.026 |
| DC6-48-60-18-8C | B | From Leg | 0.00 | 0.00 | 60.00 | 1/2" Ice | 1.79 | 1.79 | 0.047 |
| | | | 0.00 | | | 1" Ice | 2.00 | 2.00 | 0.070 |
| | | | 4.00 | | | No Ice | 1.14 | 1.14 | 0.026 |
| | | | 0.00 | | | 1/2" Ice | 1.79 | 1.79 | 0.047 |
| DC6-48-60-18-8C | C | From Leg | 0.00 | 0.00 | 60.00 | 1" Ice | 2.00 | 2.00 | 0.070 |
| | | | 4.00 | | | No Ice | 1.14 | 1.14 | 0.026 |
| | | | 0.00 | | | 1/2" Ice | 1.79 | 1.79 | 0.047 |
| | | | 0.00 | | | 1" Ice | 2.00 | 2.00 | 0.070 |
| *** | | | | | | | | | |

Dishes

| Description | Face or Leg | Dish Type | Offset Type | Offsets: Horz Lateral Vert ft | Azimuth Adjustment ° | 3 dB Beam Width ° | Elevation ft | Outside Diameter ft | Aperture Area ft² | Weight K | |
|-------------|-------------------|-----------------------------|----------------|---|----------------------------|----------------------------|-----------------|---------------------------|------------------------------|-------------------------|-------------------------|
| *** | | | | | | | | | | | |
| HPD4-5.2 | B | Paraboloid w/Shroud (HP) | From Leg | 1.00 0.00 0.00 | -16.46 | | 118.00 | 4.00 | No Ice 1/2" Ice 1" Ice | 12.57 13.10 13.62 | 0.090 0.150 0.220 |
| *** | | | | | | | | | | | |

Load Combinations

| Comb. No. | Description |
|--------------|-----------------------------------|
| 1 | Dead Only |
| 2 | 1.2 Dead+1.0 Wind 0 deg - No Ice |
| 3 | 0.9 Dead+1.0 Wind 0 deg - No Ice |
| 4 | 1.2 Dead+1.0 Wind 30 deg - No Ice |
| 5 | 0.9 Dead+1.0 Wind 30 deg - No Ice |
| 6 | 1.2 Dead+1.0 Wind 60 deg - No Ice |
| 7 | 0.9 Dead+1.0 Wind 60 deg - No Ice |

| | | | | |
|--|----------------|------------------------------------|--------------------|---------------------|
| tnxTower ETS, PLLC 3227 Wellington Court Raleigh, NC 27615 Phone: (919) 782-2710 FAX: | Job | Sumter Wedgefield Road 230 Sub | Page | 6 of 13 |
| | Project | ETS, PLLC Job No.24131425.STR.3889 | Date | 20:59:39 07/11/25 |
| | Client | Duke Energy | Designed by | J. Scott Hilgoe, PE |

| <i>Comb. No.</i> | <i>Description</i> |
|------------------|--|
| 8 | 1.2 Dead+1.0 Wind 90 deg - No Ice |
| 9 | 0.9 Dead+1.0 Wind 90 deg - No Ice |
| 10 | 1.2 Dead+1.0 Wind 120 deg - No Ice |
| 11 | 0.9 Dead+1.0 Wind 120 deg - No Ice |
| 12 | 1.2 Dead+1.0 Wind 150 deg - No Ice |
| 13 | 0.9 Dead+1.0 Wind 150 deg - No Ice |
| 14 | 1.2 Dead+1.0 Wind 180 deg - No Ice |
| 15 | 0.9 Dead+1.0 Wind 180 deg - No Ice |
| 16 | 1.2 Dead+1.0 Wind 210 deg - No Ice |
| 17 | 0.9 Dead+1.0 Wind 210 deg - No Ice |
| 18 | 1.2 Dead+1.0 Wind 240 deg - No Ice |
| 19 | 0.9 Dead+1.0 Wind 240 deg - No Ice |
| 20 | 1.2 Dead+1.0 Wind 270 deg - No Ice |
| 21 | 0.9 Dead+1.0 Wind 270 deg - No Ice |
| 22 | 1.2 Dead+1.0 Wind 300 deg - No Ice |
| 23 | 0.9 Dead+1.0 Wind 300 deg - No Ice |
| 24 | 1.2 Dead+1.0 Wind 330 deg - No Ice |
| 25 | 0.9 Dead+1.0 Wind 330 deg - No Ice |
| 26 | 1.2 Dead+1.0 Ice+1.0 Temp |
| 27 | 1.2 Dead+1.0 Wind 0 deg+1.0 Ice+1.0 Temp |
| 28 | 1.2 Dead+1.0 Wind 30 deg+1.0 Ice+1.0 Temp |
| 29 | 1.2 Dead+1.0 Wind 60 deg+1.0 Ice+1.0 Temp |
| 30 | 1.2 Dead+1.0 Wind 90 deg+1.0 Ice+1.0 Temp |
| 31 | 1.2 Dead+1.0 Wind 120 deg+1.0 Ice+1.0 Temp |
| 32 | 1.2 Dead+1.0 Wind 150 deg+1.0 Ice+1.0 Temp |
| 33 | 1.2 Dead+1.0 Wind 180 deg+1.0 Ice+1.0 Temp |
| 34 | 1.2 Dead+1.0 Wind 210 deg+1.0 Ice+1.0 Temp |
| 35 | 1.2 Dead+1.0 Wind 240 deg+1.0 Ice+1.0 Temp |
| 36 | 1.2 Dead+1.0 Wind 270 deg+1.0 Ice+1.0 Temp |
| 37 | 1.2 Dead+1.0 Wind 300 deg+1.0 Ice+1.0 Temp |
| 38 | 1.2 Dead+1.0 Wind 330 deg+1.0 Ice+1.0 Temp |
| 39 | Dead+Wind 0 deg - Service |
| 40 | Dead+Wind 30 deg - Service |
| 41 | Dead+Wind 60 deg - Service |
| 42 | Dead+Wind 90 deg - Service |
| 43 | Dead+Wind 120 deg - Service |
| 44 | Dead+Wind 150 deg - Service |
| 45 | Dead+Wind 180 deg - Service |
| 46 | Dead+Wind 210 deg - Service |
| 47 | Dead+Wind 240 deg - Service |
| 48 | Dead+Wind 270 deg - Service |
| 49 | Dead+Wind 300 deg - Service |
| 50 | Dead+Wind 330 deg - Service |

Maximum Member Forces

| <i>Section No.</i> | <i>Elevation ft</i> | <i>Component Type</i> | <i>Condition</i> | <i>Gov. Load Comb.</i> | <i>Axial K</i> | <i>Major Axis Moment kip-ft</i> | <i>Minor Axis Moment kip-ft</i> |
|--------------------|---------------------|-----------------------|------------------|------------------------|----------------|---------------------------------|---------------------------------|
| L1 | 120 - 67.0833 | Pole | Max Tension | 2 | 0.000 | 0.00 | -0.00 |
| | | | Max. Compression | 26 | -5.453 | -0.19 | -0.55 |
| | | | Max. Mx | 20 | -2.715 | 174.50 | 6.15 |
| | | | Max. My | 14 | -2.780 | -9.91 | -151.94 |
| | | | Max. Vy | 20 | -6.293 | 174.50 | 6.15 |
| | | | Max. Vx | 14 | 5.797 | -9.91 | -151.94 |
| | | | Max. Torque | 5 | | | -1.02 |
| L2 | 67.0833 - 31.6667 | Pole | Max Tension | 1 | 0.000 | 0.00 | 0.00 |
| | | | Max. Compression | 26 | -20.297 | -0.10 | -3.59 |

| | | | | |
|--|----------------|------------------------------------|--------------------|---------------------|
| tnxTower ETS, PLLC 3227 Wellington Court Raleigh, NC 27615 Phone: (919) 782-2710 FAX: | Job | Sumter Wedgefield Road 230 Sub | Page | 7 of 13 |
| | Project | ETS, PLLC Job No.24131425.STR.3889 | Date | 20:59:39 07/11/25 |
| | Client | Duke Energy | Designed by | J. Scott Hilgoe, PE |

| Section No. | Elevation ft | Component Type | Condition | Gov. Load Comb. | Axial K | Major Axis Moment kip-ft | Minor Axis Moment kip-ft |
|-------------|--------------|----------------|------------------|-----------------|---------|--------------------------|--------------------------|
| L3 | 31.6667 - 0 | Pole | Max. Mx | 20 | -10.305 | 626.47 | 10.30 |
| | | | Max. My | 14 | -10.411 | -17.41 | -573.06 |
| | | | Max. Vy | 20 | -17.618 | 626.47 | 10.30 |
| | | | Max. Vx | 14 | 16.185 | -17.41 | -573.06 |
| | | | Max. Torque | 9 | | | -3.49 |
| | | | Max Tension | 1 | 0.000 | 0.00 | 0.00 |
| | | | Max. Compression | 26 | -29.800 | -0.02 | -7.53 |
| | | | Max. Mx | 20 | -16.608 | 1359.15 | 14.27 |
| | | | Max. My | 14 | -16.612 | -25.13 | -1239.41 |
| | | | Max. Vy | 20 | -22.367 | 1359.15 | 14.27 |
| | | | Max. Vx | 14 | 20.164 | -25.13 | -1239.41 |
| | | | Max. Torque | 9 | | | -3.48 |

Maximum Reactions

| Location | Condition | Gov. Load Comb. | Vertical K | Horizontal, X K | Horizontal, Z K |
|----------|---------------------|-----------------|------------|-----------------|-----------------|
| Pole | Max. Vert | 26 | 29.800 | 0.000 | 0.001 |
| | Max. H _x | 21 | 12.472 | 22.351 | 0.134 |
| | Max. H _z | 3 | 12.472 | 0.213 | 20.125 |
| | Max. M _x | 2 | 1232.57 | 0.213 | 20.125 |
| | Max. M _z | 8 | 1334.68 | -22.147 | -0.092 |
| | Max. Torsion | 21 | 3.39 | 22.351 | 0.134 |
| | Min. Vert | 15 | 12.472 | -0.206 | -20.149 |
| | Min. H _x | 8 | 16.630 | -22.147 | -0.092 |
| | Min. H _z | 14 | 16.630 | -0.206 | -20.150 |
| | Min. M _x | 14 | -1239.41 | -0.206 | -20.150 |
| | Min. M _z | 20 | -1359.15 | 22.351 | 0.134 |
| | Min. Torsion | 9 | -3.48 | -22.146 | -0.092 |

Tower Mast Reaction Summary

| Load Combination | Vertical K | Shear _x K | Shear _z K | Overturning Moment, M _x kip-ft | Overturning Moment, M _z kip-ft | Torque kip-ft |
|-----------------------------------|------------|----------------------|----------------------|---|---|---------------|
| Dead Only | 13.858 | -0.000 | -0.000 | 1.58 | -0.10 | 0.00 |
| 1.2 Dead+1.0 Wind 0 deg - No Ice | 16.630 | -0.213 | -20.125 | -1232.57 | 25.73 | 0.37 |
| 0.9 Dead+1.0 Wind 0 deg - No Ice | 12.472 | -0.213 | -20.125 | -1226.60 | 25.58 | 0.37 |
| 1.2 Dead+1.0 Wind 30 deg - No Ice | 16.630 | 10.285 | -17.361 | -1058.92 | -644.39 | -1.66 |
| 0.9 Dead+1.0 Wind 30 deg - No Ice | 12.472 | 10.285 | -17.361 | -1053.83 | -640.90 | -1.66 |
| 1.2 Dead+1.0 Wind 60 deg - No Ice | 16.630 | 18.256 | -10.150 | -602.72 | -1129.43 | 0.92 |
| 0.9 Dead+1.0 Wind 60 deg - No Ice | 12.472 | 18.256 | -10.150 | -600.08 | -1123.39 | 0.92 |
| 1.2 Dead+1.0 Wind 90 deg - No Ice | 16.630 | 22.147 | 0.092 | 13.08 | -1334.68 | 3.48 |
| 0.9 Dead+1.0 Wind 90 deg - No Ice | 12.472 | 22.146 | 0.092 | 12.51 | -1327.62 | 3.48 |

| | | | | |
|---|----------------|------------------------------------|--------------------|---------------------|
| <i>tnxTower</i> ETS, PLLC 3227 Wellington Court Raleigh, NC 27615 Phone: (919) 782-2710 FAX: | Job | Sumter Wedgefield Road 230 Sub | Page | 8 of 13 |
| | Project | ETS, PLLC Job No.24131425.STR.3889 | Date | 20:59:39 07/11/25 |
| | Client | Duke Energy | Designed by | J. Scott Hilgoe, PE |

| <i>Load Combination</i> | <i>Vertical K</i> | <i>Shear_x K</i> | <i>Shear_z K</i> | <i>Overturning Moment, M_x kip-ft</i> | <i>Overturning Moment, M_z kip-ft</i> | <i>Torque kip-ft</i> |
|---|-----------------------|--------------------------------|--------------------------------|---|---|--------------------------|
| 1.2 Dead+1.0 Wind 120 deg - No Ice | 16.630 | 18.215 | 10.380 | 634.44 | -1124.36 | 0.40 |
| 0.9 Dead+1.0 Wind 120 deg - No Ice | 12.472 | 18.215 | 10.380 | 630.62 | -1118.35 | 0.40 |
| 1.2 Dead+1.0 Wind 150 deg - No Ice | 16.630 | 10.431 | 17.375 | 1064.48 | -662.00 | -2.64 |
| 0.9 Dead+1.0 Wind 150 deg - No Ice | 12.472 | 10.431 | 17.375 | 1058.40 | -658.40 | -2.64 |
| 1.2 Dead+1.0 Wind 180 deg - No Ice | 16.630 | 0.206 | 20.150 | 1239.41 | -25.13 | -0.60 |
| 0.9 Dead+1.0 Wind 180 deg - No Ice | 12.472 | 0.206 | 20.149 | 1232.34 | -24.92 | -0.60 |
| 1.2 Dead+1.0 Wind 210 deg - No Ice | 16.630 | -10.324 | 17.318 | 1057.60 | 648.76 | 1.93 |
| 0.9 Dead+1.0 Wind 210 deg - No Ice | 12.472 | -10.324 | 17.318 | 1051.56 | 645.31 | 1.93 |
| 1.2 Dead+1.0 Wind 240 deg - No Ice | 16.630 | -18.431 | 10.132 | 604.38 | 1150.25 | -0.63 |
| 0.9 Dead+1.0 Wind 240 deg - No Ice | 12.472 | -18.430 | 10.132 | 600.77 | 1144.12 | -0.63 |
| 1.2 Dead+1.0 Wind 270 deg - No Ice | 16.630 | -22.351 | -0.134 | -14.27 | 1359.15 | -3.39 |
| 0.9 Dead+1.0 Wind 270 deg - No Ice | 12.472 | -22.351 | -0.134 | -14.65 | 1352.03 | -3.39 |
| 1.2 Dead+1.0 Wind 300 deg - No Ice | 16.630 | -18.417 | -10.442 | -638.17 | 1148.60 | -0.72 |
| 0.9 Dead+1.0 Wind 300 deg - No Ice | 12.472 | -18.417 | -10.442 | -635.27 | 1142.48 | -0.72 |
| 1.2 Dead+1.0 Wind 330 deg - No Ice | 16.630 | -10.598 | -17.426 | -1066.71 | 682.01 | 2.16 |
| 0.9 Dead+1.0 Wind 330 deg - No Ice | 12.472 | -10.598 | -17.426 | -1061.56 | 678.32 | 2.16 |
| 1.2 Dead+1.0 Ice+1.0 Temp | 29.800 | -0.000 | -0.001 | 7.53 | -0.02 | 0.00 |
| 1.2 Dead+1.0 Wind 0 deg+1.0 Ice+1.0 Temp | 29.800 | -0.012 | -1.368 | -78.59 | 1.46 | 0.01 |
| 1.2 Dead+1.0 Wind 30 deg+1.0 Ice+1.0 Temp | 29.800 | 0.696 | -1.181 | -66.56 | -44.66 | -0.09 |
| 1.2 Dead+1.0 Wind 60 deg+1.0 Ice+1.0 Temp | 29.800 | 1.204 | -0.673 | -34.12 | -77.01 | 0.05 |
| 1.2 Dead+1.0 Wind 90 deg+1.0 Ice+1.0 Temp | 29.800 | 1.385 | 0.005 | 8.26 | -88.30 | 0.19 |
| 1.2 Dead+1.0 Wind 120 deg+1.0 Ice+1.0 Temp | 29.800 | 1.201 | 0.686 | 50.96 | -76.72 | 0.03 |
| 1.2 Dead+1.0 Wind 150 deg+1.0 Ice+1.0 Temp | 29.800 | 0.705 | 1.182 | 81.90 | -45.67 | -0.12 |
| 1.2 Dead+1.0 Wind 180 deg+1.0 Ice+1.0 Temp | 29.800 | 0.011 | 1.369 | 94.00 | -1.45 | -0.02 |
| 1.2 Dead+1.0 Wind 210 deg+1.0 Ice+1.0 Temp | 29.800 | -0.699 | 1.179 | 81.51 | 44.89 | 0.10 |
| 1.2 Dead+1.0 Wind 240 deg+1.0 Ice+1.0 Temp | 29.800 | -1.213 | 0.672 | 49.24 | 78.17 | -0.03 |
| 1.2 Dead+1.0 Wind 270 deg+1.0 Ice+1.0 Temp | 29.800 | -1.396 | -0.007 | 6.70 | 89.68 | -0.18 |
| 1.2 Dead+1.0 Wind 300 deg+1.0 Ice+1.0 Temp | 29.800 | -1.213 | -0.689 | -36.15 | 78.08 | -0.05 |
| 1.2 Dead+1.0 Wind 330 deg+1.0 Ice+1.0 Temp | 29.800 | -0.714 | -1.185 | -67.01 | 46.79 | 0.10 |
| Dead+Wind 0 deg - Service | 13.858 | -0.039 | -3.669 | -222.83 | 4.59 | 0.07 |
| Dead+Wind 30 deg - Service | 13.858 | 1.875 | -3.165 | -191.24 | -117.21 | -0.30 |
| Dead+Wind 60 deg - Service | 13.858 | 3.328 | -1.850 | -108.32 | -205.38 | 0.17 |
| Dead+Wind 90 deg - Service | 13.858 | 4.037 | 0.017 | 3.63 | -242.71 | 0.64 |

| | | | | |
|--|----------------|------------------------------------|--------------------|---------------------|
| tnxTower ETS, PLLC 3227 Wellington Court Raleigh, NC 27615 Phone: (919) 782-2710 FAX: | Job | Sumter Wedgefield Road 230 Sub | Page | 9 of 13 |
| | Project | ETS, PLLC Job No.24131425.STR.3889 | Date | 20:59:39 07/11/25 |
| | Client | Duke Energy | Designed by | J. Scott Hilgoe, PE |

| Load Combination | Vertical K | Shear _x K | Shear _z K | Overturning Moment, M _x kip-ft | Overturning Moment, M _z kip-ft | Torque kip-ft |
|-----------------------------|---------------|-------------------------|-------------------------|---|---|------------------|
| Dead+Wind 120 deg - Service | 13.858 | 3.321 | 1.892 | 116.59 | -204.46 | 0.07 |
| Dead+Wind 150 deg - Service | 13.858 | 1.902 | 3.168 | 194.76 | -120.41 | -0.48 |
| Dead+Wind 180 deg - Service | 13.858 | 0.038 | 3.674 | 226.56 | -4.64 | -0.11 |
| Dead+Wind 210 deg - Service | 13.858 | -1.882 | 3.157 | 193.51 | 117.84 | 0.35 |
| Dead+Wind 240 deg - Service | 13.858 | -3.360 | 1.847 | 111.14 | 209.00 | -0.12 |
| Dead+Wind 270 deg - Service | 13.858 | -4.074 | -0.024 | -1.33 | 247.00 | -0.62 |
| Dead+Wind 300 deg - Service | 13.858 | -3.357 | -1.904 | -114.76 | 208.71 | -0.13 |
| Dead+Wind 330 deg - Service | 13.858 | -1.932 | -3.177 | -192.66 | 123.88 | 0.40 |

Solution Summary

| Load Comb. | Sum of Applied Forces | | | Sum of Reactions | | | % Error |
|------------|-----------------------|---------|---------|------------------|---------|---------|---------|
| | PX K | PY K | PZ K | PX K | PY K | PZ K | |
| 1 | 0.000 | -13.858 | 0.000 | 0.000 | 13.858 | 0.000 | 0.000% |
| 2 | -0.213 | -16.630 | -20.127 | 0.213 | 16.630 | 20.125 | 0.007% |
| 3 | -0.213 | -12.472 | -20.127 | 0.213 | 12.472 | 20.125 | 0.006% |
| 4 | 10.286 | -16.630 | -17.361 | -10.285 | 16.630 | 17.361 | 0.001% |
| 5 | 10.286 | -12.472 | -17.361 | -10.285 | 12.472 | 17.361 | 0.001% |
| 6 | 18.257 | -16.630 | -10.150 | -18.256 | 16.630 | 10.150 | 0.001% |
| 7 | 18.257 | -12.472 | -10.150 | -18.256 | 12.472 | 10.150 | 0.001% |
| 8 | 22.147 | -16.630 | 0.092 | -22.147 | 16.630 | -0.092 | 0.001% |
| 9 | 22.147 | -12.472 | 0.092 | -22.146 | 12.472 | -0.092 | 0.002% |
| 10 | 18.215 | -16.630 | 10.380 | -18.215 | 16.630 | -10.380 | 0.001% |
| 11 | 18.215 | -12.472 | 10.380 | -18.215 | 12.472 | -10.380 | 0.001% |
| 12 | 10.431 | -16.630 | 17.375 | -10.431 | 16.630 | -17.375 | 0.001% |
| 13 | 10.431 | -12.472 | 17.375 | -10.431 | 12.472 | -17.375 | 0.000% |
| 14 | 0.206 | -16.630 | 20.151 | -0.206 | 16.630 | -20.150 | 0.003% |
| 15 | 0.206 | -12.472 | 20.151 | -0.206 | 12.472 | -20.149 | 0.006% |
| 16 | -10.324 | -16.630 | 17.318 | 10.324 | 16.630 | -17.318 | 0.001% |
| 17 | -10.324 | -12.472 | 17.318 | 10.324 | 12.472 | -17.318 | 0.001% |
| 18 | -18.431 | -16.630 | 10.132 | 18.431 | 16.630 | -10.132 | 0.001% |
| 19 | -18.431 | -12.472 | 10.132 | 18.430 | 12.472 | -10.132 | 0.001% |
| 20 | -22.352 | -16.630 | -0.134 | 22.351 | 16.630 | 0.134 | 0.003% |
| 21 | -22.352 | -12.472 | -0.134 | 22.351 | 12.472 | 0.134 | 0.002% |
| 22 | -18.417 | -16.630 | -10.443 | 18.417 | 16.630 | 10.442 | 0.001% |
| 23 | -18.417 | -12.472 | -10.443 | 18.417 | 12.472 | 10.442 | 0.001% |
| 24 | -10.598 | -16.630 | -17.426 | 10.598 | 16.630 | 17.426 | 0.001% |
| 25 | -10.598 | -12.472 | -17.426 | 10.598 | 12.472 | 17.426 | 0.001% |
| 26 | 0.000 | -29.800 | 0.000 | 0.000 | 29.800 | 0.001 | 0.003% |
| 27 | -0.012 | -29.800 | -1.369 | 0.012 | 29.800 | 1.368 | 0.002% |
| 28 | 0.697 | -29.800 | -1.181 | -0.696 | 29.800 | 1.181 | 0.002% |
| 29 | 1.204 | -29.800 | -0.673 | -1.204 | 29.800 | 0.673 | 0.002% |
| 30 | 1.385 | -29.800 | 0.005 | -1.385 | 29.800 | -0.005 | 0.002% |
| 31 | 1.202 | -29.800 | 0.686 | -1.201 | 29.800 | -0.686 | 0.002% |
| 32 | 0.705 | -29.800 | 1.182 | -0.705 | 29.800 | -1.182 | 0.002% |
| 33 | 0.011 | -29.800 | 1.370 | -0.011 | 29.800 | -1.369 | 0.002% |
| 34 | -0.699 | -29.800 | 1.179 | 0.699 | 29.800 | -1.179 | 0.002% |
| 35 | -1.214 | -29.800 | 0.672 | 1.213 | 29.800 | -0.672 | 0.002% |
| 36 | -1.397 | -29.800 | -0.007 | 1.396 | 29.800 | 0.007 | 0.002% |
| 37 | -1.213 | -29.800 | -0.690 | 1.213 | 29.800 | 0.689 | 0.002% |
| 38 | -0.714 | -29.800 | -1.185 | 0.714 | 29.800 | 1.185 | 0.002% |
| 39 | -0.039 | -13.858 | -3.670 | 0.039 | 13.858 | 3.669 | 0.005% |
| 40 | 1.875 | -13.858 | -3.166 | -1.875 | 13.858 | 3.165 | 0.005% |
| 41 | 3.329 | -13.858 | -1.851 | -3.328 | 13.858 | 1.850 | 0.005% |
| 42 | 4.038 | -13.858 | 0.017 | -4.037 | 13.858 | -0.017 | 0.005% |
| 43 | 3.321 | -13.858 | 1.893 | -3.321 | 13.858 | -1.892 | 0.005% |
| 44 | 1.902 | -13.858 | 3.168 | -1.902 | 13.858 | -3.168 | 0.005% |

| | | | | |
|--|----------------|------------------------------------|--------------------|---------------------|
| tnxTower ETS, PLLC 3227 Wellington Court Raleigh, NC 27615 Phone: (919) 782-2710 FAX: | Job | Sumter Wedgefield Road 230 Sub | Page | 10 of 13 |
| | Project | ETS, PLLC Job No.24131425.STR.3889 | Date | 20:59:39 07/11/25 |
| | Client | Duke Energy | Designed by | J. Scott Hilgoe, PE |

| Load Comb. | Sum of Applied Forces | | | Sum of Reactions | | | % Error |
|------------|-----------------------|---------|---------|------------------|---------|---------|---------|
| | PX K | PY K | PZ K | PX K | PY K | PZ K | |
| 45 | 0.038 | -13.858 | 3.674 | -0.038 | 13.858 | -3.674 | 0.005% |
| 46 | -1.882 | -13.858 | 3.158 | 1.882 | 13.858 | -3.157 | 0.005% |
| 47 | -3.360 | -13.858 | 1.847 | 3.360 | 13.858 | -1.847 | 0.005% |
| 48 | -4.075 | -13.858 | -0.024 | 4.074 | 13.858 | 0.024 | 0.005% |
| 49 | -3.358 | -13.858 | -1.904 | 3.357 | 13.858 | 1.904 | 0.005% |
| 50 | -1.932 | -13.858 | -3.177 | 1.932 | 13.858 | 3.177 | 0.005% |

Non-Linear Convergence Results

| Load Combination | Converged? | Number of Cycles | Displacement Tolerance | Force Tolerance |
|------------------|------------|------------------|------------------------|-----------------|
| 1 | Yes | 6 | 0.00000001 | 0.00000001 |
| 2 | Yes | 13 | 0.00010213 | 0.00011678 |
| 3 | Yes | 13 | 0.00007325 | 0.00009346 |
| 4 | Yes | 16 | 0.00000001 | 0.00007378 |
| 5 | Yes | 15 | 0.00000001 | 0.00012719 |
| 6 | Yes | 16 | 0.00000001 | 0.00007333 |
| 7 | Yes | 15 | 0.00000001 | 0.00012612 |
| 8 | Yes | 15 | 0.00000001 | 0.00006878 |
| 9 | Yes | 14 | 0.00000001 | 0.00011683 |
| 10 | Yes | 16 | 0.00000001 | 0.00008547 |
| 11 | Yes | 15 | 0.00000001 | 0.00014695 |
| 12 | Yes | 16 | 0.00000001 | 0.00009205 |
| 13 | Yes | 16 | 0.00000001 | 0.00006989 |
| 14 | Yes | 14 | 0.00004418 | 0.00007166 |
| 15 | Yes | 13 | 0.00007321 | 0.00012251 |
| 16 | Yes | 16 | 0.00000001 | 0.00008479 |
| 17 | Yes | 15 | 0.00000001 | 0.00014661 |
| 18 | Yes | 16 | 0.00000001 | 0.00008590 |
| 19 | Yes | 15 | 0.00000001 | 0.00014788 |
| 20 | Yes | 14 | 0.00004377 | 0.00012268 |
| 21 | Yes | 14 | 0.00000001 | 0.00009555 |
| 22 | Yes | 16 | 0.00000001 | 0.00008496 |
| 23 | Yes | 15 | 0.00000001 | 0.00014584 |
| 24 | Yes | 16 | 0.00000001 | 0.00008210 |
| 25 | Yes | 15 | 0.00000001 | 0.00014130 |
| 26 | Yes | 8 | 0.00000001 | 0.00002744 |
| 27 | Yes | 12 | 0.00000001 | 0.00003954 |
| 28 | Yes | 12 | 0.00000001 | 0.00004116 |
| 29 | Yes | 12 | 0.00000001 | 0.00004330 |
| 30 | Yes | 12 | 0.00000001 | 0.00004537 |
| 31 | Yes | 12 | 0.00000001 | 0.00004779 |
| 32 | Yes | 12 | 0.00000001 | 0.00004836 |
| 33 | Yes | 12 | 0.00000001 | 0.00004727 |
| 34 | Yes | 12 | 0.00000001 | 0.00004762 |
| 35 | Yes | 12 | 0.00000001 | 0.00004774 |
| 36 | Yes | 12 | 0.00000001 | 0.00004597 |
| 37 | Yes | 12 | 0.00000001 | 0.00004444 |
| 38 | Yes | 12 | 0.00000001 | 0.00004223 |
| 39 | Yes | 12 | 0.00000001 | 0.00007432 |
| 40 | Yes | 12 | 0.00000001 | 0.00006555 |
| 41 | Yes | 12 | 0.00000001 | 0.00006875 |
| 42 | Yes | 12 | 0.00000001 | 0.00008495 |
| 43 | Yes | 12 | 0.00000001 | 0.00006972 |
| 44 | Yes | 12 | 0.00000001 | 0.00007115 |
| 45 | Yes | 12 | 0.00000001 | 0.00007589 |

| | | | | |
|--|----------------|------------------------------------|--------------------|---------------------|
| tnxTower ETS, PLLC 3227 Wellington Court Raleigh, NC 27615 Phone: (919) 782-2710 FAX: | Job | Sumter Wedgefield Road 230 Sub | Page | 11 of 13 |
| | Project | ETS, PLLC Job No.24131425.STR.3889 | Date | 20:59:39 07/11/25 |
| | Client | Duke Energy | Designed by | J. Scott Hilgoe, PE |

| | | | | |
|----|-----|----|------------|------------|
| 46 | Yes | 12 | 0.00000001 | 0.00006861 |
| 47 | Yes | 12 | 0.00000001 | 0.00007180 |
| 48 | Yes | 12 | 0.00000001 | 0.00008636 |
| 49 | Yes | 12 | 0.00000001 | 0.00006994 |
| 50 | Yes | 12 | 0.00000001 | 0.00006681 |

Maximum Tower Deflections - Service Wind

| Section No. | Elevation ft | Horz. Deflection in | Gov. Load Comb. | Tilt ° | Twist ° |
|-------------|-----------------|------------------------|-----------------|-----------|------------|
| L1 | 120 - 67.0833 | 13.34 | 48 | 0.82 | 0.01 |
| L2 | 71.25 - 31.6667 | 5.54 | 48 | 0.65 | 0.00 |
| L3 | 36.5 - 0 | 1.60 | 48 | 0.39 | 0.00 |

Critical Deflections and Radius of Curvature - Service Wind

| Elevation ft | Appurtenance | Gov. Load Comb. | Deflection in | Tilt ° | Twist ° | Radius of Curvature ft |
|-----------------|-----------------------------|-----------------|------------------|-----------|------------|---------------------------|
| 120.00 | 1/2-in x 4-ft Lightning Rod | 48 | 13.34 | 0.82 | 0.01 | 104440 |
| 118.00 | HPD4-5.2 | 48 | 13.00 | 0.81 | 0.01 | 104440 |
| 60.00 | PV-LPPGS-12M-HR2-AP19 | 48 | 4.03 | 0.58 | 0.00 | 7426 |

Maximum Tower Deflections - Design Wind

| Section No. | Elevation ft | Horz. Deflection in | Gov. Load Comb. | Tilt ° | Twist ° |
|-------------|-----------------|------------------------|-----------------|-----------|------------|
| L1 | 120 - 67.0833 | 73.47 | 20 | 4.52 | 0.04 |
| L2 | 71.25 - 31.6667 | 30.52 | 20 | 3.61 | 0.02 |
| L3 | 36.5 - 0 | 8.82 | 20 | 2.13 | 0.01 |

Critical Deflections and Radius of Curvature - Design Wind

| Elevation ft | Appurtenance | Gov. Load Comb. | Deflection in | Tilt ° | Twist ° | Radius of Curvature ft |
|-----------------|-----------------------------|-----------------|------------------|-----------|------------|---------------------------|
| 120.00 | 1/2-in x 4-ft Lightning Rod | 20 | 73.47 | 4.52 | 0.04 | 19075 |
| 118.00 | HPD4-5.2 | 20 | 71.61 | 4.49 | 0.04 | 19075 |
| 60.00 | PV-LPPGS-12M-HR2-AP19 | 20 | 22.19 | 3.21 | 0.02 | 1353 |

Compression Checks

| | | | | |
|--|----------------|------------------------------------|--------------------|---------------------|
| tnxTower ETS, PLLC 3227 Wellington Court Raleigh, NC 27615 Phone: (919) 782-2710 FAX: | Job | Sumter Wedgefield Road 230 Sub | Page | 12 of 13 |
| | Project | ETS, PLLC Job No.24131425.STR.3889 | Date | 20:59:39 07/11/25 |
| | Client | Duke Energy | Designed by | J. Scott Hilgoe, PE |

Pole Design Data

| Section No. | Elevation ft | Size | L ft | L _u ft | Kl/r | A in ² | P _u K | φP _n K | Ratio $\frac{P_u}{\phi P_n}$ |
|-------------|-----------------------|--------------------|---------|----------------------|------|----------------------|---------------------|----------------------|---------------------------------|
| L1 | 120 - 67.0833 (1) | TP26.08x16.51x0.22 | 52.92 | 0.00 | 0.0 | 17.71 | -2.715 | 1035.760 | 0.003 |
| L2 | 67.0833 - 31.6667 (2) | TP32.05x24.89x0.25 | 39.58 | 0.00 | 0.0 | 24.90 | -10.305 | 1456.360 | 0.007 |
| L3 | 31.6667 - 0 (3) | TP37.28x30.68x0.28 | 36.50 | 0.00 | 0.0 | 33.47 | -16.608 | 1958.240 | 0.008 |

Pole Bending Design Data

| Section No. | Elevation ft | Size | M _{ux} kip-ft | φM _{nx} kip-ft | Ratio $\frac{M_{ux}}{\phi M_{nx}}$ | M _{uy} kip-ft | φM _{ny} kip-ft | Ratio $\frac{M_{uy}}{\phi M_{ny}}$ |
|-------------|-----------------------|--------------------|---------------------------|----------------------------|---------------------------------------|---------------------------|----------------------------|---------------------------------------|
| L1 | 120 - 67.0833 (1) | TP26.08x16.51x0.22 | 174.61 | 589.43 | 0.296 | 0.00 | 589.43 | 0.000 |
| L2 | 67.0833 - 31.6667 (2) | TP32.05x24.89x0.25 | 626.55 | 984.12 | 0.637 | 0.00 | 984.12 | 0.000 |
| L3 | 31.6667 - 0 (3) | TP37.28x30.68x0.28 | 1359.22 | 1530.95 | 0.888 | 0.00 | 1530.95 | 0.000 |

Pole Shear Design Data

| Section No. | Elevation ft | Size | Actual V _u K | φV _n K | Ratio $\frac{V_u}{\phi V_n}$ | Actual T _u kip-ft | φT _n kip-ft | Ratio $\frac{T_u}{\phi T_n}$ |
|-------------|-----------------------|--------------------|-------------------------------|----------------------|---------------------------------|------------------------------------|---------------------------|---------------------------------|
| L1 | 120 - 67.0833 (1) | TP26.08x16.51x0.22 | 6.295 | 310.728 | 0.020 | 0.71 | 686.25 | 0.001 |
| L2 | 67.0833 - 31.6667 (2) | TP32.05x24.89x0.25 | 17.619 | 436.908 | 0.040 | 3.39 | 1188.53 | 0.003 |
| L3 | 31.6667 - 0 (3) | TP37.28x30.68x0.28 | 22.367 | 587.473 | 0.038 | 3.39 | 1911.78 | 0.002 |

Pole Interaction Design Data

| Section No. | Elevation ft | Ratio $\frac{P_u}{\phi P_n}$ | Ratio $\frac{M_{ux}}{\phi M_{nx}}$ | Ratio $\frac{M_{uy}}{\phi M_{ny}}$ | Ratio $\frac{V_u}{\phi V_n}$ | Ratio $\frac{T_u}{\phi T_n}$ | Comb. Stress Ratio | Allow. Stress Ratio | Criteria |
|-------------|-----------------------|---------------------------------|---------------------------------------|---------------------------------------|---------------------------------|---------------------------------|--------------------------|---------------------------|----------|
| L1 | 120 - 67.0833 (1) | 0.003 | 0.296 | 0.000 | 0.020 | 0.001 | 0.299 | 1.000 | |
| L2 | 67.0833 - 31.6667 (2) | 0.007 | 0.637 | 0.000 | 0.040 | 0.003 | 0.646 | 1.000 | |
| L3 | 31.6667 - 0 (3) | 0.008 | 0.888 | 0.000 | 0.038 | 0.002 | 0.898 | 1.000 | |

| | | | | |
|---|----------------|------------------------------------|--------------------|---------------------|
| <i>tnxTower</i> ETS, PLLC 3227 Wellington Court Raleigh, NC 27615 Phone: (919) 782-2710 FAX: | Job | Sumter Wedgefield Road 230 Sub | Page | 13 of 13 |
| | Project | ETS, PLLC Job No.24131425.STR.3889 | Date | 20:59:39 07/11/25 |
| | Client | Duke Energy | Designed by | J. Scott Hilgoe, PE |


Section Capacity Table

| Section No. | Elevation ft | Component Type | Size | Critical Element | P K | ϕP_{allow} K | % Capacity | Pass Fail |
|-------------|-------------------|----------------|--------------------|------------------|---------|--------------------|-----------------|------------------|
| L1 | 120 - 67.0833 | Pole | TP26.08x16.51x0.22 | 1 | -2.715 | 1035.760 | 29.9 | Pass |
| L2 | 67.0833 - 31.6667 | Pole | TP32.05x24.89x0.25 | 2 | -10.305 | 1456.360 | 64.6 | Pass |
| L3 | 31.6667 - 0 | Pole | TP37.28x30.68x0.28 | 3 | -16.608 | 1958.240 | 89.8 | Pass |
| | | | | | | | Summary | |
| | | | | | | | Pole (L3) | 89.8 Pass |
| | | | | | | | RATING = | 89.8 Pass |



Program Version 8.3.1.2 - 12/11/2024 File:C:/Users/scott.hilgoe.ETS/OneDrive - Engineered Tower Solutions/Desktop/Working Folder/Duke/Sumter Wedgefield/Analysis/Tower/Sumter Wedgefield.eri

APPENDIX B

POLE DESIGN SPECIFICATIONS



ELEVATION VIEW
SEE FABRICATION DRAWINGS
FOR ADDITIONAL DETAILS



- NOTES:
- COMPONENT IDENTIFICATION: VALMONT ID TAG LOCATIONS ARE INDICATED BY CALLOUTS ON DRAWING. THE VALMONT ID TAG CONTAINS INFORMATION FOR INTERNAL TRACKING AND FIELD ASSEMBLY. ONLY THE VALMONT PART NUMBER NEEDS TO MATCH FOR FIELD ASSEMBLY. ALL OTHER IDENTIFICATION IS FOR INTERNAL USE.

A = MANUFACTURING SITE (ONE CHARACTER)
B = VALMONT PART NUMBER (SEVEN CHARACTERS)
C = FABRICATION SEQUENCE NUMBER (ONE OR MORE CHARACTERS)
O = VALMONT ORDER NUMBER (SIX CHARACTERS)
E = VALMONT ORDER RELEASE NUMBER (ONE OR MORE CHARACTERS)


(A) (BBBBBB) (C)
(DDDDDD) (E)
 - ASSEMBLY AND ERECTION GUIDELINES: SEE VALMONT TRANSMISSION INSTALLATION GUIDELINE I002 (WWW.VALMONTUTILITY.COM/I002).
 - SLIP JOINT JACKING FORCE
MINIMUM = 25,000#
MAXIMUM = 90,000#

| BILL OF MATERIAL (SHIPPING SEQ.=1 FOR ALL) | | | |
|---|------------------|-------------------------|-------------------|
| VALMONT PART NUMBER | DESCRIPTION | UNIT WEIGHT (LBS) | QTY PER STR |
| 307137A | SECTION ASSEMBLY | 6,694 | 1 |
| 307137B | SECTION ASSEMBLY | 3,130 | 1 |
| 307137C | SECTION ASSEMBLY | 2,764 | 1 |

CLASS H10
DEP. POLE ID: 140-A

PROPRIETARY INFORMATION

THESE DOCUMENTS, DRAWINGS, AND/OR CALCULATIONS AND ALL INFORMATION RELATED TO THEM ARE THE EXCLUSIVE PROPERTY AND THE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES, INC. AND ARE FURNISHED SOLELY UPON THE CONDITIONS THAT THEY WILL BE RETAINED IN STRICTEST CONFIDENCE AND SHALL NOT BE DUPLICATED, USED, OR DISCLOSED IN WHOLE OR IN PART FOR ANY PURPOSE, IN ANY WAY, WITHOUT THE PRIOR WRITTEN PERMISSION OF VALMONT INDUSTRIES, INC.


| | | | | | | | | | | |
|--------------------------------|----------|------------------|--------|--|--------------|--|---------------|---|-----------|--------------------|
| DUPLICATE DRAWING DISTRIBUTION | | | | PED487071140'_H10_SIDED_SW10_CS78231_--- | | | | | | |
| | | | | DWG SIZE <u>D</u> CLASS CODE (1) <u>1</u> CLASS NO. (3) <u>450</u> | | | | | | |
| | | | | DRAWN AM70 | ENGR BKB1 | DATE 01/11/21 | SCALE NONE |  | | |
| | | | | P.A. CHK | | SHOP CHK | | | | |
| | | | | AM70 01/11/21KMS4 01/19/21 | | | | | | |
| | | | | OTHER SPECIFICATIONS | | | | | | |
| A | 01/19/21 | AM7 | KMS | REVISED PER DRAFTING | | | | | | |
| REV ID | DATE | REV BY | CHK BY | REVISION DESCRIPTION | | | | MATERIAL | THICKNESS | WEIGHT 12,588# |
| ORDER NO. 487071 | | CUSTOMER DUKE | | | | DESCRIPTION 140' H10 SIDED SW10 CS78231 | | | | DWG NO. 307137Z |



| | | | |
|--|---|---------|-----------|
| | - | PART # | THICKNESS |
| | A | 2612752 | 0.250" |




| | | | | |
|--|---|---------|----------|-----------|
| | - | TYPE | FLAT (S) | DIMENSION |
| | A | JACKING | 4,10 | 30.00" |







| | |
|--|--|
| | |
|--|--|




| | |
|--|---------------|
| | Q OF FLAT (S) |
| | 1 |




| | |
|-----------|----------------|
| DETAIL 10 | VALMONT ID TAG |
|-----------|----------------|



| | | |
|--|--------------|---------------|
| | CHAR. HEIGHT | Q OF FLAT (S) |
| | 0.50" | 4 |




| | |
|--|--|
| | |
| | |



| | |
|--|---------------|
| | Q OF FLAT (S) |
| | 1 |



| BILL OF MATERIAL (SHIP SEQ=0) | | |
|----------------------------------|--------------------|--------------------|
| VALMONT PART NO | DESCRIPTION | QTY PER ASSY |
| 2756206 | SHAFT | |
| 2376375 | BEARING PLATE | |
| 2756409 | GROUND SLEEVE | 2 |
| 2612752 | BRACKET | 2 |
| 2131175 | IDENTIFICATION TAG | |
| 345170 | 1.00" NUT | 4 |
| 2070063 | IDENTIFICATION TAG | |

| | | | | | | | | | | | |
|---|--|------|--|-----------------------------------|--|--------|--|---|--|-----------|--|
| DUPLICATE DRAWING DISTRIBUTION | | | | TMF_SEC_ASSY_41"BD_31"TD_56'-6"LG | | | | CLASS CODE (1) 1 CLASS NO. (3) 400 | | | |
| | | | | DWG SIZE D | | | | | | | |
| | | | | DRAWN ENGR DATE SCALE | | | |  | | | |
| | | | | AM70 BKB1 01/11/21 NONE | | | | | | | |
| | | | | P.A. CHK SHOP CHK | | | | | | | |
| | | | | AM70 01/11/21 KMS4 01/19/21 | | | | | | | |
| | | | | OTHER SPECIFICATIONS | | | | | | | |
| A 01/19/21 AM7 KMS REVISED PER DRAFTING | | | | F-1,M-1,W-22 | | | | | | | |
| REV ID | | DATE | | REV BY | | CHK BY | | REVISION DESCRIPTION | | | |
| | | | | | | | | MATERIAL | | THICKNESS | |
| | | | | | | | | | | WEIGHT | |
| | | | | | | | | | | 6,694# | |
| ORDER NO. 487071 | | | | CUSTOMER DUKE | | | | DESCRIPTION SECTION ASSEMBLY | | | |
| | | | | | | | | DWG NO. 30713 | | | |

Valmont taper per section: 0.181 in/ft
 Overall taper: 0.174142857 in/ft

| Section | Length (ft) | Elev (ft) | Diameter (in) | Thickness (in) |
|---------|-------------|-----------|---------------|----------------|
| C | 52.916667 | 120 | 16.51 | 0.219 |
| C | | 67.08333 | 26.08 | 0.219 |
| B | 39.583333 | 71.25 | 24.89 | 0.25 |
| B | | 31.66667 | 32.05 | 0.25 |
| A | 56.5 | 36.5 | 30.67 | 0.281 |
| A | | 0 | 37.2765 | 0.281 |
| A | | -20 | 40.89 | 0.281 |

| Valmont | Min. Lap Splice per |
|-----------------------|--------------------------|
| Lap Splice | TIA-222-H Sect. 4.9.7.1. |
| 50 in | 38.463 in |
| 58 in | 47.325 in |
| Pole AVG Embed. Diam. | 39.08325 in |
| Pole AVG Embed. Diam. | 3.256938 ft |

Per TIA-222-H-1 Section 9.4.3.1:

For gravel backfill, it shall be permissible to consider a constant effective foundation diameter over the embedment depth equal to the average of the mid-depth diameter of the pole and the outer diameter of the gravel annulus, not to exceed the pole base diameter plus 9 in. [229 mm].

| | |
|-------------------------------|-------------|
| *Drill Bit Diam. for Embed. | 4.5 ft |
| Thus, the effective Fdn Diam. | 3.878469 ft |

*Note: East Construction uses the pole bottom diameter + 6in of gravel on each side to select their drill bit diameter.
 Example: 40.89+6+6=52.89 inch However, drill bits only come in half foot sizes so a 54" bit would be used in this example.

APPENDIX C

ADDITIONAL CALCULATIONS

Embedded Pole Foundation

| | |
|-------------------|-------------------|
| Site Name: | Sumter Wedgefield |
| TIA-222 Revision: | H |
| Tower Type: | Monopole |

| Applied Loads | | |
|--------------------|-------|--------|
| | Comp. | Uplift |
| Moment (kip-ft) | 1359 | |
| Axial Force (kips) | 17 | |
| Shear Force (kips) | 22 | |

| Material Properties | | |
|-------------------------------------|---|-----|
| Concrete Strength, f _c : | 3 | ksi |
| | | |
| | | |

| Pier Design Data | | |
|--|----------|----|
| Depth | 20 | ft |
| Ext. Above Grade | 0 | ft |
| Pier Section 1 | | |
| From 0' below grade to 20' below grade | | |
| Pier Diameter | 3.878469 | ft |
| | | |
| | | |
| | | |
| | | |

Rebar & Pier Options

Embedded Pole Inputs

Belled Pier Inputs

| Analysis Results | | |
|--------------------------------|-------------|--------|
| Soil Lateral Check | | |
| | Compression | Uplift |
| D _{v=0} (ft from TOC) | 4.31 | - |
| Soil Safety Factor | 1.31 | - |
| Max Moment (kip-ft) | 1422.41 | - |
| Rating | 101.9% | - |
| Soil Vertical Check | | |
| | Compression | Uplift |
| Skin Friction (kips) | 84.07 | - |
| End Bearing (kips) | 145.33 | - |
| Weight of Concrete (kips) | 9.21 | - |
| Total Capacity (kips) | 229.40 | - |
| Axial (kips) | 26.21 | - |
| Rating | 11.4% | - |
| Embedded Pole Interaction | | |
| | Compression | Uplift |
| Critical Depth (ft from TOC) | 3.28 | - |
| Critical Moment (kip-ft) | 1417.38 | - |
| Critical Moment Capacity | 1565.91 | - |
| Rating | 91.4% | - |

| | |
|------------------------------|--------|
| Structural Foundation Rating | 91.4% |
| Soil Interaction Rating | 101.9% |

| Soil Profile | | | | | | | | | | | | | | |
|-------------------|----------|-------------|----------------|-------------------------|-----------------------------|----------------|-----------------------------|--|--|--|--|---------------------------------|----------------|--------------|
| Groundwater Depth | | 6 | # of Layers | | 6 | | | | | | | | | |
| Layer | Top (ft) | Bottom (ft) | Thickness (ft) | Y _{soil} (pcf) | Y _{concrete} (pcf) | Cohesion (ksf) | Angle of Friction (degrees) | Calculated Ultimate Skin Friction Comp (ksf) | Calculated Ultimate Skin Friction Uplift (ksf) | Ultimate Skin Friction Comp Override (ksf) | Ultimate Skin Friction Uplift Override (ksf) | Ult. Net Bearing Capacity (ksf) | SPT Blow Count | Soil Type |
| 1 | 0 | 4 | 4 | 100 | 150 | 0 | 27 | 0.000 | 0.000 | 0.00 | 0.00 | | | Cohesionless |
| 2 | 4 | 6 | 2 | 105 | 150 | 0 | 27 | 0.000 | 0.000 | 0.20 | 0.00 | | | Cohesionless |
| 3 | 6 | 8 | 2 | 42.6 | 87.6 | 0 | 29 | 0.000 | 0.000 | 0.30 | 0.30 | | | Cohesionless |
| 4 | 8 | 12 | 4 | 57.6 | 87.6 | 0 | 30 | 0.000 | 0.000 | 0.50 | 0.50 | | | Cohesionless |
| 5 | 12 | 17 | 5 | 57.6 | 87.6 | 0 | 30 | 0.000 | 0.000 | 0.70 | 0.70 | | | Cohesionless |
| 6 | 17 | 20 | 3 | 62.6 | 87.6 | 0 | 30 | 0.000 | 0.000 | 0.90 | 0.90 | 15 | | Cohesionless |

SUPPLEMENTAL EMBEDDED POLE REPORT

Site Name: Sumter Wedgefield

Embedded Pole Properties

| | |
|-----------------------|--------|
| Encased in Concrete: | No |
| Number of Sides: | 12 |
| Yield Strength (ksi): | 65 |
| Thickness (in): | 0.281 |
| Bend Radius (in): | 0.4215 |
| Taper Factor (in/ft): | 0.1809 |

Maximum Axial Rating

| | |
|------------------------|-------------|
| Depth from Grade (ft): | 6.01 |
| Diameter (in): | 38.36 |
| Axial Demand (kip): | 19.87 |
| Axial Capacity (kip): | 2055.10 |
| Rating: | 1.0% |

Maximum Flexural Rating

| | |
|-----------------------------|--------------|
| Depth from Grade (ft): | 3.23 |
| Diameter (in): | 37.86 |
| Flexural Demand (kip-ft): | 1416.91 |
| Flexural Capacity (kip-ft): | 1565.38 |
| Rating: | 90.5% |

Maximum Interaction Rating

| | |
|-----------------------------|--------------|
| Depth from Grade (ft): | 3.28 |
| Diameter (in): | 37.8656 |
| Axial Demand (kip): | 18.84 |
| Axial Capacity (kip): | 2044.17 |
| Flexural Demand (kip-ft): | 1417.38 |
| Flexural Capacity (kip-ft): | 1565.91 |
| Rating: | 91.4% |



| | |
|---------------------------|--------------|
| Structural Rating: | 91.4% |
|---------------------------|--------------|

ASCE Hazards Report

Address:



No Address at This Location

Standard:

ASCE/SEI 7-16

Risk Category: III**Soil Class:**D - Default (see
Section 11.4.3)**Latitude:**

33.912755

Longitude: -80.393316**Elevation:**183.87499719305484 ft
(NAVD 88)

Wind

Results:

| | |
|--------------|----------|
| Wind Speed | 133 Vmph |
| 10-year MRI | 75 Vmph |
| 25-year MRI | 84 Vmph |
| 50-year MRI | 92 Vmph |
| 100-year MRI | 99 Vmph |

Data Source:

ASCE/SEI 7-16, Fig. 26.5-1C and Figs. CC.2-1–CC.2-4, and Section 26.5.2

Date Accessed:

Fri Jul 11 2025

Value provided is 3-second gust wind speeds at 33 ft above ground for Exposure C Category, based on linear interpolation between contours. Wind speeds are interpolated in accordance with the 7-16 Standard. Wind speeds correspond to approximately a 3% probability of exceedance in 50 years (annual exceedance probability = 0.000588, MRI = 1,700 years).


Site is in a hurricane-prone region as defined in ASCE/SEI 7-16 Section 26.2. Glazed openings need not be protected against wind-borne debris.

Site Soil Class: D - Default (see Section 11.4.3)


Results:

| | | | |
|------------|-------|--------------------|-------|
| S_S : | 0.384 | S_{D1} : | 0.201 |
| S_1 : | 0.128 | T_L : | 8 |
| F_a : | 1.493 | PGA : | 0.219 |
| F_v : | 2.343 | PGA _M : | 0.302 |
| S_{MS} : | 0.573 | F_{PGA} : | 1.381 |
| S_{M1} : | 0.301 | I_e : | 1.25 |
| S_{DS} : | 0.382 | C_v : | 0.956 |


Seismic Design Category: D
MCE_R Response Spectrum




Design Response Spectrum



MCE_R Vertical Response Spectrum



Design Vertical Response Spectrum



Data Accessed: Fri Jul 11 2025

Date Source:

USGS Seismic Design Maps based on ASCE/SEI 7-16 and ASCE/SEI 7-16 Table 1.5-2. Additional data for site-specific ground motion procedures in accordance with ASCE/SEI 7-16 Ch. 21 are available from USGS.

Results:

Ice Thickness: 1.00 in.
Concurrent Temperature: 15 F
Gust Speed 30 mph

Data Source: Standard ASCE/SEI 7-16, Figs. 10-2 through 10-8

Date Accessed: Fri Jul 11 2025


Ice thicknesses on structures in exposed locations at elevations higher than the surrounding terrain and in valleys and gorges may exceed the mapped values.

Values provided are equivalent radial ice thicknesses due to freezing rain with concurrent 3-second gust speeds, for a 500-year mean recurrence interval, and temperatures concurrent with ice thicknesses due to freezing rain. Thicknesses for ice accretions caused by other sources shall be obtained from local meteorological studies. Ice thicknesses in exposed locations at elevations higher than the surrounding terrain and in valleys and gorges may exceed the mapped values.

The ASCE Hazard Tool is provided for your convenience, for informational purposes only, and is provided "as is" and without warranties of any kind. The location data included herein has been obtained from information developed, produced, and maintained by third party providers; or has been extrapolated from maps incorporated in the ASCE standard. While ASCE has made every effort to use data obtained from reliable sources or methodologies, ASCE does not make any representations or warranties as to the accuracy, completeness, reliability, currency, or quality of any data provided herein. Any third-party links provided by this Tool should not be construed as an endorsement, affiliation, relationship, or sponsorship of such third-party content by or from ASCE.

ASCE does not intend, nor should anyone interpret, the results provided by this Tool to replace the sound judgment of a competent professional, having knowledge and experience in the appropriate field(s) of practice, nor to substitute for the standard of care required of such professionals in interpreting and applying the contents of this Tool or the ASCE standard.

In using this Tool, you expressly assume all risks associated with your use. Under no circumstances shall ASCE or its officers, directors, employees, members, affiliates, or agents be liable to you or any other person for any direct, indirect, special, incidental, or consequential damages arising from or related to your use of, or reliance on, the Tool or any information obtained therein. To the fullest extent permitted by law, you agree to release and hold harmless ASCE from any and all liability of any nature arising out of or resulting from any use of data provided by the ASCE Hazard Tool.



GENERAL NOTES

THE FACILITY IS UNMANNED AND NOT FOR HUMAN HABITATION, THEREFORE HANDICAP ACCESS IS NOT REQUIRED FOR ROUTINE MAINTENANCE. THE PROJECT WILL NOT RESULT IN ANY SIGNIFICANT DISTURBANCE OR EFFECT ON DRAINAGE; NO SANITARY SEWER SERVICE, POTABLE WATER, OR TRASH DISPOSAL IS REQUIRED AND NO COMMERCIAL SIGNAGE IS PROPOSED.

SCOPE OF WORK

INSTALLATION OF A PROPOSED 120'± MONOPOLE, WITH NEW MOUNTED CAMBIUM 5GHz EQUIPMENT, WITHIN AN EXISTING DUKE ENERGY OWNED ELECTRICAL SUBSTATION.

- CODE COMPLIANCE**
- ALL WORK AND MATERIALS SHALL BE PERFORMED AND INSTALLED IN ACCORDANCE WITH THE CURRENT EDITIONS OF THE FOLLOWING CODES AS ADOPTED BY THE LOCAL GOVERNING AUTHORITIES. NOTHING IN THESE PLANS IS TO BE CONSTRUED TO PERMIT WORK NOT CONFORMING TO THE FOLLOWING CODES:
- 2021 S.C. BUILDING CODE (2021 IBC W/ AMENDMENTS)
 - 2021 S.C. EXISTING BUILDING CODE (2021 IEBC W/ AMENDMENTS)
 - 2021 S.C. FIRE CODE (2021 IFC W/ AMENDMENTS)
 - 2021 S.C. FUEL GAS CODE (2021 IFGC W/ AMENDMENTS)
 - 2021 S.C. MECHANICAL CODE (2021 IMC W/ AMENDMENTS)
 - 2021 S.C. PLUMBING CODE (2021 IPC W/ AMENDMENTS)
 - 2020 S.C. ELECTRICAL CODE (2020 NEC W/ AMENDMENTS)
 - 2021 S.C. INTERNATIONAL ENERGY CONSERVATION CODE (IECC)
-

SUBSTATION NAME:
SUMTER WEDGEFIELD ROAD 230 SUB

SUBSTATION TELECOM NUMBER:
SCSMT017

SUBSTATION TRANSMISSION NUMBER:
T3985

SUBSTATION ADDRESS:
2434 WEDGEFIELD ROAD
SUMTER, SC 29154

LATITUDE & LONGITUDE:
N 33° 54' 45.90" , W 80° 23' 35.90"

| INDEX OF SHEETS | |
|-----------------|---|
| T-1 | TITLE PAGE |
| 1 OF 1 | SURVEY |
| GN-1 | GENERAL NOTES I |
| GN-2 | GENERAL NOTES II |
| GN-3 | GENERAL NOTES III |
| C-1.0 | OVERALL PROPERTY PLAN |
| C-1.1 | SUBSTATION COMPOUND PLAN |
| C-1.2 | TRANSMISSION GROUNDING PLAN |
| C-1.3 | TRANSMISSION CONDUIT PLAN |
| C-2 | COMMUNICATION POLE ELEVATION & ANTENNA PLAN |
| C-3.1 | DETAILS I |
| C-3.2 | DETAILS II |
| C-3.3 | DETAILS III |
| C-3.4 | DETAILS IV |

| SITE SUMMARY | |
|-------------------------------|--------------------------------|
| SITE TYPE: | NEW CONSTRUCTION |
| STRUCTURE TYPE: | MONOPOLE |
| STRUCTURE OWNER: | DUKE ENERGY |
| SITE APPLICANT: | DUKE ENERGY |
| STRUCTURE HEIGHT (AGL): | 120'± |
| OCCUPANCY TYPE: | UTILITY & MISCELLANEOUS (U) |
| STRUCTURE LATITUDE (NAD 83): | N 33° 54' 45.90" (33.912755°) |
| STRUCTURE LONGITUDE (NAD 83): | W 80° 23' 35.90" (-80.393316°) |
| PROPERTY OWNER: | DUKE ENERGY |
| JURISDICTION: | CITY OF SUMTER |
| COUNTY: | SUMTER |
| PARCEL ID: | 2060002010 |
| GROUND ELEV. (NAVD): | 183.7' |



| PROJECT TEAM | |
|---|--|
| SURVEYOR NAME: ADDRESS: CITY, STATE, ZIP: CONTACT: PHONE: | JMT. 2154 N. CENTER STREET SUITE A-101 NORTH CHARLESTON, SC 29406 RANDALL L. STEPP (843) 974-5650 |
| CIVIL ENGINEER NAME: ADDRESS: CITY, STATE, ZIP: CONTACT: PHONE: | ENGINEERED TOWER SOLUTIONS 3227 WELLINGTON COURT RALEIGH, NC 27615 CHRISTOPHER G. PLY, P.E., S.E. (919) 782-2710 |
| STRUCTURAL ENGINEER NAME: ADDRESS: CITY, STATE, ZIP: CONTACT: PHONE: | ENGINEERED TOWER SOLUTIONS 3227 WELLINGTON COURT RALEIGH, NC 27615 CHRISTOPHER G. PLY, P.E., S.E. (919) 782-2710 |
| ELECTRICAL ENGINEER NAME: ADDRESS: CITY, STATE, ZIP: CONTACT: PHONE: | ENGINEERED TOWER SOLUTIONS 3227 WELLINGTON COURT RALEIGH, NC 27615 CHRISTOPHER G. PLY, P.E., S.E. (919) 782-2710 |
| GEOTECHNICAL ENGINEER NAME: ADDRESS: CITY, STATE, ZIP: CONTACT: PHONE: | ENGINEERED TOWER SOLUTIONS 3227 WELLINGTON COURT RALEIGH, NC 27615 FREDERIC G. BOST, P.E. (919) 782-2710 |
| POLE MANUFACTURER NAME: ADDRESS: CITY, STATE, ZIP: CONTACT: PHONE: | VALMONT INDUSTRIES 15000 VALMONT PLAZA OHAHA, NEBRASKA, 68154 CUSTOMER SERVICE 1(402) 963-1000 |

PREPARED BY:

**ENGINEERED
TOWER SOLUTIONS**

3227 WELLINGTON COURT
RALEIGH, NC 27615
919-782-2710
www.ets-pllc.com

PREPARED FOR:


**DUKE
ENERGY®**

SUBSTATION NAME:
SUMTER WEDGEFIELD ROAD 230 SUB

SUBSTATION TRANSMISSION NUMBER:
T3985

SUBSTATION ADDRESS:
2434 WEDGEFIELD ROAD
SUMTER, SC 29154

LATITUDE/LONGITUDE:
33.912755° , -80.393316°




| REV | DATE | DETAILS |
|-----|------------|--------------|
| 0 | 07/24/2025 | CONSTRUCTION |
| 1 | | |
| 2 | | |
| 3 | | |

DRAWN BY: DF CHECKED BY: PB

SHEET TITLE:


TITLE PAGE

SHEET # **T-1** CURRENT REV #: 0
ETS #: 24131425



2154 N. CENTER STREET
SUITE A-101
NORTH CHARLESTON, SC 29406
843-974-5650

P: (843) 556-2624 | www.jmt.com



VICINITY MAP NOT TO SCALE

LEGEND

LEVEL "B" GROUNDING GRID

FENCE LINE

LEVEL "B" UNDERGROUND COMMUNICATIONS

LEVEL "B" UNDERGROUND ELECTRIC

GROUND ELEVATION

GR

X

UT

UE

183.7

NOTES:


- SURVEYED & MAPPED FOR: DUKE ENERGY PROGRESS, LLC
JMT PROJECT NUMBER
- TYPE OF WORK: SUE/GPR SCANNING AND AREA DESIGNATION
UTILIZING MALA GPR AND RD 8000 UTILITY LOCATER
- SURVEYED DATA WAS LOCATED UTILIZING A CARLSON BRX7 GPS RECEIVER
- NO PROPERTY RESEARCH WAS PERFORMED
- THIS IS A WORK MAP ONLY SHOWING UNDERGROUND UTILITY ITEMS
FOUND WITHIN THE REQUESTED WORK AREA ON THE DATE OF 3-11-25
- AERIAL INFORMATION SHOWN HEREON WAS FROM A FREE DOWNLOAD
AND NO CHECK HAS BEEN PERFORMED ON THE ACCURACY OF THE DATA.
- SURVEY AS SHOWN WAS ESTABLISHED BY (SC VRS) GPS METHOD, AND
RELATED TO SC STATE PLANE COORDINATE SYSTEM. A LOCAL PUBLISHED
NGS MONUMENT WAS CHECKED FOR ACCURACY ON THE DAY OF FIELD
WORK. THE DATUM IS NAD 83 (2011).

THIS MEDIA SHOULD NOT BE
CONSIDERED A CERTIFIED DOCUMENT.

I, _____, hereby state that to the best of my professional knowledge, information, and belief, the survey shown hereon was made in accordance with the requirements of the Standards of Practice Manual for Surveying in South Carolina, and meets or exceeds the requirements for a Class ___ survey as specified therein."

Professional Land Surveyor

Date



DUKE ENERGY PROGRESS, LLC
SUMTER WEDGEFIELD 230kv SUBSTATION

PURPOSE OF MAP
UNDERGROUND UTILITY DESIGNATION
- SUE/GPR LOCATION -

SUMTER COUNTY





SUMTER S.C.

DATE: 03-11-25
SCALE: 1"=10'





CREW: EM-KF
DRAWN BY: MPS



550 S. TRYON STREET
CHARLOTTE N.C. 28201-1007


| GENERAL NOTES | GENERAL NOTES (CONTINUED) | ANTENNA MOUNTING NOTES | | | | | | | | | | | | | | | |
|---|--|--|--|--|--|---|------------|--------------|---|--|--|---|--|--|---|--|--|
| <div>1. ALL SITE WORK SHALL BE COMPLETED AS INDICATED ON THE DRAWINGS AND CARRIER PROJECT SPECIFICATIONS.</div> <div>2. GENERAL CONTRACTOR SHALL VISIT THE SITE AND SHALL FAMILIARIZE THEMSELVES WITH ALL CONDITIONS AFFECTING THE PROPOSED WORK AND SHALL MAKE PROVISIONS. GENERAL CONTRACTOR SHALL BE RESPONSIBLE FOR FAMILIARIZING THEMSELVES WITH ALL CONTRACT DOCUMENTS, FIELD CONDITIONS, DIMENSIONS, AND SHALL CONFIRM THAT THE WORK MAY BE ACCOMPLISHED AS SHOWN PRIOR TO PROCEEDING WITH CONSTRUCTION. ANY DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE ENGINEER PRIOR TO THE COMMENCEMENT OF WORK.</div> <div>3. ALL MATERIALS FURNISHED AND INSTALLED SHALL BE IN STRICT ACCORDANCE WITH ALL APPLICABLE CODES, REGULATIONS AND ORDINANCES. GENERAL CONTRACTOR SHALL ISSUE ALL APPROPRIATE NOTICES AND COMPLY WITH ALL LAWS, ORDINANCES, RULES, REGULATIONS, AND LAWFUL ORDERS OF ANY PUBLIC AUTHORITY REGARDING THE PERFORMANCE OF WORK.</div> <div>4. ALL WORK CARRIED OUT SHALL COMPLY WITH ALL APPLICABLE MUNICIPAL AND UTILITY COMPANY SPECIFICATIONS AND LOCAL JURISDICTIONAL CODES, ORDINANCES, AND APPLICABLE REGULATIONS.</div> <div>5. UNLESS NOTED OTHERWISE, THE WORK SHALL INCLUDE FURNISHING MATERIALS, EQUIPMENT, APPURTENANCES, AND LABOR NECESSARY TO COMPLETE ALL INSTALLATIONS AS INDICATED IN THESE DRAWINGS.</div> <div>6. PLANS ARE NOT TO BE SCALED. THESE PLANS ARE INTENDED TO BE A DIAGRAMMATIC OUTLINE ONLY UNLESS OTHERWISE NOTED. DIMENSIONS SHOWN ARE TO FINISHED SURFACES UNLESS OTHERWISE NOTED. SPACING BETWEEN EQUIPMENT IS THE MINIMUM REQUIRED CLEARANCE. THEREFORE, IT IS CRITICAL TO FIELD VERIFY DIMENSIONS, SHOULD THERE BE ANY QUESTIONS REGARDING THE CONTRACT DOCUMENTS, THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING A CLARIFICATION FROM THE ENGINEER PRIOR TO PROCEEDING WITH THE WORK. DETAILS ARE INTENDED TO SHOW DESIGN INTENT. MODIFICATIONS MAY BE REQUIRED TO SUIT JOB DIMENSIONS OR CONDITIONS AND SUCH MODIFICATIONS SHALL BE INCLUDED AS PART OF WORK AND PREPARED BY THE ENGINEER PRIOR TO PROCEEDING WITH WORK.</div> <div>7. THE CONTRACTOR SHALL INSTALL ALL EQUIPMENT AND MATERIALS IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS UNLESS SPECIFICALLY STATED OTHERWISE.</div> <div>8. IF THE SPECIFIED EQUIPMENT CANNOT BE INSTALLED AS SHOWN IN THESE DRAWINGS, THE CONTRACTOR SHALL PROPOSE AN ALTERNATIVE INSTALLATION SPACE FOR APPROVAL BY THE ENGINEER PRIOR TO PROCEEDING.</div> <div>9. GENERAL CONTRACTOR SHALL BE RESPONSIBLE FOR THE SAFETY OF WORK AREA, ADJACENT AREAS AND BUILDING OCCUPANTS THAT ARE LIKELY TO BE AFFECTED BY THE WORK UNDER THIS CONTRACT. WORK SHALL CONFORM TO ALL OSHA REQUIREMENTS AND THE LOCAL JURISDICTION.</div> <div>10. GENERAL CONTRACTOR SHALL COORDINATE WORK AND SCHEDULE WORK ACTIVITIES WITH OTHER DISCIPLINES.</div> <div>11. ERECTION SHALL BE DONE IN WORKMANLIKE MANNER BY COMPETENT EXPERIENCED WORKMEN IN ACCORDANCE WITH APPLICABLE CODES AND THE BEST ACCEPTED PRACTICE. ALL MEMBERS SHALL BE LAID PLUMB AND TRUE AS INDICATED IN THE DRAWINGS.</div> <div>12. SEAL PENETRATIONS THROUGH FIRE RATED AREAS WITH UL LISTED MATERIALS APPROVED BY LOCAL JURISDICTION. CONTRACTOR SHALL KEEP AREA CLEAN, HAZARD FREE, AND DISPOSE OF ALL DEBRIS.</div> <div>13. THE SCOPE OF WORK FOR THIS PROJECT IS REPRESENTED BY DARK SHADED LINES AND NOTES. CONTRACTOR SHALL NOTIFY THE GENERAL CONTRACTOR OF ANY EXISTING CONDITIONS THAT DEVIATE FROM THE DRAWINGS PRIOR TO BEGINNING CONSTRUCTION.</div> <div>14. CONTRACTOR SHALL PROVIDE WRITTEN NOTICE TO THE CONSTRUCTION MANAGER 48 HOURS PRIOR TO THE COMMENCEMENT OF WORK.</div> <div>15. THE CONTRACTOR SHALL PROTECT EXISTING IMPROVEMENTS, PAVEMENTS, CURBS, LANDSCAPING AND STRUCTURES. ANY DAMAGED PART SHALL BE REPAIRED AT CONTRACTOR'S EXPENSE TO THE SATISFACTION OF THE OWNER.</div> <div>16. THE CONTRACTOR SHALL CONTACT UTILITY LOCATING SERVICES PRIOR TO THE START OF CONSTRUCTION.</div> <div>17. GENERAL CONTRACTOR SHALL COORDINATE AND MAINTAIN ACCESS FOR ALL TRADES AND CONTRACTORS TO THE SITE AND/OR BUILDING.</div> <div>18. THE GENERAL CONTRACTOR SHALL BE RESPONSIBLE FOR SECURITY OF THE SITE FOR THE DURATION OF CONSTRUCTION UNTIL JOB COMPLETION.</div> <div>19. THE GENERAL CONTRACTOR SHALL MAINTAIN IN GOOD CONDITION ONE COMPLETE SET OF PLANS WITH ALL REVISIONS, ADDENDA, AND CHANGE ORDERS ON THE PREMISES AT ALL TIMES.</div> <div>20. THE GENERAL CONTRACTOR SHALL PROVIDE PORTABLE FIRE EXTINGUISHERS WITH A RATING OF NO LESS THAN 2-A OR 2-A:10-B:C AND SHALL BE WITHIN 25 FEET OF TRAVEL DISTANCE TO ALL PORTIONS OF WHERE THE WORK IS BEING COMPLETED DURING CONSTRUCTION.</div> | <div>21. ALL EXISTING ACTIVE SEWER, WATER, GAS, ELECTRIC, AND OTHER UTILITIES SHALL BE PROTECTED AT ALL TIMES, AND WHERE REQUIRED FOR THE PROPER EXECUTION OF THE WORK, SHALL BE RELOCATED AS DIRECTED BY THE ENGINEER. EXTREME CAUTION SHOULD BE USED BY THE CONTRACTOR WHEN EXCAVATING OR DRILLING PIERS AROUND OR NEAR UTILITIES. CONTRACTOR SHALL PROVIDE SAFETY TRAINING FOR THE WORKING CREW. THIS SHALL INCLUDE BUT NOT BE LIMITED TO A) FALL PROTECTION, B) CONFINED SPACE, C) ELECTRICAL SAFETY, AND D) TRENCHING & EXCAVATION.</div> <div>22. ALL EXISTING INACTIVE SEWER, WATER, GAS, ELECTRIC, AND OTHER UTILITIES, WHICH INTERFERE WITH THE EXECUTION OF THE WORK, SHALL BE REMOVED, CAPPED, PLUGGED OR OTHERWISE DISCONNECTED AT POINTS WHICH WILL NOT INTERFERE WITH THE EXECUTION OF THE WORK, AS DIRECTED BY THE RESPONSIBLE ENGINEER, AND SUBJECT TO THE APPROVAL OF THE OWNER AND/OR LOCAL UTILITIES.</div> <div>23. THE AREAS OF THE OWNER'S PROPERTY DISTURBED BY THE WORK AND NOT COVERED BY THE COMMUNICATION POLE, EQUIPMENT OR DRIVEWAY, SHALL BE GRADED TO A UNIFORM SLOPE, AND STABILIZED TO PREVENT EROSION.</div> <div>24. CONTRACTOR SHALL MINIMIZE DISTURBANCE TO THE EXISTING SITE DURING CONSTRUCTION. EROSION CONTROL MEASURES, IF REQUIRED DURING CONSTRUCTION, SHALL BE IN CONFORMANCE WITH THE FEDERAL AND LOCAL JURISDICTION FOR EROSION AND SEDIMENT CONTROL.</div> <div>25. NO FILL OR EMBANKMENT MATERIAL SHALL BE PLACED ON FROZEN GROUNDING. FROZEN MATERIALS, SNOW OR ICE SHALL NOT BE PLACED IN ANY FILL OR EMBANKMENT.</div> <div>26. THE SUBGRADE SHALL BE BROUGHT TO A SMOOTH UNIFORM GRADE AND COMPACTED TO 95 PERCENT STANDARD PROCTOR DENSITY UNDER PAVEMENT AND STRUCTURES AND 80 PERCENT STANDARD PROCTOR DENSITY IN OPEN SPACE. ALL TRENCHES IN PUBLIC RIGHT OF WAY SHALL BE BACKFILLED WITH FLOWABLE FILL OR OTHER MATERIAL PRE-APPROVED BY THE LOCAL JURISDICTION.</div> <div>27. ALL NECESSARY RUBBISH, STUMPS, DEBRIS, STICKS, STONES, AND OTHER REFUSE SHALL BE REMOVED FROM THE SITE AND DISPOSED OF IN A LAWFUL MANNER.</div> <div>28. ALL BROCHURES, OPERATING AND MAINTENANCE MANUALS, CATALOGS, SHOP DRAWINGS, AND OTHER DOCUMENTS SHALL BE TURNED OVER TO THE GENERAL CONTRACTOR AT COMPLETION OF CONSTRUCTION AND PRIOR TO PAYMENT.</div> <div>29. CONTRACTOR SHALL SUBMIT A COMPLETE SET OF AS-BUILT REDLINES TO THE GENERAL CONTRACTOR UPON COMPLETION OF PROJECT AND PRIOR TO FINAL PAYMENT.</div> <div>30. CONTRACTOR SHALL LEAVE PREMISES IN A CLEAN CONDITION.</div> <div>31. THE PROPOSED FACILITY WILL BE UNMANNED AND DOES NOT REQUIRE POTABLE WATER OR SEWER SERVICE, AND IS NOT FOR HUMAN HABITAT (NO HANDICAP ACCESS REQUIRED).</div> <div>32. STRUCTURE IS LIMITED TO PERIODIC MAINTENANCE AND INSPECTION, APPROXIMATELY 2 TIMES PER MONTH, BY CARRIER TECHNICIANS.</div> <div>33. NO OUTDOOR STORAGE OR SOLID WASTE CONTAINERS ARE PROPOSED.</div> <div>34. ALL MATERIAL SHALL BE FURNISHED AND WORK SHALL BE PERFORMED IN ACCORDANCE WITH THE LATEST CARRIER GROUNDING STANDARD. IN CASE OF A CONFLICT BETWEEN THE CONSTRUCTION SPECIFICATION AND THE DRAWINGS, THE DRAWINGS SHALL GOVERN.</div> <div>35. CONTRACTORS SHALL BE RESPONSIBLE FOR OBTAINING ALL PERMITS AND INSPECTIONS REQUIRED FOR CONSTRUCTION. IF CONTRACTOR CANNOT OBTAIN A PERMIT, THEY MUST NOTIFY THE GENERAL CONTRACTOR IMMEDIATELY.</div> <div>36. CONTRACTOR SHALL REMOVE ALL TRASH AND DEBRIS FROM THE SITE ON A DAILY BASIS.</div> <div>37. INFORMATION SHOWN ON THESE DRAWINGS WAS OBTAINED FROM SITE VISITS AND/OR DRAWINGS PROVIDED BY THE SITE OWNER. CONTRACTORS SHALL NOTIFY THE ENGINEER OF ANY DISCREPANCIES PRIOR TO ORDERING MATERIAL OR PROCEEDING WITH CONSTRUCTION.</div> <div>38. ALL CABLE INSTALLATIONS TO FOLLOW MANUFACTURER'S INSTRUCTIONS AND RECOMMENDATIONS.</div> <div>39. NO WHITE STROBE LIGHTS ARE PERMITTED. LIGHTING IF REQUIRED, WILL MEET FAA STANDARDS AND REQUIREMENTS.</div> | <div>1. ALL STEEL MATERIALS SHALL BE GALVANIZED AFTER FABRICATION IN ACCORDANCE WITH ASTM A123 "ZINC (HOT-DIP GALVANIZED) COATINGS ON IRON AND STEEL PRODUCTS", UNLESS NOTED OTHERWISE.</div> <div>2. ALL BOLTS, ANCHORS AND MISCELLANEOUS HARDWARE SHALL BE GALVANIZED IN ACCORDANCE WITH ASTM A153 "ZINC-COATING (HOT-DIP) ON IRON AND STEEL HARDWARE", UNLESS NOTED OTHERWISE.</div> <div>3. DAMAGED GALVANIZED SURFACES SHALL BE REPAIRED BY COLD GALVANIZING IN ACCORDANCE WITH ASTM A780.</div> <div>4. ALL ANTENNA MOUNTS SHALL BE INSTALLED WITH LOCK NUTS, DOUBLE NUTS AND SHALL BE TORQUED TO MANUFACTURER'S RECOMMENDATIONS.</div> <div>5. CONTRACTOR SHALL INSTALL ANTENNA PER MANUFACTURER'S RECOMMENDATION FOR INSTALLATION AND GROUNDING.</div> <div>6. PRIOR TO SETTING ANTENNA AZIMUTHS AND DOWNTILTS, ANTENNA CONTRACTOR SHALL CHECK THE ANTENNA MOUNT FOR TIGHTNESS AND ENSURE THAT THEY ARE PLUMB. ANTENNA AZIMUTHS SHALL BE SET FROM TRUE NORTH AND BE ORIENTED WITHIN +/- 5% AS DEFINED BY THE RFDS. ANTENNA DOWNTILTS SHALL BE WITHIN +/- 0.5% AS DEFINED BY THE RFDS. REFER TO ND-00246.</div> <div>7. CONTRACTOR SHALL VERIFY THE DOWN-TILT OF EACH ANTENNA WITH A DIGITAL LEVEL.</div> | <div>TORQUE REQUIREMENTS</div> <div>1. ALL RF CONNECTIONS SHALL BE TIGHTENED BY A TORQUE WRENCH.</div> <div>2. ALL RF CONNECTIONS, GROUNDING HARDWARE AND ANTENNA HARDWARE SHALL HAVE A TORQUE MARK INSTALLED IN A CONTINUOUS STRAIGHT LINE FROM BOTH SIDES OF THE CONNECTION.</div> <div>3. RF CONNECTION BOTH SIDES OF THE CONNECTOR.</div> <div>4. GROUNDING AND ANTENNA HARDWARE ON THE NUT SIDE STARTING FROM THE THREADS TO THE SOLID SURFACE. EXAMPLE OF SOLID SURFACE: GROUND BAR, ANTENNA BRACKET METAL.</div> <div>5. ALL 2', 3' & 4' ANTENNA HARDWARE SHALL BE TIGHTENED TO 9 LB-FT (12 NM).</div> <div>6. ALL 6' ANTENNA HARDWARE SHALL BE TIGHTENED TO 43 LB-FT (58 NM).</div> <div>7. ALL GROUNDING HARDWARE SHALL BE TIGHTENED UNTIL THE LOCK WASHER COLLAPSES AND THE GROUNDING HARDWARE IS NO LONGER LOOSE.</div> <div>8. ALL DIN TYPE CONNECTIONS SHALL BE TIGHTENED TO 18-22 LB-FT (24.4-29.8 NM).</div> <div>9. ALL N TYPE CONNECTIONS SHALL BE TIGHTENED TO 15-20 LB-IN (1.7-2.3 NM).</div> | <div>COAXIAL CABLE NOTES</div> <div>1. TYPES AND SIZES OF THE ANTENNA CABLE ARE BASED ON ESTIMATED LENGTHS. PRIOR TO ORDERING CABLE, CONTRACTOR SHALL VERIFY ACTUAL LENGTH BASED ON CONSTRUCTION LAYOUT AND NOTIFY THE PROJECT MANAGER IF ACTUAL LENGTHS EXCEED ESTIMATED LENGTHS.</div> <div>2. CONTRACTOR SHALL CONFIRM COAX COLOR CODING PRIOR TO CONSTRUCTION. REFER TO "ANTENNA SYSTEM LABELING STANDARD" ND-00027 LATEST VERSION.</div> <div>3. ALL JUMPERS TO THE ANTENNAS SHALL BE 1/2" DIA. LMR 400 AND SHALL NOT EXCEED 3'-0".</div> <div>4. ALL COAXIAL CABLE SHALL BE SECURED TO THE DESIGNED SUPPORT STRUCTURE, IN AN APPROVED MANNER, AT DISTANCES NOT TO EXCEED 4'-0" OC.</div> <div>5. CONTRACTOR SHALL FOLLOW ALL MANUFACTURER'S RECOMMENDATIONS REGARDING BOTH THE INSTALLATION AND GROUNDING OF ALL COAXIAL CABLES, CONNECTORS, ANTENNAS, AND ALL OTHER EQUIPMENT.</div> <div>6. CONTRACTOR SHALL WEATHERPROOF ALL ANTENNA CONNECTORS WITH SELF AMALGAMATING TAPE. WEATHERPROOFING SHALL BE COMPLETED IN STRICT ACCORDANCE WITH INDUSTRY STANDARDS.</div> | <div>GENERAL CABLE AND EQUIPMENT NOTES</div> <div>1. CONTRACTOR SHALL BE RESPONSIBLE TO VERIFY ANTENNA, TMAS, DIPLEXERS, AND COAX CONFIGURATION, MAKE AND MODELS PRIOR TO INSTALLATION.</div> <div>2. ALL CONNECTIONS FOR HANGERS, SUPPORTS, BRACING, ETC. SHALL BE INSTALLED PER MANUFACTURER'S RECOMMENDATIONS.</div> <div>3. CONTRACTOR SHALL REFERENCE THE STRUCTURAL ANALYSIS/DESIGN DRAWINGS FOR DIRECTIONS ON CABLE DISTRIBUTION/ROUTING.</div> | | | | | | | | | | | | |
| <div>PREPARED BY:</div> <div><div>3227 WELLINGTON COURT RALEIGH, NC 27615 919-782-2710 www.ets-pltc.com</div></div> <div>PREPARED FOR:</div> <div></div> <div>SUBSTATION NAME:</div> <div>SUMTER WEDGEFIELD ROAD 230 SUB</div> <div>SUBSTATION TRANSMISSION NUMBER:</div> <div>T3985</div> <div>SUBSTATION ADDRESS:</div> <div>2434 WEDGEFIELD ROAD SUMTER, SC 29154</div> <div>LATITUDE/LONGITUDE:</div> <div>33.912755°, -80.893316°</div> <div>SEAL:</div> <div><div>07/24/2025</div></div> <div>COA:</div> <div></div> <table><tr><th>REV</th><th>DATE</th><th>DETAILS</th></tr><tr><td>0</td><td>07/24/2025</td><td>CONSTRUCTION</td></tr><tr><td>1</td><td></td><td></td></tr><tr><td>2</td><td></td><td></td></tr><tr><td>3</td><td></td><td></td></tr></table> <div>DRAWN BY: DF</div> <div>CHECKED BY: PB</div> <div>SHEET TITLE:</div> <div>GENERAL NOTES I</div> <div>SHEET #</div> <div>GN-1</div> <div>CURRENT REV #:</div> <div>0</div> <div>ETS #:</div> <div>24131425</div> | | | REV | DATE | DETAILS | 0 | 07/24/2025 | CONSTRUCTION | 1 | | | 2 | | | 3 | | |
| REV | DATE | DETAILS | | | | | | | | | | | | | | | |
| 0 | 07/24/2025 | CONSTRUCTION | | | | | | | | | | | | | | | |
| 1 | | | | | | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|--|------------------------------|---|---------------------------|----|---|---------------------------|----|---|---------------------------|------|---|---------------------------|----|---|---------------------------|----|-------------------------------|---------------------------|------|-------------------------------|---------------------------|----|-------------------------------|---------------------------|------|-------------------------------|---------------------------|----|-------------------------------|---------------------------|---|--|
| GENERAL CABLE AND EQUIPMENT NOTES | | BOLT TIGHTENING PROCEDURE | | FOUNDATION NOTES (CONTINUED) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <div>1. ALL OUTDOOR RF CONNECTORS/CONNECTIONS SHALL BE WEATHERPROOFED, EXCEPT THE RET CONNECTORS, USING BUTYL TAPE AFTER INSTALLATION AND FINAL CONNECTIONS ARE MADE. BUTYL TAPE SHALL HAVE A MINIMUM OF ONE-HALF TAPE WIDTH OVERLAP ON EACH TURN AND EACH LAYER SHALL BE WRAPPED THREE TIMES. WEATHERPROOFING SHALL BE SMOOTH WITHOUT BUCKLING. BUTYL BLEEDING IS NOT ALLOWED.</div> <div>2. IF REQUIRED TO PAINT ANTENNAS AND/OR COAX:<div>2.1. TEMPERATURE SHALL BE ABOVE 50° F.</div><div>2.2. PAINT COLOR MUST BE APPROVED BY BUILDING OWNER/LANDLORD.</div><div>2.3. FOR REGULATED TOWERS, FAA/FCC APPROVED PAINT IS REQUIRED.</div><div>2.4. DO NOT PAINT OVER COLOR CODING OR ON EQUIPMENT MODEL NUMBERS.</div></div> <div>3. ALL PROPOSED GROUND BAR DOWNLEADS ARE TO BE TERMINATED TO THE EXISTING ADJACENT GROUND BAR DOWNLEADS A MINIMUM DISTANCE OF 4'-0" BELOW GROUND BAR. TERMINATIONS MAY BE EXOTHERMIC OR COMPRESSION.</div> <div>4. ALL CONNECTIONS FOR HANGERS, SUPPORTS, BRACING, ETC. SHALL BE INSTALLED PER MANUFACTURER'S SPECIFICATION & RECOMMENDATIONS.NO BOLT THREADS TO PROTRUDE MORE THAN 1-1/2" [.038M].</div> <div>5. 90 SHORT SWEEPS UNDER ANTENNA ARM. ALL CABLES MUST ONLY TRANSITION ON THE INSIDE OR BOTTOM OF ARMS (NO CABLE ON TOP OF ARMS).</div> <div>6. USE 90 CONNECTOR AT CABLE CONNECTION TO ANTENNAS.</div> <div>7. PLACE GPS ON ARM WITH SOUTHERN SKY EXPOSURE AT MINIMUM 6' [1.83] FROM TRANSMIT ANTENNA, WHICH IS 24" [.61M] AWAY FROM CENTER OF POLE.</div> <div>8. USE 1/2" [.013M] CABLE ON ANTENNAS UNLESS OTHERWISE SPECIFIED.</div> <div>9. FILL VOID AROUND CABLES AT CONDUIT OPENING WITH FOAM SEALANT TO PREVENT WATER INTRUSION.</div> | | <div>1. CONNECTION BOLTS SUBJECT TO DIRECT TENSION SHALL BE INSTALLED AND TIGHTENED AS PER SECTION 8.2 OF THE AISC SPECIFICATION FOR STRUCTURAL JOINTS USING A325 OR A490 BOLTS, LOCATED IN THE AISC MANUAL OF STEEL CONSTRUCTION. THE INSTALLATION PROCEDURE IS PARAPHRASED AS FOLLOWS:</div> <div>2. FASTENERS SHALL BE INSTALLED IN PROPERLY ALIGNED HOLES AND TIGHTENED BY ONE OF THE METHODS DESCRIBED IN SUBSECTION 8.2.1 THROUGH 8.2.4.</div> <div>8.2.1 TURN-OF-THE-NUT TIGHTENING. BOLTS SHALL BE INSTALLED IN ALL HOLES OF THE CONNECTION AND BROUGHT TO A SNUG TIGHT CONDITION AS DEFINED IN SECTION 8.1, UNTIL ALL THE BOLTS ARE SIMULTANEOUSLY SNUG TIGHT AND THE CONNECTION IS FULLY COMPACTED. FOLLOWING THIS INITIAL OPERATION ALL BOLTS IN THE CONNECTION SHALL BE TIGHTENED FURTHER BY THE APPLICABLE AMOUNT OF ROTATION SPECIFIED ABOVE. DURING THE TIGHTENING OPERATION THERE SHALL BE NO ROTATION OF THE PART NOT TURNED BY THE WRENCH. TIGHTENING SHALL PROGRESS SYSTEMATICALLY FROM THE MOST RIGID PART OF THE JOINT IN A MANNER THAT WILL MINIMIZE RELAXATION OF PREVIOUSLY PRETENSIONED BOLTS.</div> <div>3. TIGHTEN CONNECTION BOLTS BY AISC - "TURN OF THE NUT" METHOD, USING THE CHART BELOW.<div>BOLT LENGTHS UP TO AND INCLUDING FOUR DIA.<table><tr><td>½"</td><td>BOLTS UP TO AND INCLUDING 2.0 INCH LENGTH</td><td>+½ TURN BEYOND SNUG TIGHT</td></tr><tr><td>¾"</td><td>BOLTS UP TO AND INCLUDING 2.5 INCH LENGTH</td><td>+½ TURN BEYOND SNUG TIGHT</td></tr><tr><td>¾"</td><td>BOLTS UP TO AND INCLUDING 3.0 INCH LENGTH</td><td>+½ TURN BEYOND SNUG TIGHT</td></tr><tr><td>7⁄8"</td><td>BOLTS UP TO AND INCLUDING 3.5 INCH LENGTH</td><td>+½ TURN BEYOND SNUG TIGHT</td></tr><tr><td>1"</td><td>BOLTS UP TO AND INCLUDING 4.0 INCH LENGTH</td><td>+½ TURN BEYOND SNUG TIGHT</td></tr></table>BOLT LENGTHS OVER FOUR DIA. BUT NOT EXCEEDING EIGHT DIA.<table><tr><td>½"</td><td>BOLTS 2.25 TO 4.0 INCH LENGTH</td><td>+½ TURN BEYOND SNUG TIGHT</td></tr><tr><td>5⁄8"</td><td>BOLTS 2.75 TO 5.0 INCH LENGTH</td><td>+½ TURN BEYOND SNUG TIGHT</td></tr><tr><td>¾"</td><td>BOLTS 3.25 TO 6.0 INCH LENGTH</td><td>+½ TURN BEYOND SNUG TIGHT</td></tr><tr><td>7⁄8"</td><td>BOLTS 3.75 TO 7.0 INCH LENGTH</td><td>+½ TURN BEYOND SNUG TIGHT</td></tr><tr><td>1"</td><td>BOLTS 4.25 TO 8.0 INCH LENGTH</td><td>+½ TURN BEYOND SNUG TIGHT</td></tr></table></div></div> <div>4. ALL OTHER BOLTED CONNECTIONS SHALL BE BROUGHT TO A SNUG TIGHT CONDITION AS DEFINED IN SECTION 8.1 OF THE SPECIFICATION.</div> | | ½" | BOLTS UP TO AND INCLUDING 2.0 INCH LENGTH | +½ TURN BEYOND SNUG TIGHT | ¾" | BOLTS UP TO AND INCLUDING 2.5 INCH LENGTH | +½ TURN BEYOND SNUG TIGHT | ¾" | BOLTS UP TO AND INCLUDING 3.0 INCH LENGTH | +½ TURN BEYOND SNUG TIGHT | 7⁄8" | BOLTS UP TO AND INCLUDING 3.5 INCH LENGTH | +½ TURN BEYOND SNUG TIGHT | 1" | BOLTS UP TO AND INCLUDING 4.0 INCH LENGTH | +½ TURN BEYOND SNUG TIGHT | ½" | BOLTS 2.25 TO 4.0 INCH LENGTH | +½ TURN BEYOND SNUG TIGHT | 5⁄8" | BOLTS 2.75 TO 5.0 INCH LENGTH | +½ TURN BEYOND SNUG TIGHT | ¾" | BOLTS 3.25 TO 6.0 INCH LENGTH | +½ TURN BEYOND SNUG TIGHT | 7⁄8" | BOLTS 3.75 TO 7.0 INCH LENGTH | +½ TURN BEYOND SNUG TIGHT | 1" | BOLTS 4.25 TO 8.0 INCH LENGTH | +½ TURN BEYOND SNUG TIGHT | <div>CONCRETE</div> <div>1. WORK SHALL BE IN ACCORDANCE WITH THE ACI 318-14, "BUILDING CODE REQUIREMENTS FOR STRUCTURAL CONCRETE AND COMMENTARY".</div> <div>2. THE CONCRETE SHALL DEVELOP A MINIMUM COMPRESSIVE STRENGTH OF 3000-PSI IN 28 DAYS.</div> <div>3. ANY CONCRETE EXPOSED TO WEATHER SHALL BE AIR-ENTRAINED AS REQUIRED BY ACI 318-14.</div> <div>4. PROPORTIONS OF CONCRETE MATERIALS SHALL BE SUITABLE FOR THE INSTALLATION METHOD UTILIZED AND SHALL RESULT IN DURABLE CONCRETE FOR RESISTANCE TO LOCAL ANTICIPATED AGGRESSIVE ACTIONS. THE DURABILITY REQUIREMENTS OF ACI 318-14 SHALL BE SATISFIED BASED ON THE CONDITIONS EXPECTED AT THE SITE.</div> <div>5. CONCRETE SHALL BE PLACED IN A MANNER THAT WILL PREVENT SEGREGATION OF CONCRETE MATERIALS, INFILTRATION OF WATER OR SOIL, AND OTHER OCCURRENCES THAT MAY DECREASE THE STRENGTH OR DURABILITY OF THE FOUNDATION.</div> <div>6. FREE FALL CONCRETE MAY BE USED PROVIDED FALL IS VERTICAL DOWN WITHOUT HITTING THE SIDES OF THE EXCAVATION, FORMWORK, REINFORCING BARS, FORM TIES, CAGE BRACING, OR OTHER OBSTRUCTIONS. UNDER NO CIRCUMSTANCES SHALL CONCRETE FALL THROUGH WATER.</div> <div>7. THE MAXIMUM SIZE OF THE AGGREGATE SHALL NOT EXCEED A SIZE SUITABLE FOR THE INSTALLATION METHODS UTILIZED OR 2/3-CLEAR DISTANCE BEHIND OR BETWEEN REINFORCING. THE MAXIMUM SIZE MAY BE INCREASED TO 2/3-CLEAR DISTANCE PROVIDED WORKABILITY AND METHODS OF CONSOLIDATION SUCH AS VIBRATING WILL PREVENT HONEYCOMBS AND VOIDS.</div> <div>FINISHING</div> <div>1. THE TOP OF THE FOUNDATION SHALL BE SLOPED TO DRAIN WITH A FLOATED FINISH.</div> <div>2. THE EXPOSED EDGES OF THE CONCRETE SHALL BE CHAMFERED 1" X 1".</div> <div>EPOXY NOTES</div> <div>1. EPOXY AGENTS SHOULD BE ALLOWED TO CURE ACCORDING TO MANUFACTURERS RECOMMENDATIONS.</div> <div>2. ALL HARDWARE ASSEMBLY AND MANUFACTURER'S INSTRUCTIONS SHALL BE FOLLOWED; ANY CONTRADICTION BETWEEN THE MANUFACTURER'S RECOMMENDATIONS AND THESE DRAWINGS ARE TO BE BROUGHT IMMEDIATELY TO THE ATTENTION OF THE ENGINEER AND OWNER.</div> <div>3. ANY CONTRACTOR INSTALLING ADHESIVE ANCHORING SYSTEMS SHALL BE TRAINED, IN PERSON BY A MANUFACTURER'S REPRESENTATIVE, ON THE PROPER INSTALLATION TECHNIQUES. THIS TRAINING SHALL INCLUDE PROPER DRILLING, HOLE CLEANING, AND INSTALLATION METHODS FOR THE ADHESIVE ANCHORING SYSTEM AND CONSTRUCTION CONDITIONS ON THIS PROJECT. ALL TRAINING TO BE CONDUCTED PRIOR TO CREWS STEPPING ON SITE. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO CONTACT MANUFACTURER REPRESENTATIVE TO SET UP TRAINING, ETS IS NOT RESPONSIBLE FOR ANY COST OCCURRED FOR OR DURING ADHESIVE ANCHORING SYSTEM TRAINING.</div> <div>SOIL COMPACTION</div> <div>1. SUBGRADE PREPARATION<div>1.1. SHAPE TOP OF SUBGRADE TO THE LINES AND GRADES SHOWN ON THE DRAWINGS.</div><div>1.2. MAINTAIN TOP OF SUBGRADE IN A FREE-DRAINING CONDITION.</div><div>1.3. DO NOT STOCKPILE MATERIALS ON TOP OF SUBGRADE UNLESS AUTHORIZED BY CONSTRUCTION MANAGER.</div><div>1.4. FOR SUBGRADES CONSISTING OF IN-PLACE NATIVE SOILS, SOILS SHALL BE FREE OF CUTTING AND OTHER LOOSE MATERIAL AND SHALL MEET THE MINIMUM BEARING CAPACITY REQUIREMENTS NOTES UNDER SOIL STRENGTH</div><div>1.5. FOR SUBGRADES CONSISTING OF PLACED STRUCTURAL FILL, STRUCTURAL FILL SHOULD BE PLACED IN 6 INCH LIFTS AND COMPACTED TO A MINIMUM OF 95 PERCENT OF THE MAXIMUM DRY DENSITY AS OBTAINED BY THE STANDARD PROCTOR METHOD</div><div>1.6. CONSTRUCT TOP OF SUBGRADE WITHIN ONE INCH OF ESTABLISHED GRADE AND CROSS-SECTION.</div></div> <div>SOIL STRENGTH</div> <div>1. FOUNDATION DESIGN IS BASED ON A 2000 PSF SOIL BEARING CAPACITY. IF OTHER CONDITIONS EXIST, FOUNDATION SHALL BE REDESIGNED. CONTRACTOR SHALL HAVE SOIL BEARING CAPACITY VERIFIED BY A LICENSED PROFESSIONAL GEOTECHNICAL ENGINEER PRIOR TO INITIATION OF CONSTRUCTION ACTIVITIES.</div> | |
| ½" | BOLTS UP TO AND INCLUDING 2.0 INCH LENGTH | +½ TURN BEYOND SNUG TIGHT | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ¾" | BOLTS UP TO AND INCLUDING 2.5 INCH LENGTH | +½ TURN BEYOND SNUG TIGHT | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ¾" | BOLTS UP TO AND INCLUDING 3.0 INCH LENGTH | +½ TURN BEYOND SNUG TIGHT | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7⁄8" | BOLTS UP TO AND INCLUDING 3.5 INCH LENGTH | +½ TURN BEYOND SNUG TIGHT | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1" | BOLTS UP TO AND INCLUDING 4.0 INCH LENGTH | +½ TURN BEYOND SNUG TIGHT | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ½" | BOLTS 2.25 TO 4.0 INCH LENGTH | +½ TURN BEYOND SNUG TIGHT | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5⁄8" | BOLTS 2.75 TO 5.0 INCH LENGTH | +½ TURN BEYOND SNUG TIGHT | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ¾" | BOLTS 3.25 TO 6.0 INCH LENGTH | +½ TURN BEYOND SNUG TIGHT | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7⁄8" | BOLTS 3.75 TO 7.0 INCH LENGTH | +½ TURN BEYOND SNUG TIGHT | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1" | BOLTS 4.25 TO 8.0 INCH LENGTH | +½ TURN BEYOND SNUG TIGHT | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| FIBER & POWER CABLE MOUNTING | | FOUNDATION NOTES | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <div>1. FOR VERTICAL RUNS: ON TOWERS OR POLES, ALWAYS UNREEL THE SPOOL FROM THE TOP DOWN. ENSURE NO STRAIN IS PLACED ON THE FIRST 3 FEET OF THE CABLE, AND THAT THE CABLE IS SUPPORTED EVERY THREE FEET VERTICALLY. NEVER ALLOW THE CABLE TO EXPERIENCE THE STRAIN OF THE CABLE SPOOL WEIGHT. ANY BENDS SHALL BE SUPPORTED DIRECTLY ABOVE AND BELOW THE BEND. THE BOTTOM BEND SHALL HAVE A DRIP LOOP WITH A MINIMUM ONE FOOT BEND RADIUS AT 120°. IT IS RECOMMENDED THE FIBER BE TESTED BEFORE AND AFTER INSTALLATION FOR NO GREATER THAN .02 dB LOSS.</div> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| STRUCTURAL STEEL NOTES | | FOUNDATION GENERAL NOTES | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <div>1. THE FABRICATION AND ERECTION OF STRUCTURAL STEEL SHALL CONFORM TO THE AISC SPECIFICATION FOR MANUAL OF STEEL CONSTRUCTION, LOAD AND RESISTANCE FACTOR DESIGN, 15TH EDITION.</div> <div>2. UNLESS OTHERWISE NOTED, ALL STRUCTURAL ELEMENTS SHALL CONFORM TO THE FOLLOWING REQUIREMENTS:<div>STRUCTURAL STEEL:<ul style="list-style-type: none">ANGLE: ASTM A36PIPE/TUBE: ASTM A500-50PLATE: ASTM A36</div><div>A. ALL BOLTS, ASTM A325 TYPE I GALVANIZED HIGH STRENGTH BOLTS.</div><div>B. ALL U-BOLTS, ASTM A193 GRADE B7</div><div>C. ALL NUTS, ASTM A563 CARBON AND ALLOY STEEL NUTS.</div><div>D. ALL WASHERS, ASTM F436 HARDENED STEEL WASHERS.</div></div> <div>3. ALL CONNECTIONS NOT FULLY DETAILED ON THESE PLANS SHALL BE DETAILED BY THE STEEL FABRICATOR IN ACCORDANCE WITH AISC SPECIFICATION FOR MANUAL OF STEEL CONSTRUCTION, LOAD AND RESISTANCE FACTOR DESIGN, 15TH EDITION.</div> <div>4. HOLES SHALL NOT BE FLAME CUT THRU STEEL UNLESS APPROVED BY THE ENGINEER.</div> <div>5. HOT-DIP GALVANIZE ALL ITEMS UNLESS OTHERWISE NOTED, AFTER FABRICATION WHERE PRACTICABLE. GALVANIZING: ASTM A123, ASTM, A153/A153M OR ASTM A653/A653M, G90, AS APPLICABLE.</div> <div>6. REPAIR DAMAGED SURFACES WITH GALVANIZING REPAIR METHOD AND PAINT CONFORMING TO ASTM A780 OR BY APPLICATION OF STICK OR THICK PASTED MATERIAL SPECIFICALLY DESIGNED FOR REPAIR OF GALVANIZING. CLEAN AREAS TO BE REPAIRED AND REMOVE SLAG FROM WELDS. HEAT SURFACES TO WHICH STICK OR PASTE MATERIAL IS APPLIED, WITH A TORCH TO A TEMPERATURE SUFFICIENT TO MELT THE METALLICS IN STICK OR PASTED; SPREAD MOLTEN MATERIAL UNIFORMLY OVER SURFACES TO BE COATED AND WIPE OFF EXCESS MATERIAL.</div> <div>7. A NUT LOCKING DEVICE SHALL BE INSTALLED ON ALL PROPOSED AND/OR REPLACED BOLTS.</div> <div>8. ALL PROPOSED AND/OR REPLACED BOLTS SHALL BE OF SUFFICIENT LENGTH TO EXCLUDE THE THREADS FROM THE SHEAR PLANE.</div> <div>9. ALL PROPOSED AND/OR REPLACED BOLTS SHALL BE OF SUFFICIENT LENGTH SUCH THAT THE END OF THE BOLT BE AT LEAST FLUSH WITH THE FACE OF THE NUT. IT IS NOT PERMITTED FOR THE BOLT END TO BE BELOW THE FACE OF THE NUT AFTER TIGHTENING IS COMPLETED.</div> <div>10. GALVANIZED ASTM A325 BOLTS SHALL NOT BE REUSED.</div> | | <div>1. FOUNDATION INSTALLATION SHALL BE SUPERVISED BY PERSONNEL KNOWLEDGEABLE AND EXPERIENCED WITH THE PROPOSED FOUNDATION TYPE. CONSTRUCTION SHALL BE IN ACCORDANCE WITH GENERALLY ACCEPTED PRACTICES AND IN A GOOD WORKMANLIKE MANNER.</div> <div>2. CONTRACTOR TO VERIFY DIMENSIONS WITH ORIGINAL TOWER DRAWINGS. ETS SHALL BE NOTIFIED OF ANY DISCREPANCIES BETWEEN FIELD MEASURED DIMENSIONS AND ORIGINAL TOWER DRAWINGS.</div> <div>3. FOUNDATION DESIGN MODIFICATIONS MAY BE REQUIRED IN THE EVENT THE DESIGN PARAMETERS ARE NOT APPLICABLE FOR THE SUBSURFACE CONDITIONS ENCOUNTERED DURING CONSTRUCTION.</div> <div>4. FOR FOUNDATION TOLERANCES, SEE ORIGINAL TOWER DRAWINGS.</div> <div>5. THE FOUNDATION MODIFICATION DESIGN IS IN ACCORDANCE WITH GENERALLY ACCEPTED PROFESSIONAL ENGINEERING PRINCIPLES AND PRACTICES WITHIN THE LIMITS OF SUBSURFACE DATA PROVIDED.</div> <div>6. THE FOUNDATION DEPTH INDICATED IS BASED ON THE GRADE LINE DESCRIBED IN THE REFERENCE GEOTECHNICAL REPORT. FOUNDATION MODIFICATION MAY BE REQUIRED IN THE EVENT CUT OR FILL OPERATIONS HAVE TAKEN PLACE SUBSEQUENT TO THE GEOTECHNICAL INVESTIGATION.</div> <div>7. THE FOUNDATION DESIGN ASSUMES THAT INSTALLATION METHODS WILL INCORPORATE THE PROCEDURES RECOMMENDED IN THIS REPORT.</div> <div>8. THE FOUNDATION DESIGN ASSUMES FIELD INSPECTIONS WILL BE PERFORMED TO VERIFY THAT CONSTRUCTION MATERIALS, INSTALLATION METHODS, AND ASSUMED DESIGN PARAMETERS ARE ACCEPTABLE BASED ON THE CONDITIONS AT THE SITE.</div> <div>9. THE FOUNDATION DESIGN ASSUMES NO CONSTRUCTION JOINTS, HOWEVER, CONSTRUCTION JOINTS SHALL BE PERMITTED UPON APPROVAL BY THE OWNER/ENGINEER.</div> <div>EXCAVATION</div> <div>1. WORK SHALL BE IN ACCORDANCE WITH LOCAL CODES AND SAFETY REGULATIONS. PROCEDURES FOR THE PROTECTION OF EXCAVATIONS, EXISTING CONSTRUCTION, AND UTILITIES SHALL BE ESTABLISHED PRIOR TO BEGINNING WORK.</div> <div>2. THE SIDES OF THE EXCAVATION SHALL BE ROUGH AND FREE OF CUTTINGS.</div> <div>3. LOOSE MATERIAL TO BE REMOVED FROM THE BOTTOM OF EXCAVATION PRIOR TO CONCRETE PLACEMENT.</div> <div>REINFORCING STEEL</div> <div>1. THE REINFORCING STEEL SHALL CONFORM TO THE REQUIREMENTS OF ASTM A-615, GRADE 60. IT SHALL BE DEFORMED AND SPLICES SHALL NOT BE ALLOWED UNLESS OTHERWISE NOTED.</div> <div>2. WELDING IS PROHIBITED ON REINFORCING STEEL AND EMBEDMENTS.</div> <div>3. REINFORCING CAGES SHALL BE BRACED TO RETAIN PROPER DIMENSIONS DURING HANDLING AND THROUGHOUT PLACEMENT OF CONCRETE. WHEN TEMPORARY CASING IS UTILIZED, BRACING SHALL BE ADEQUATE TO RESIST FORCES OCCURRING FROM FLOWING CONCRETE DURING CASING EXCAVATION.</div> <div>4. SPACERS SHALL BE ATTACHED INTERMITTENTLY THROUGHOUT THE ENTIRE LENGTH OF TIEBACK REINFORCING TO INSURE CONCENTRIC PLACEMENT OF CASING IN EXCAVATIONS.</div> <div>5. MINIMUM CONCRETE COVER FOR REINFORCEMENT SHALL BE 3" UNLESS OTHERWISE NOTED. APPROVED SPACERS SHALL BE USED TO INSURE A 3" MINIMUM COVER FOR REINFORCEMENT.</div> <div>6. THE CONCRETE COVER FROM THE TOP OF THE FOUNDATION TO THE ENDS OF THE VERTICAL REINFORCEMENT SHALL NOT BE LESS THAN 3".</div> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WELDING NOTES | | <div>1. ALL WELDING SHALL BE IN ACCORDANCE WITH THE AWS D1.1/D1.1M: 2015 "STRUCTURAL WELDING CODE-STEEL".</div> <div>2. ALL WELDING SHALL BE PERFORMED BY AWS CERTIFIED WELDERS.</div> <div>3. CONTRACTOR SHALL RETAIN AN AWS CERTIFIED WELD INSPECTOR TO PERFORM VISUAL INSPECTIONS ON FIELD WELDS. A LETTER AND REPORT SHALL BE ISSUED TO THE CONTRACTOR. CONTRACTOR SHALL SUBMIT LETTER AND REPORT TO TOWER OWNER.</div> <div>4. GRIND THE SURFACE ADJACENT TO THE WELD FOR A DISTANCE OF 2" MINIMUM ALL AROUND. GRIND THE SURFACE OF THE ROD TO BE INSTALLED FOR A DISTANCE OF 2" MINIMUM ALL AROUND THE AREA TO BE WELDED. ENSURE BOTH AREAS ARE 100% FREE OF ALL GALVANIZING. SURFACES TO BE WELDED SHALL BE FREE FROM SCALE, SLAG, RUST, MOISTURE, GREASE OR ANY OTHER FOREIGN MATERIAL THAT WOULD PREVENT PROPER WELDING.</div> <div>5. DO NOT WELD IF THE TEMPERATURE OF THE STEEL IN THE VICINITY OF THE WELD AREA IS BELOW 0°F. WHEN THE TEMPERATURE IS BETWEEN 0°F AND 32°F, PREHEAT AND MAINTAIN THE STEEL IN THE VICINITY OF THE WELD AREA AT 70°F DURING THE WELDING PROCESS.</div> <div>6. DO NOT WELD ON WET OR FROST-COVERED SURFACES & PROVIDE ADEQUATE PROTECTION FROM HIGH WINDS.</div> <div>7. FOR ALL WELDING, USE E70XX ELECTRODES.</div> <div>8. AFTER FINAL INSPECTION, THE AREA OF THE WELDS, THE INSTALLATION AND ALL SURFACES DAMAGED BY WELDING OR GRINDING SHALL RECEIVE A COLD-GALVANIZED COATING. THIS COATING SHALL BE APPLIED BY BRUSH. THE GALVANIZING COMPOUND SHALL CONTAIN A MINIMUM OF 95% ± PURE ZINC. THE FINISHED COATING SHALL BE A MINIMUM THICKNESS OF 3 MILS.</div> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | |
|--|--|-------------------------------------|
| PREPARED BY: | | |
| <div><div>3227 WELLINGTON COURT RALEIGH, NC 27615 919-782-2710 www.ets-pllc.com</div></div> | | |
| PREPARED FOR: | | |
| <div></div> | | |
| SUBSTATION NAME: | | |
| SUMTER WEDGEFIELD ROAD 230 SUB | | |
| SUBSTATION TRANSMISSION NUMBER: | | |
| T3985 | | |
| SUBSTATION ADDRESS: | | |
| 2434 WEDGEFIELD ROAD SUMTER, SC 29154 | | |
| LATITUDE/LONGITUDE: | | |
| 33.912755°, -80.393316° | | |
| SEAL: | <div><div>07/24/2025</div></div> | |
| COA: | <div></div> | |
| REV | DATE | DETAILS |
| 0 | 07/24/2025 | CONSTRUCTION |
| 1 | | |
| 2 | | |
| 3 | | |
| DRAWN BY: DF | | CHECKED BY: PB |
| SHEET TITLE: | | |
| GENERAL NOTES II | | |
| SHEET # | GN-2 | CURRENT REV #: 0 ETS #: 24131425 |


| ABBREVIATIONS | | | | LINETYPES | | | |
|---------------|--------------------------------------|-----------|--|-----------|---------------------------------------|--|----------------------------------|
| ABC | AGGREGATE BASE COURSE | FT. | FOOT, FEET | RT | RIGHT | | PARENT PROPERTY BOUNDARY |
| ABS | AIR BREAK SWITCH | FTG. | FOOTING | R/W | RIGHT OF WAY | | ADJACENT PROPERTY BOUNDARY |
| A.C. | ASBESTOS CEMENT | GA | GAGE | RWM | RIGHT OF WAY MONUMENT | | EASEMENT |
| A/C | AIR CONDITIONING | GAL. | GALLON | SAN | SANITARY SEWER | | LEASE AREA |
| A.D. | AREA DRAIN | GALV. | GALVANIZED | SB | SOIL BORING | | RIGHT OF WAY |
| A.F.F. | ABOVE FINISHED FLOOR | GC | GENERAL CONTRACTOR | SCH | SCHEDULE | | SILT FENCE |
| ALT. | ALTERNATE | G.F.E. | GOVERNMENT FURNISHED EQUIPMENT | SET | SETBACK | | CHAIN-LINK FENCE |
| ALUM. | ALUMINUM | GIS | GEOGRAPHIC INFORMATION SYSTEM | SF | SQUARE FEET | | UNDERGROUND WATER |
| AMP. | AMPERES | GL | GAS LINE | SHT | SHEET | | UNDERGROUND POWER |
| A.O. | ACCESS OPENING | GM | GAS METER | SIA | SIAMESE CONNECTION | | OVERHEAD POWER |
| APPROX. | APPROXIMATELY | G.P.H. | GALLONS/HOUR | SIG | SIGNAL | | ALTERNATING CURRENT POWER |
| ARCH. | ARCHITECTURAL | G.P.M. | GALLONS/MINUTE | SOTF | SECURITY OPERATIONS TRAINING FACILITY | | DIRECT CURRENT POWER |
| ASPH. | ASPHALT | GND. | GROUND | SP | SIGNAL POLE | | FIBER/DC POWER COMPOSITE CABLE |
| A.T.P. | ANTI-TERRORISM FORCE PROTECTION | GOV'T | GOVERNMENT | SPECS | SPECIFICATIONS | | HYBRID CABLE |
| A.W.W.A. | AMERICAN WATER WORKS ASSOCIATION | GV | GATE VALVE | SQFT | SQUARE FEET | | UNDERGROUND FIBER |
| BLDG. | BUILDING | GW | GUY WIRE | SR | STATE ROAD | | OVERHEAD FIBER |
| BM. | BENCH MARK | HC | HANDICAP | SS | SANITARY SEWER | | MULTI-MODE FIBER |
| BOC | BACK OF CURB | HCP | HANDICAP PARKING | STA. | STATION | | SINGLE-MODE FIBER |
| BOL | BOLLARD | HCR | HANDICAP RAMP | STD. | STANDARD | | FIBER TRUNK - 6 STRAND |
| BRG. | BEARING | HDW | HEADWALL | STM | STORM | | FIBER TRUNK - 12 STRAND |
| BVC | BEGIN VERTICAL CURVE | HP | HIGH POINT | STL | STEEL | | FIBER TRUNK - 24 STRAND |
| BVCE | BEGIN VERTICAL CURVE ELEVATION | HSS | HIGH STRENGTH STEEL | SW | SIDEWALK | | FIBER TRUNK - 48 STRAND |
| BVCS | BEGIN VERTICAL CURVE STATION | HT | HEIGHT | SWM. | STORMWATER MANAGEMENT | | FIBER TRUNK - 96 STRAND |
| C&G | CURB AND GUTTER | HYD | HYDRANT | T | TANGENT | | FIBER TRUNK - 144 STRAND |
| CATV | CABLE TELEVISION | ID. | INSIDE DIAMETER | TBM | TEMPORARY BENCHMARK | | FIBER TRUNK - 288 STRAND |
| CAP. | CAPACITY | INTX. | INTERSECTION | TERR | TERRA COTTA PIPE | | GROUND WIRE |
| C.B. | CATCH BASIN | INV. | INVERT | TEL | TELEPHONE | | GAS LINE |
| CBL | CABLE | ISL | ISLAND | TOC | TOP OF CURB | | ETHERNET CABLE |
| CEM. | CEMENT | ITL. | INDEPENDENT TESTING LABORATORY | TOB | TOP OF BANK | | CAT6 CABLE |
| CER. | CERAMIC | J.B. | JUNCTION BOX | TOS | TOP OF SLOPE | | CAT5 CABLE |
| C.F.M. | CUBIC FEET/MINUTE | JCT. | JUNCTION | TOW | TOP OF WALL | | ALARM CABLE |
| C.F.S. | CUBIC FEET/SECOND | JSOC | JOINT SPECIAL OPERATIONS COMMAND | TP | TELEPHONE POLE | | CONDUIT |
| C.I. | CURB INLET | JT. | JOINT | TRANS | TRANSFORMER | | COAX FEEDLINE |
| C.I.P. | CAST IRON PIPE | K | K VALVE | TYP. | TYPICAL | | COAX FEEDLINE / JUMPER - TFT-402 |
| CIRC. | CIRCULATING | KVA | KILOVOLT AMPERE | U/C | UNDER CONSTRUCTION | | COAX FEEDLINE / JUMPER - PTS1-50 |
| C.A. | CONSTRUCTION JOINT/CONTRACTION JOINT | KW | KILOWATT | U/G | UNDERGROUND | | COAX FEEDLINE / JUMPER - LMR-240 |
| C.L. | CENTER LINE | L | LENGTH | UNO | UNLESS NOTED OTHERWISE | | COAX FEEDLINE / JUMPER - LDF4-50 |
| C.A. | CONCRETE MONUMENT | LF | LINEAR FEET | UP | UTILITY POLE | | COAX FEEDLINE / JUMPER - LDF1-50 |
| C.M.P. | CONCRETE METAL PIPE | LGT | LIGHT | VC | VERTICAL CURVE | | COAX FEEDLINE / JUMPER - HL4RPV |
| C.M.U. | CONCRETE MASONRY UNIT | LP | LIGHT POLE | VCP | VITRIFIED CLAY PIPE | | COAX FEEDLINE / JUMPER - FSJ4-50 |
| C.O. | CLEAN OUT | LT | LEFT | VIF | VERIFIED IN FIELD | | COAX FEEDLINE / JUMPER - FSJ1-50 |
| COL. | COLUMN | MAX | MAXIMUM | WL | WATER LINE | | COAX FEEDLINE / JUMPER - AL4RPV |
| CONC. | CONCRETE | MED | MEDIAN | WM | WATER METER | | |
| COND. | CONDENSATE | MH | MANHOLE | WSEL | WATER SURFACE ELEVATION | | |
| CONN. | CONNECTION | MIN | MINIMUM | WV | WATER VALVE | | |
| CONST. | CONSTRUCTION | MJ | MECHANICAL JOINT | WTR | WATER | | |
| CONT. | CONTINUOUS | MON | MONUMENT | WWF | WIRE WELD FABRIC | | |
| COR | CONTRACTING OFFICERS REPRESENTATIVE | MTL | METAL | | | | |
| C.TO C. | CENTER TO CENTER | MW | MONITOR WELL / MICROWAVE | | | | |
| C.Y. | CUBIC YARD | M.U.T.C.D | MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES | | | | |
| DET. | DETAIL | N/A | NOT APPLICABLE | | | | |
| DI | DROP INLET | NAD 27 | NORTH AMERICAN DATUM 1927 | | | | |
| DIA. | DIAMETER | NAD 83 | NORTH AMERICAN DATUM 1983 | | | | |
| DIFF. | DIFFUSER | NBL | NORTH BOUND LINE | | | | |
| DIM. | DIMENSION | NC | NORMAL CROWN | | | | |
| D.I.P. | DUCTILE IRON PIPE | NEMA | NATIONAL ELECTRICAL MANUFACTURES ASSOCIATION | | | | |
| DISC. | DISCONNECT | | | | | | |
| D.J. | DUMMY JOINT | NIC | NOT IN CONTRACT | | | | |
| DN. | DOWN | NIP | NEW IRON PIPE | | | | |
| DR. | DRAIN | N.T.S. | NOT TO SCALE | | | | |
| D.S. | DOWN SPOUT | O.U. | ON CENTER | | | | |
| DW | DOMESTIC WATER | O.V. | OUTSIDE DIAMETER | | | | |
| DWG.(S) | DRAWING(S) | OH | OVERHEAD | | | | |
| EA. | EACH | OHE | OVERHEAD ELECTRIC | | | | |
| E.F. | EXHAUST FAN | ONUS. | OLD NORTH UTILITY SERVICE | | | | |
| EG. | EXISTING GRADE | OVH | OVERHANG | | | | |
| E.I.P. | EXISTING IRON PIPE | P/A | PARKING AREA | | | | |
| E.J. | EXPANSION JOINT | PC | POINT OF CURVATURE | | | | |
| ELEC. | ELECTRIC | PCC | POINT OF COMPOUND CURVATURE | | | | |
| EL. | ELEVATION | PED | PEDESTAL | | | | |
| E.M. | ELECTRIC METER | PER. | PERIMETER | | | | |
| EOP | EDGE OF PAVEMENT | PGL | PROPOSED GRADE LINE | | | | |
| EQUIP. | EQUIPMENT | PI | POINT OF INTERSECTION | | | | |
| EVC | END VERTICAL CURVE | PINC | POINT OF INTERSECTION ON CURVE | | | | |
| EVCE | END VERTICAL CURVE ELEVATION | PIV | POST INDICATOR VALVE | | | | |
| EVCS | END VERTICAL CURVE STATION | PIV ELEV | POINT OF VERTICAL INTERSECTION ELEVATION | | | | |
| EXH. | EXHAUST | PLT | PLATE | | | | |
| EXP.JT. | EXPANSION JOINT | PSF | POUNDS PER SQUARE FOOT | | | | |
| EXT. | EXTERIOR | PSF | POUNDS/SQUARE FOOT | | | | |
| EX./EXIST. | EXISTING | PSI | POUNDS/SQUARE INCH | | | | |
| FC | FACE OF CURB | PIV STA | POINT OF VERTICAL INTERSECTION STATION | | | | |
| F.D. | FLOOR DRAIN | PT | POINT | | | | |
| F.D.C. | FIRE DEPARTMENT CONNECTION | PVMT | PAVEMENT | | | | |
| F.E.S. | FLARED END SECTION | RAD. | RADIUS | | | | |
| F.F.E. | FINISHED FLOOR ELEVATION | RCP | REINFORCED CONCRETE PIPE | | | | |
| FG | FINISHED GRADE | REINF. | REINFORCING | | | | |
| FH | FIRE HYDRANT | REQ. | REQUIRED | | | | |
| FIN. | FINISH FLOOR | REV | REVISED | | | | |
| FM | FORCE MAIN | R.P.Z. | REDUCED PRESSURE ZONE | | | | |
| FOC | FACE OF CURB | | | | | | |

PREPARED BY:



3227 WELLINGTON COURT
RALEIGH, NC 27615
919-782-2710
www.ets-pllc.com

PREPARED FOR:



SUBSTATION NAME:

SUMTER WEDGEFIELD ROAD
230 SUB

SUBSTATION TRANSMISSION NUMBER:

T3985


SUBSTATION ADDRESS:

2434 WEDGEFIELD ROAD
SUMTER, SC 29154

LATITUDE/LONGITUDE:


33.912755°, -80.493316°

SEAL:



07/24/2025

COA:



| REV | DATE | DETAILS |
|-----|------------|--------------|
| 0 | 07/24/2025 | CONSTRUCTION |
| 1 | | |
| 2 | | |
| 3 | | |

DRAWN BY: DF

CHECKED BY: PB

SHEET TITLE:

GENERAL NOTES III

SHEET #

GN-3


CURRENT REV #:

0

ETS #:

24131425


| SITE PLAN DATA TABLE | | |
|--|--|---------|
| OWNER OF RECORD | CAROLINA POWER & LIGHT CO DUKE ENERGY CENTER 550 S TRYON STREET CHARLOTTE, NC 28202 | |
| APPLICANT | DUKE ENERGY PROGRESS INC 150 FAYETTEVILLE STREET, BOX 1011 HICKORY, NC 28601 | |
| PRIMARY CONTACT S | SEE T-1 | |
| PROJECT ADDRESS | 2434 WEDGEFIELD RD. SUMTER, SC 29154 | |
| TAX MAP IDENTIFICATION NUMBER | 206-00-02-010 | |
| WITHIN SUMTER CITY LIMITS | YES | |
| PROPOSED USE | 120" UTILITY POLE FOR DUKE ENERGY INTERNAL USE FOR SUBSTATION REMOTE ACCESS | |
| ZONING DISTRICT | R-15 | |
| MINIMUM DEVELOPMENT REQUIREMENTS | MINIMUM LOT AREA PER INDIVIDUAL UNIT | N/A |
| | MINIMUM LOT WIDTH | 100 FT. |
| | MINIMUM LOT DEPTH | 120 FT. |
| | MINIMUM YARDS, PER STRUCTURE | |
| | FRONT | 35 FT. |
| | SIDE | 50 FT. |
| | REAR | 50 FT. |
| | MAXIMUM IMPERVIOUS SURFACE PERCENTAGE | 0.4 |
| FEMA FLOODPLAIN INSURANCE MAP INFORMATION | MAXIMUM DENSITY (UNITS PER GROSS ACRE) | N/A |
| | MAXIMUM HEIGHT OF BUILDINGS | 45 FT. |
| | MAP NUMBER 45085C0292E EFFECTIVE ON 10/27/2022 | |
| SIZE OF PARCEL | 10.0 ACRES | |
| SIZE OF SITE PLAN | 0.8043 | |
| PERCENTAGE OF PARCEL UNDEVELOPED | 0.08 | |
| EXISTING BUILDINGS | N/A | |



| PROPOSED 120'± MONOPOLE SETBACKS | |
|-------------------------------------|----------|
| PROPERTY BOUNDARY LINE | DISTANCE |
| NORTH | 291'-1"± |
| EAST | 195'-6"± |
| SOUTH | 515'-5"± |
| WEST | 216'-3"± |


| NOTES | | |
|-------|--|--|
| 1. | SITE PLAN BASED ON SURVEY COMPLETED BY JMT DATED 03/11/2025. | |
| 2. | ALL INFORMATION SHOWN ON THIS PLAN IS FOR REFERENCE ONLY. CONTRACTOR TO VERIFY THAT ALL EXISTING INFORMATION IS AS INDICATED ON THE SITE PLAN, AND NOTIFY THE CONSTRUCTION MANAGER OF ANY DISCREPANCIES. ALL PERTINENT ITEMS AND DIMENSIONS ARE RECOMMENDED TO BE VERIFIED IN THE FIELD. ENGINEERED TOWER SOLUTIONS, PLLC IS NOT LIABLE AND DOES NOT ASSUME RESPONSIBILITY FOR THIS CONTENT. | |

PREPARED BY:



3227 WELLINGTON COURT
RALEIGH, NC 27615
919-782-2710
www.ets-pltc.com

PREPARED FOR:



SUBSTATION NAME:

SUMTER WEDGEFIELD ROAD
230 SUB

SUBSTATION TRANSMISSION NUMBER:

T3985


SUBSTATION ADDRESS:

2434 WEDGEFIELD ROAD
SUMTER, SC 29154

LATITUDE/LONGITUDE:


33.912755°, -80.393316°

SEAL:



07/24/2025

COA:



| REV | DATE | DETAILS |
|-----|------------|--------------|
| 0 | 07/24/2025 | CONSTRUCTION |
| 1 | | |
| 2 | | |
| 3 | | |

DRAWN BY: DF

CHECKED BY: PB

SHEET TITLE:



OVERALL PROPERTY
PLAN

SHEET #

C-1.0

CURRENT REV #: 0

ETS #: 24131425



PREPARED BY:



3227 WELLINGTON COURT
RALEIGH, NC 27615
919-782-2710
www.ets-pllc.com

PREPARED FOR:



SUBSTATION NAME:

**SUMTER WEDGEFIELD ROAD
230 SUB**

SUBSTATION TRANSMISSION NUMBER:

T3985

SUBSTATION ADDRESS:

2434 WEDGEFIELD ROAD
SUMTER, SC 29154


LATITUDE/LONGITUDE:

33.912755°, -80.993316°

SEAL:



COA:



| REV | DATE | DETAILS |
|-----|------------|--------------|
| 0 | 07/24/2025 | CONSTRUCTION |
| 1 | | |
| 2 | | |
| 3 | | |

DRAWN BY: DF CHECKED BY: PB


SHEET TITLE:

**SUBSTATION
COMPOUND PLAN**

SHEET # **C-1.1** CURRENT REV #: 0
ETS #: 24131425

SUBSTATION COMPOUND PLAN

1" = 20'-0"




TRANSMISSION GROUNDING PLAN
N.T.S.

PREPARED BY:



3227 WELLINGTON COURT
RALEIGH, NC 27615
919-782-2710
www.ets-llc.com

PREPARED FOR:



SUBSTATION NAME:
**SUMTER WEDGEFIELD ROAD
230 SUB**

SUBSTATION TRANSMISSION NUMBER:
T3985

SUBSTATION ADDRESS:
2434 WEDGEFIELD ROAD
SUMTER, SC 29154

LATITUDE/LONGITUDE:
33.912755°, -80.393316°

FOR REFERENCE ONLY


FOR REFERENCE ONLY

| REV | DATE | DETAILS |
|-----|------------|--------------|
| 0 | 07/24/2025 | CONSTRUCTION |
| 1 | | |
| 2 | | |
| 3 | | |

DRAWN BY: DF CHECKED BY: PB

SHEET TITLE:
**TRANSMISSION
GROUNDING PLAN**

SHEET # **C-1.2** CURRENT REV #: 0
ETS #: 24131425



| | | | | | |
|-----|------------|--|-----|-----|-----|
| 14A | 05-09-2025 | PROJ. #E230343 INSTALL CAMBIUM POLE, CORRECTED GATE AND SOLAR IRRADIANCE TOWER LOCATION | MTK | CWS | WTH |
| 14 | 07-30-19 | AS BUILT, REMOVED REVISION CLOUD, BY BPE 17/30/19L | BPE | WTH | TFB |
| 13 | 8-17-18 | REROUTED RUNS NO.'S 13-18, 23, 30, 32, 33, 36-38, 56-63, 65, & 67. | BPE | WTH | TFB |
| 12 | 6-15-12 | AS-BUILT, REMOVED CLOUDS | ROM | MNG | TFB |
| 11 | 12-21-09 | ADDED TELECOM EQUIPMENT & INTERFACE CABINETS, REMOVED RADIO ALARM POLE, TELCO BOX, CCI & D.L.C. CABINET, ADDED RUNS *74- *81, RUNS *39- *45, *49, *50 & *69 NDU PER CABLE/CONDUIT SCHEDULE | ROM | MNG | TFB |
| 10 | 8-29-00 | ADDED RUNS 70-73 | JWC | JKH | WPN |
| 9 | 9-17-98 | ADDED THREE HIGH VOLTAGE BUS SUPPORT POLES | JLS | JKW | 1 |
| 8 | 6-24-98 | ADDED RUNS 51-68 | PA | KSK | SAS |

| | | | | | |
|---|----------|--|-----|-----|------|
| 7 | 10-18-96 | AS-BUILT, REVISION | JMM | JES | |
| 6 | 4-31-96 | ADD RUNS 46-50 | JMM | JES | |
| 5 | 12-10-97 | ABANDON RUNS *21- *24 & *28, ADD RUN *38 - *45 | JEP | JKW | |
| 4 | 4-11-86 | ADD RUNS *32 - *37, ADD CAPA. BANKS *3 - *4 | TAH | JES | |
| 3 | 7-8-80 | REVISED 23 KV FEEDER | WGC | JAB | |
| 2 | 11-21-79 | ADD CONDUIT RUNS *19 & *31 | WFE | JES | |
| 1 | 11-28-75 | ADD FEEDER NAMES. | TEH | | |
| | | REVISION | BY | CK | APP. |

| | |
|--|--|
| DUKE ENERGY PROGRESS | |
| SUMTER WEDGEFIELD RD, 230 KV SUBSTATION CONDUIT & CABLE PLAN | |
| LOCATION SUMTER, S.C. SCALE 1" = 10'-0" SCALE RATIO 1:120 DRAWN CWS/EDS/PPCHK DATE 5-17-74 DWG. NO. REC-17008 | |

| # | DESCRIPTION & FUNCTION | SIZE | LENGTH | SIZE | LENGTH | REMARKS |
|----|--|--------|--------|-------|--------|------------------------------------|
| 82 | 120' CAMBIUM POLE TO TELECOM EQUIPMENT CAB | 2" PVC | 50' | CAT5E | 170' | CABLE LENGTH INCLUDES TOWER HEIGHT |
| 83 | 120' CAMBIUM POLE TO TELECOM EQUIPMENT CAB | 2" PVC | 50' | -- | -- | SPARE |

TRANSMISSION CONDUIT PLAN
N.T.S.

PREPARED BY:



3227 WELLINGTON COURT
RALEIGH, NC 27615
919-782-2710
www.ets-llc.com

PREPARED FOR:



SUBSTATION NAME:

SUMTER WEDGEFIELD ROAD
230 SUB

SUBSTATION TRANSMISSION NUMBER:

T3985

SUBSTATION ADDRESS:

2434 WEDGEFIELD ROAD
SUMTER, SC 29154

LATITUDE/LONGITUDE:

33.912755°, -80.393316°

FOR REFERENCE ONLY

FOR REFERENCE ONLY

| REV | DATE | DETAILS |
|-----|------------|--------------|
| 0 | 07/24/2025 | CONSTRUCTION |
| 1 | | |
| 2 | | |
| 3 | | |

DRAWN BY: DF CHECKED BY: PB

SHEET TITLE:

TRANSMISSION
CONDUIT PLAN


SHEET # C-1.3 CURRENT REV #: 0
ETS #: 24131425

- NOTES
1.

CONTRACTOR TO REFER TO MOST RECENT TOWER ANALYSIS, COMPLETED BY ENGINEERED TOWER SOLUTIONS, PRIOR TO INSTALLATION.
2.

COMMUNICATION POLE TO BE A GALVANIZED STEEL COLOR TO BLEND IN WITH EXISTING TRANSMISSION LINE EQUIPMENT.
3.


COMMUNICATION POLE INTENDED FOR DUKE ENERGY EQUIPMENT ONLY. NO TENANTS ARE PERMITTED TO CO-LOCATE ONTO COMMUNICATION POLE.



COMMUNICATION POLE ELEVATION

1/16" = 1'-0"

| SIZE (FT) | TYPE | MANUFACTURER | PART # | ELEVATION (FT) | AZIMUTH | MOUNT |
|---------------------|---------------------------|------------------|------------------------|----------------|---------|---|
| 4' | ANTENNA | RADIOWAVES | HPD4-5.2 | 118'-0" | 103.54° | SITE PRO 1 DCH8 CHAIN MOUNT |
| 5.3"x10.3"x3.3" | ODU | CAMBIUM NETWORKS | PMP450i NON-INTEGRATED | 118'-0" | -- | |
| 96.0"x14.6"x8.7" | LTE ANTENNA (FUTURE) | JMA | (9) X7CQAP-86-880-VR0 | 60' | -- | PV-LPPGS-12M-HR2-AP19-AT (12.5 FT PLATFORM MOUNT) |
| 27.20"x12.05"x7.0" | RRUS (FUTURE) | ERICSSON | (9) RRUS 32 | 60' | -- | |
| 31.41"x18.28"x9.66" | SURGE SUPPRESSOR (FUTURE) | RAYCAP | (3) DC6-48-60-18-8C | 60' | -- | |



ANTENNA PLAN

1" = 32'-0"

PREPARED BY:

ENGINEERED
TOWER SOLUTIONS

3227 WELLINGTON COURT
RALEIGH, NC 27615
919-782-2710
www.ets-pllc.com

PREPARED FOR:

DUKE
ENERGY®

SUBSTATION NAME:

SUMTER WEDGEFIELD ROAD
230 SUB

SUBSTATION TRANSMISSION NUMBER:

T3985

SUBSTATION ADDRESS:

2434 WEDGEFIELD ROAD
SUMTER, SC 29154

LATITUDE/LONGITUDE:

33.912755°, -80.393316°

SEAL:

SOUTH CAROLINA
LICENSED PROFESSIONAL ENGINEER
No. 22960
CHRISTOPHER G. PLY
07/24/2025

COA:

SOUTH CAROLINA
FREDERIC GEOFF BOST
ENGINEERED TOWER
SOLUTIONS, LLC
NO. 4634
CERTIFICATE OF AUTHORIZATION

| REV | DATE | DETAILS |
|-----|------------|--------------|
| 0 | 07/24/2025 | CONSTRUCTION |
| 1 | | |
| 2 | | |
| 3 | | |

DRAWN BY: DF CHECKED BY: PB


SHEET TITLE:

COMMUNICATION
POLE ELEVATION &
ANTENNA PLAN

| | | |
|---------|-----|------------------|
| SHEET # | C-2 | CURRENT REV #: 0 |
| | | ETS #: 24131425 |

RADIOWAVES - HPD4-5.2

| DIAMETER | WEIGHT | ANTENNA CONNECTOR | FREQUENCY |
|----------|--------|-------------------|-----------------|
| 4'-0" | 85 LBS | N-TYPE FEMALE | 5.25 - 5.85 GHz |




ANTENNA DETAIL

N.T.S.

CAMBIUM NETWORKS - PMP 450i

| HEIGHT | WIDTH | DEPTH | WEIGHT | ANTENNA CONNECTOR | FREQUENCY |
|--------|-------|-------|---------|-------------------|--|
| 10.3" | 5.3" | 3.3" | 4.5 LBS | (2) N-TYPE FEMALE | 3 GHz: 3300 - 3900 MHz 5 GHz: 4900 - 5925 MHz |




ODU DETAIL

N.T.S.

VALMONT - TCHM1

- TAPER ADJUSTABLE CHAIN MOUNT
- FITS POLYGON OR ROUND POLES
- ALLOWS FOR UP TO 6° OF TAPER IN 3/4° INCREMENTS
- INCLUDES U-BOLTS FOR MOUNTING 2-3/8" OR 4-1/2" OD PIPES
- MOUNTING PIPE ORDERED SEPARATELY





CHAIN MOUNT DETAIL

N.T.S.

ADAPTER CLAMP SET: ANDREW - AD-P60-SCP

- FITS PIPES 4-1/2" TO 12"
- INCLUDES (4) 1/2"x4" THREADED RODS / HARDWARE
- INCLUDES (4) 5/8"x8" THREADED RODS / HARDWARE
- ODU MOUNTING PIPE ORDERED SEPARATELY

ADAPTER CLAMP SET
(ANDREW AD-P60-SCP)



ODU MOUNTING DETAIL

N.T.S.

PREPARED BY:



3227 WELLINGTON COURT
RALEIGH, NC 27615
919-782-2710
www.ets-pllc.com

PREPARED FOR:



SUBSTATION NAME:

**SUMTER WEDGEFIELD ROAD
230 SUB**

SUBSTATION TRANSMISSION NUMBER:

T3985

SUBSTATION ADDRESS:

2434 WEDGEFIELD ROAD
SUMTER, SC 29154


LATITUDE/LONGITUDE:

33.912755°, -80.393316°

SEAL:



COA:







| REV | DATE | DETAILS |
|-----|------------|--------------|
| 0 | 07/24/2025 | CONSTRUCTION |
| 1 | | |
| 2 | | |
| 3 | | |

DRAWN BY: DF CHECKED BY: PB


SHEET TITLE:

DETAILS I

SHEET # **C-3.1** CURRENT REV #: 0
ETS #: 24131425



PREPARED BY:

**ENGINEERED
TOWER SOLUTIONS**

3227 WELLINGTON COURT
RALEIGH, NC 27615
919-782-2710
www.ets-pllc.com

PREPARED FOR:

**DUKE
ENERGY®**

SUBSTATION NAME:
**SUMTER WEDGEFIELD ROAD
230 SUB**

SUBSTATION TRANSMISSION NUMBER:
T3985

SUBSTATION ADDRESS:
2434 WEDGEFIELD ROAD
SUMTER, SC 29154

LATITUDE/LONGITUDE:
33.912755°, -80.393316°

SEAL:

**CHRISTOPHER G. PLY**
LICENSED PROFESSIONAL ENGINEER
No. 22960
07/24/2025

COA:

**FREDERIC GEOFF BOST**
ENGINEERED TOWER
SOLUTIONS, PLLC
NO. 4634
CERTIFICATE OF AUTHORIZATION

| REV | DATE | DETAILS |
|-----|------------|--------------|
| 0 | 07/24/2025 | CONSTRUCTION |
| 1 | | |
| 2 | | |
| 3 | | |


DRAWN BY: DF CHECKED BY: PB

SHEET TITLE:

DETAILS II

SHEET # **C-3.2** CURRENT REV #: 0
ETS #: 24131425


NOTE:
IF POLE SECTIONS ARE JACKED TOGETHER PRIOR TO LIFTING AND SETTING THE POLE IN THE HOLE, THE POLE SECTIONS SHALL BE BOLTED AT THE SLIP JOINTS



POLE SLIP JOINT DETAIL


N.T.S.

- NOTES:
- DO NOT INSTALL CABLE GROUND KIT AT A BEND AND ALWAYS DIRECT GROUND WIRE DOWN TO GROUND BAR
 - GROUNDING KIT SHALL BE ANDREW SUREGROUND TYPE KIT WITH TWO-HOLE LUG
 - WEATHER PROOFING SHALL INCORPORATE PPC WEATHERPROOFING TAPE KIT; COLD SHRINK SHALL NOT BE USED



FEEDLINE CABLE GROUNDING DETAIL


N.T.S.



TRENCH DETAILS


N.T.S.

- NOTES:
- MINIMUM SPACING OF 1'-0" BETWEEN ALL CADWELDS.
 - TOP VIEW DETAIL ONLY TO BE USED AT SPLICE LOCATIONS.



CADWELD GROUNDING DETAIL

N.T.S.



CABLE ROUTING DETAIL

N.T.S.

PREPARED BY:



3227 WELLINGTON COURT
RALEIGH, NC 27615
919-782-2710
www.ets-pllc.com

PREPARED FOR:



SUBSTATION NAME:

**SUMTER WEDGEFIELD ROAD
230 SUB**

SUBSTATION TRANSMISSION NUMBER:

T3985

SUBSTATION ADDRESS:

2434 WEDGEFIELD ROAD
SUMTER, SC 29154

LATITUDE/LONGITUDE:

33.912755°, -80.333316°

SEAL:



COA:




| REV | DATE | DETAILS |
|-----|------------|--------------|
| 0 | 07/24/2025 | CONSTRUCTION |
| 1 | | |
| 2 | | |
| 3 | | |

DRAWN BY: DF CHECKED BY: PB

SHEET TITLE:

DETAILS III

SHEET # **C-3.3** CURRENT REV #: 0
ETS #: 24131425



| ITEM | QTY | UI | MAXIMO P/N | DESCRIPTION | NOTES/ENGINEERING RULE |
|------|-----|----|------------|--|--|
| 1 | 1 | EA | 1505632 | AIR TERMINAL, COPPER CLAD AIR BASE, 1/2" DIA. X 48" | MOUNT THE LIGHTNING ROD 180° AWAY FROM DISH POSITION |
| 2 | 1 | RO | 4177461 | WIRE/CABLE, 2/0 AWG, CU, SOFT DRAWN, 19 STR, BARE CU, CLASS B, PACKAGED IN 25' HAND COILS | APPROXIMATELY 16' REQUIRED |
| 3 | 6 | EA | 1503888 | TERMINAL, LUG, 2/0 AWG CONDUCTOR, (2) 1/2" HOLE BLACK, 1-3/4" CTR | FITS EVERY BONDING CONNECTOR WELDED TO VALMONT H-10 POLE |
| 4 | 1 | EA | 1612775 | TERMINAL, LUG, 2/0 AWG CONDUCTOR, (2) 1/2" HOLE, 1" CTR , BLACK, LONG | NEED 2 PER POLE - 2 ON LOWER GROUND BAR, (MAIN GNDS AT BOT) 1 ON UPPER |
| 5 | 3 | EA | 1504572 | TERMINAL, LUG, 2/0 AWG, COMP , CU , (2) 3/8" HOLE, 1" CTR | NEED 1 PER POLE - 1 ON UPPER GND BAR (MAIN GND AT TOP) 2 ON LOWER |
| 6 | 2 | EA | 1505554 | TERMINAL, LUG, 2/0 AWG CONDUCTOR, SGL HOLE 3/8" POST F/ | 2/0 AWG SINGLE HOLE 2 PER POLE, BOND FOR THE 4.5"& 2.5" PIPE |
| 7 | 3 | EA | LOOSE | TERMINAL, LUG, # 6 AWG , (2) 1/2" HOLE, 1 3/4" SPACE BLUE, LONG | USED FOR MID CAT-5 BOND TO POLE GROUND NEW PART |
| 8 | 1 | EA | 1525371 | BAR, GROUND, 2" WD X 12" LG X 1/4" THK, W/ INSULATORS & BRACKETS, (18) PRE-DRILLED 7/16" HOLE | BAR, GROUND - ENGINEERING RULE = TOP GROUND BAR - VERT |
| 9 | 1 | EA | 1505048 | BAR, GROUND, BUSS, 4" WD X 14" LG X 1/4" THK, TINNED, W/ HARDWARE | BAR, GROUND - ENGINEERING RULE = BOTTOM GROUND BAR - HORIZ 3/4", 1" AND 1-3/4" ON CENTER |
| 10 | 1 | KT | 1539777 | LPU KIT, GROUNDING, LIGHTNING PROTECTION UNIT, ETHERNET CABLE, PRE-FITTED CABLE GLAND, | ENGINEERING RULE = 1 LPU KIT PER OSP CAT-5 CABLE (2 PER KIT) |
| 11 | 1 | SP | 1539773 | WIRE/CABLE,ELECTRICAL, CAT5, 4 PAIR, 24 AWG, CU, SHIELDED INSULATION | ENGINEERING RULE = SPOOL 328' - POLE 120' RADIO TO LPU MAXIMUM DISTANCE TO ISP PSU = 320' |
| 12 | 4 | PK | 1473338 | BRACKET, STANDOFF, MOUNTING, UNIVERSAL, NO ADAPTER | BRACKET - 10/BAG ENGINEERING RULE = 1 EVERY 3 FEET |
| 13 | 4 | PK | 1505037 | HANGER, CABLE, SNAP-IN STACKABLE, F/ 1-5/8" CABLE | SNAP-IN, 10/BAG - ENGINEERING RULE = 1 EVERY 3 FEET |
| 14 | 4 | PK | 1564840 | CUSHION, BARREL, 1-5/8", UNIVERSAL, 14-36MM, SNAP-IN, 10 PER BOX | BARREL CUSHION, 10/BAG - ENGINEERING RULE = 1 EVERY 3 FEET |
| 15 | 1 | EA | 1554484 | GRIP,CABLE, HOISTING, 3/8" CABLE, SS, PRE-LACED | ENGINEERING RULE = 1 PER CAT-5 RISER TOP & MID IF > 200' |
| 16 | 1 | EA | 1503531 | PIPE, 5' LG, ALUM, 4-1/2" OD, F/ ANTENNA MOUNT | PIPE, 5' LG, ALUM, 4-1/2" OD, 1 per DISH |
| 17 | 1 | EA | 1479381 | PIPE, 2-3/8", 2' LG, PLAIN ENDS, STL, F/ ANTENNA MOUNT | PIPE, 2-3/8", 2' LG, 1 per Radio/LPU ASSY |
| 18 | 1 | EA | 1501289 | BRACKET, MOUNTING, HOT DIP GALV STL, BOOM GATE CLAMP SET, 4-1/2" TO 12", 60 DEG ANGLE LEGS | TOWER LEG CLAMP SET ENGINEERING RULE = 1 PER 2' RADIO/LPU ASSY |
| 19 | 3 | EA | 1539778 | KIT, SHIELD GROUNDING, GROUND STRIPS, MASTIC TAPE, ELECTRICAL TAPE, GROUND BOLT & NUT, RETAINING ZIP TIES, F/ | (1) AT BOTTOM (1) AT MIDDLE (ABOVE SLIP JOINT) (1) AT TOP OF MONOPOLE" |
| 20 | 4 | RO | 1490605 | BAND,STRAPPING, 3/4" WD, 100' LG, 0.03" THK, 316 SS, 1800 LB | BAND,STRAPPING, 3/4" ASSUME 6" DIAMETER & ALL OTHER MISC |
| 21 | 50 | EA | 1490606 | BUCKLE, BANDING, 3/4" WIDE, SS | BUCKLE, BANDING, 3/4" WD, SS |
| 22 | 2 | EA | 904105 | HEAD,SERVICE ENTRANCE,RIGID,2",SLIP-ON,PVC,WEATHER HD,STD PKG/5 | WEATHER HEAD, 2" ALL TO BE SCHEDULE 40 |
| 23 | 1 | EA | 1545989 | BRACKET, MOUNTING, CAMBIUM TILT BRACKET ASSY | BRACKET, MOUNTING, CAMBIUM TILT BRACKET ASSY Engineering Rule = 1 per PMP-450 REMOVE for 670 |
| 24 | 1 | EA | 1546830 | MODULE, RADIO FREQUENCY, CAMBIUM 5X GHZ 450i INTEGRATED SUBSCRIBER MODULE | 5 GHz PMP 450i Int SM |
| 25 | 1 | EA | 1588737 | CHAIN MOUNT, FLUSH ANTENNA, CHAIN MOUNT, TIE BACK ARMS, U-BOLTS, F/ DISH ANTENNA W/ SIDE SUPPORT BRACKETS, F/ 4-1/2" DIA - | 4' AND 6" DISH ONLY - DHC8 SA-B10 INCLUDES U-BOLTS FOR MOUNTING 4-1/2" OD PIPES AND SIDE-STRUT SUPPORT BRACKET FOR TIE-BACK ARMS |
| 26 | 2 | EA | 1570020 | JUMPER, COAX, 3' LG, N MALE TO N MALE, LMR-400 | JUMPER, COAX, 3' LG, N MALE TO N MALE, LMR-400 |
| 27 | 1 | EA | 1564958 | ANTENNA, PARABOLIC DISH, 5.25-5.85GHZ, N-FEMALE CONNECTOR, 4' HPDP, 34.9 DBI GAIN | 4' HPDP CAMBIUM NON-INTEGRATED PMP OR PTP APPLICATIONS |
| 28 | 2 | EA | 1501100 | BRACKET, MOUNTING, STABILIZER BARS-STIFF ARM | -- |
| 29 | 2 | EA | 1624192 | BRACKET, MOUNTING, 8" WD X 8" LG X 6" HT, HOT DIP GALV STL | -- |

TRANSMISSIONS

| ITEM | QTY | UI | MAXIMO P/N | DESCRIPTION | NOTES |
|------|-----|----|------------|---|---|
| T1 | TBD | EA | 61354 | CONDUIT, RIGID, HEAVY WALL, 2", 10' LG, SCH 40, PVC, LG BELLED ONE END, RATED F/ 90 DEG C | 2" x 10'-0" SCH. 40 GRAY PVC W/ COUPLING ON ONE END |
| T2 | 2 | EA | 79433 | ELBOW,CONDUIT, RIGID, 2", GRAY PVC, 90 DEG, 9-1/2" RADIUS, PLAIN END, F/ 2" CONDUIT; PACKAGING: 15 PER PACK | 2" x 9-1/2" RADIUS SCH. 40, 90 DEGREE PVC ELBOW |
| T3 | 16 | FT | 4177461 | WIRE/CABLE, ELECTRICAL, BARE, GROUND, 19 STR SOL SD, 9 AWG, DEAD SOFT ANNEALED COPPERCLAD | 2 CONNECTIONS / POLE ASSUME MINIMUM 2' ABOVE 4' BELOW |
| T4 | 1 | BX | 50130218 | POWDER, WELDING, EXO., #300PLUS20, LIGHT GREEN | CAD WELD 4 PER POLE 10 CARTRIGES /BOX |
| T5 | 2 | EA | 67295 | TERMINAL, TIN PLTD CU CONDUCTOR, WELDED CONDUCTOR CONNECTION, (2) 1/2" HOLE 1-3/4" CTR | POLE HOLE PATTERN TO CAD WELD 9X19 TO GRID MAT |
| T6 | 1 | | N/A | EXISTING SUBSTATION GROUND MAT | 2 CONNECTIONS TO GRID MAT ASSUME 4' DEPTH |

PREPARED BY:



3227 WELLINGTON COURT
RALEIGH, NC 27615
919-782-2710
www.ets-pllc.com

PREPARED FOR:



SUBSTATION NAME:

**SUMTER WEDGEFIELD ROAD
230 SUB**

SUBSTATION TRANSMISSION NUMBER:

T3985

SUBSTATION ADDRESS:

2434 WEDGEFIELD ROAD
SUMTER, SC 29154

LATITUDE/LONGITUDE:

33.912755°, -80.993316°

SEAL:



COA:



| REV | DATE | DETAILS |
|-----|------------|--------------|
| 0 | 07/24/2025 | CONSTRUCTION |
| 1 | | |
| 2 | | |
| 3 | | |


DRAWN BY: DF CHECKED BY: PB

SHEET TITLE:

DETAILS V

SHEET # **C-3.4** CURRENT REV #: 0
ETS #: 24131425


| SITE PLAN DATA TABLE | | |
|--|--|---------|
| OWNER OF RECORD | CAROLINA POWER & LIGHT CO DUKE ENERGY CENTER 550 S TRYON STREET CHARLOTTE, NC 28202 | |
| APPLICANT | DUKE ENERGY PROGRESS INC 150 FAYETTEVILLE STREET, BOX 1011 HICKORY, NC 28601 | |
| PRIMARY CONTACT S | SEE T-1 | |
| PROJECT ADDRESS | 2434 WEDGEFIELD RD. SUMTER, SC 29154 | |
| TAX MAP IDENTIFICATION NUMBER | 206-00-02-010 | |
| WITHIN SUMTER CITY LIMITS | YES | |
| PROPOSED USE | 120" UTILITY POLE FOR DUKE ENERGY INTERNAL USE FOR SUBSTATION REMOTE ACCESS | |
| ZONING DISTRICT | R-15 | |
| MINIMUM DEVELOPMENT REQUIREMENTS | MINIMUM LOT AREA PER INDIVIDUAL UNIT | N/A |
| | MINIMUM LOT WIDTH | 100 FT. |
| | MINIMUM LOT DEPTH | 120 FT. |
| | MINIMUM YARDS, PER STRUCTURE | |
| | FRONT | 35 FT. |
| | SIDE | 50 FT. |
| | REAR | 50 FT. |
| | MAXIMUM IMPERVIOUS SURFACE PERCENTAGE | 0.4 |
| FEMA FLOODPLAIN INSURANCE MAP INFORMATION | MAXIMUM DENSITY (UNITS PER GROSS ACRE) | N/A |
| | MAXIMUM HEIGHT OF BUILDINGS | 45 FT. |
| | MAP NUMBER 45085C0292E EFFECTIVE ON 10/27/2022 | |
| SIZE OF PARCEL | 10.0 ACRES | |
| SIZE OF SITE PLAN | 0.8043 | |
| PERCENTAGE OF PARCEL UNDEVELOPED | 0.08 | |
| EXISTING BUILDINGS | N/A | |



| PROPOSED 120'± MONOPOLE SETBACKS | |
|-------------------------------------|----------|
| PROPERTY BOUNDARY LINE | DISTANCE |
| NORTH | 291'-1"± |
| EAST | 195'-6"± |
| SOUTH | 515'-5"± |
| WEST | 216'-3"± |


| NOTES | | |
|-------|--|--|
| 1. | SITE PLAN BASED ON SURVEY COMPLETED BY JMT DATED 03/11/2025. | |
| 2. | ALL INFORMATION SHOWN ON THIS PLAN IS FOR REFERENCE ONLY. CONTRACTOR TO VERIFY THAT ALL EXISTING INFORMATION IS AS INDICATED ON THE SITE PLAN, AND NOTIFY THE CONSTRUCTION MANAGER OF ANY DISCREPANCIES. ALL PERTINENT ITEMS AND DIMENSIONS ARE RECOMMENDED TO BE VERIFIED IN THE FIELD. ENGINEERED TOWER SOLUTIONS, PLLC IS NOT LIABLE AND DOES NOT ASSUME RESPONSIBILITY FOR THIS CONTENT. | |

PREPARED BY:



3227 WELLINGTON COURT
RALEIGH, NC 27615
919-782-2710
www.ets-pltc.com

PREPARED FOR:



SUBSTATION NAME:

SUMTER WEDGEFIELD ROAD
230 SUB

SUBSTATION TRANSMISSION NUMBER:

T3985


SUBSTATION ADDRESS:

2434 WEDGEFIELD ROAD
SUMTER, SC 29154

LATITUDE/LONGITUDE:


33.912755°, -80.393316°

SEAL:



07/24/2025

COA:



| REV | DATE | DETAILS |
|-----|------------|--------------|
| 0 | 07/24/2025 | CONSTRUCTION |
| 1 | | |
| 2 | | |
| 3 | | |

DRAWN BY: DF

CHECKED BY: PB

SHEET TITLE:

OVERALL PROPERTY
PLAN

SHEET #

C-1.0

CURRENT REV #: 0

ETS #: 24131425

Sumter County, SC

Summary

Parcel Number 206-00-02-010
Legal Description 10.0 AC - TR 1&2 -
District 17 - City of Sumter
Neighborhood S&W SUMTER, SUBURBAN
Location Address 2434 WEDGEFIELD RD
SUMTER 29154
Plat Book/Page [PB|0000](#)

[View Map](#)

Owners

[CAROLINA POWER & LIGHT ATTN.](#)
[DUKE ENERGY CORPORATION](#)
PO BOX 37996
CHARLOTTE NC 28237

Valuation

| Year | 2024 | 2023 | 2022 | 2021 |
|--------------------------------|------------|-----------------|-----------------|-----------------|
| Market Land Value | \$130,000 | \$130,000 | \$130,000 | \$130,000 |
| + Market Improvement Value | \$0 | \$700 | \$700 | \$700 |
| + Market Misc Value | \$700 | \$0 | \$0 | \$0 |
| = Total Market/Exemption Value | \$130,700 | \$130,700 | \$130,700 | \$130,700 |
| Assessed Land Value | \$0 | \$13,660 | \$13,660 | \$13,660 |
| + Assessed Improvement Value | \$0 | \$70 | \$70 | \$70 |
| + Assessed Misc Value | \$0 | \$0 | \$0 | \$0 |
| = Total Assessed Value | \$20 | \$13,730 | \$13,730 | \$13,730 |

Legal Residence Form

Mailing Address Change

Military Non-Resident

Land

| Land Use | Units | Unit Type | Land Type | Notes | AgUse Value | Market Land Value |
|-----------|-------|---------------------|---------------------------|-------|-------------|-------------------|
| UTIL (21) | 5 | Land Rate Code 9006 | OPEN/CULTIVATED B38-C88 | C-1 | \$0 | \$65,000 |
| UTIL (21) | 5 | Land Rate Code 9006 | OPEN/CULTIVATED INSUFNT R | C-6 | \$0 | \$65,000 |

Apply for Ag Special Assessment

Miscellaneous Improvement Information

| Description | Size | Units | Market Value |
|---------------------------|-------|-------|--------------|
| LAND IMPROVEMENTS ONLY (F | 0 x 0 | 1 | 700 |

Tax information

[Click here to view the Tax Collector website.](#)

Sales

| Sale Date | Sale Price | Grantee | Land Only Sale | Deed Type |
|-----------|------------|---------|----------------|-----------|
| 1/1/1993 | \$0 | | C | |

Recent Sales in Area

Sale date range:

From:

09/02/20

To:

09/02/20

Search Sales by Neighborhood

Sales by Area

Distance:

1500

Units:

Feet



Search Sales by Distance

Map



No data available for the following modules: Buildings, Tax History, Sketches.

Sumter County makes every effort to produce the most accurate information possible. No warranties, expressed or implied, are provided for the data herein, its use or interpretation.
| [User Privacy Policy](#) | [GDPR Privacy Notice](#)
[Last Data Upload: 9/1/2025, 9:27:59 PM](#)

[Contact Us](#)

Developed by
 **SCHNEIDER**
GEOSPATIAL



**UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION
ANTENNA STRUCTURE REGISTRATION**



OWNER: Duke Energy Business Services, LLC

FCC Registration Number (FRN): 0020991360

| | | | |
|--|--|-------|---|
| ATTN: Telecommunications Div, CS03A Duke Energy Business Services, LLC 401 South College Street Charlotte, NC 28202 | Antenna Structure Registration Number 1330810 | | |
| | Issue Date 06/10/2025 | | |
| Location of Antenna Structure 2434 Wedgefield Road Sumter, SC 29154 County: SUMTER | Ground Elevation (AMSL) 56.0 meters | | |
| | Overall Height Above Ground (AGL) 37.8 meters | | |
| Latitude 33- 54- 45.9 N | Longitude 080- 23- 36.0 W | NAD83 | Overall Height Above Mean Sea Level (AMSL) 93.8 meters |
| Center of Array Coordinates N/A | | | Type of Structure MTOWER Monopole |
| Painting and Lighting Requirements: FAA Chapters NONE | | | |
| Conditions: | | | |

This registration is effective upon completion of the described antenna structure and notification to the Commission. **YOU MUST NOTIFY THE COMMISSION WITHIN 5 DAYS OF COMPLETION OF CONSTRUCTION OR CANCELLATION OF YOUR PROJECT, please file FCC Form 854.** To file electronically, connect to the antenna structure registration system by pointing your web browser to <https://www.fcc.gov/antenna-structure-registration>. Electronic filing is required. Use purpose code "NT" for notification of completion of construction; use purpose code "CA" to cancel your registration.


The Antenna Structure Registration is not an authorization to construct radio facilities or transmit radio signals. It is necessary that all radio equipment on this structure be covered by a valid FCC license or construction permit.

You must immediately provide a copy of this Registration to all tenant licensees and permittees sited on the structure described on this Registration (although not required, you may want to use Certified Mail to obtain proof of receipt), and display your Registration Number at the site. See reverse for important information about the Commission's Antenna Structure Registration rules.

You must comply with all applicable FCC obstruction marking and lighting requirements, as set forth in Part 17 of the Commission's Rules (47 C.F.R. Part 17). These rules include, but are not limited to:

- **Posting the Registration Number:** The Antenna Structure Registration Number must be displayed in a conspicuous place so that it is readily visible near the base of the antenna structure. Materials used to display the Registration Number must be weather-resistant and of sufficient size to be easily seen at the base of the antenna structure. Exceptions exist for certain historic structures. See 47 C.F.R. 17.4(g)-(h).
- **Inspecting lights and equipment:** The obstruction lighting must be observed at least every 24 hours in order to detect any outages or malfunctions. Lighting equipment, indicators, and associated devices must be inspected at least once every three months.
- **Reporting outages and malfunctions:** When any top steady-burning light or a flashing light (in any position) burns out or malfunctions, the outage must be reported to the nearest FAA Flight Service Station, unless corrected within 30 minutes. The FAA must again be notified when the light is restored. The owner must also maintain a log of these outages and malfunctions.
- **Maintaining assigned painting:** The antenna structure must be repainted as often as necessary to maintain good visibility.
- **Complying with environmental rules:** If you certified that grant of this registration would not have a significant environmental impact, you must nevertheless maintain all pertinent records and be ready to provide documentation supporting this certification and compliance with the rules, in the event that such information is requested by the Commission pursuant to 47 C.F.R. 1.1307(d).
- **Updating information:** The owner must notify the FCC of proposed modifications to this structure; of any change in ownership; or, within 30 days of dismantlement of the structure.

Copies of the Code of Federal Regulations (which contain the FCC's antenna structure registration rules, 47 C.F.R Part 17) are available from the Government Printing Office (GPO). To purchase CFR volumes, call (202) 512-1800. For GPO Customer Service, call (202) 512-1803. For additional FCC information, consult the Antenna Homepage on the internet at <https://www.fcc.gov/antenna-structure-registration> or call (877) 480-3201 (TTY 717-338-2824).



PREPARED BY:



3227 WELLINGTON COURT
RALEIGH, NC 27615
919-782-2710
www.ets-pllc.com

PREPARED FOR:



SITE NAME:

SUMTER WEDGEFIELD
ROAD 230 SUB

SITE NUMBER:

SCSMT017


SITE ADDRESS:

2434 WEDGEFIELD ROAD
SUMTER, SC 29154


LATITUDE/LONGITUDE:

33.912755°, -80.393316°

SEAL:



COA:



| REV | DATE | DETAILS |
|-----|------------|-------------|
| A | 08/18/2025 | PRELIMINARY |
| 0 | | |
| 1 | | |
| 2 | | |

DRAWN BY: YA CHECKED BY: PB

SHEET TITLE:

SITE PLAN

SHEET # **C-1** CURRENT REV #: **A**
ETS #: 24131425

NOTES

1. SITE PLAN BASED ON GOOGLE EARTH AERIAL IMAGERY
2. ALL INFORMATION SHOWN ON THIS PLAN IS FOR REFERENCE ONLY. CONTRACTOR TO VERIFY THAT ALL EXISTING INFORMATION IS AS INDICATED ON THE SITE PLAN, AND NOTIFY THE CONSTRUCTION MANAGER OF ANY DISCREPANCIES. ALL PERTINENT ITEMS AND DIMENSIONS ARE RECOMMENDED TO BE VERIFIED IN THE FIELD. ENGINEERED TOWER SOLUTIONS, PLLC IS NOT LIABLE AND DOES NOT ASSUME RESPONSIBILITY FOR THIS CONTENT.

SITE PLAN

N.T.S.



1 - EXISTING NORTHWEST ELEVATION

N.T.S.



2 - PROPOSED NORTHWEST ELEVATION

N.T.S.



3 - EXISTING SOUTHWEST ELEVATION

N.T.S.



4 - PROPOSED SOUTHWEST ELEVATION

N.T.S.

PREPARED BY:



3227 WELLINGTON COURT
RALEIGH, NC 27615
919-782-2710
www.ets-pllc.com

PREPARED FOR:



SITE NAME:

SUMTER WEDGEFIELD
ROAD 230 SUB

SITE NUMBER:

SCSMT017


SITE ADDRESS:

2434 WEDGEFIELD ROAD
SUMTER, SC 29154


LATITUDE/LONGITUDE:

33.912755°, -80.393316°

SEAL:



COA:



| REV | DATE | DETAILS |
|-----|------------|-------------|
| A | 08/18/2025 | PRELIMINARY |
| 0 | | |
| 1 | | |
| 2 | | |

DRAWN BY: YA CHECKED BY: PB

SHEET TITLE:

ELEVATIONS

SHEET # **C-2.1** CURRENT REV #: A
ETS #: 24131425



Google

1 - EXISTING NORTH ELEVATION

N.T.S.



Google

2 - PROPOSED NORTH ELEVATION

N.T.S.



Google

3 - EXISTING SOUTHEAST ELEVATION

N.T.S.



Google

4 - PROPOSED SOUTHEAST ELEVATION

N.T.S.

PREPARED BY:



3227 WELLINGTON COURT
RALEIGH, NC 27615
919-782-2710
www.ets-pllc.com

PREPARED FOR:



SITE NAME:

SUMTER WEDGEFIELD
ROAD 230 SUB

SITE NUMBER:

SCSMT017

SITE ADDRESS:

2434 WEDGEFIELD ROAD
SUMTER, SC 29154


LATITUDE/LONGITUDE:

33.912755°, -80.393316°

SEAL:



COA:



| REV | DATE | DETAILS |
|-----|------------|-------------|
| A | 08/18/2025 | PRELIMINARY |
| 0 | | |
| 1 | | |
| 2 | | |

DRAWN BY: YA CHECKED BY: PB

SHEET TITLE:

ELEVATIONS

| | | |
|---------|-------|------------------|
| SHEET # | C-2.2 | CURRENT REV #: A |
| | | ETS #: 24131425 |



**Sumter Wedgefield Rd 230 kV – Duke Energy
Removal Agreement**

Aug. 4, 2025

Sumter-City County Planning Commission
12 W. Liberty St
Sumter, SC 29150

Subject: Sumter Wedgefield Rd 230 kV Substation
Proposed Duke Energy Monopole
2434 Wedgefield Rd, Sumter, SC 29154
RE: 5.b.4.d.9 Removal Agreement

Dear Sumter-City County Planning Commission:

Duke Energy is proposing to install a monopole at their existing substation located at 2434 Wedgefield Rd., Sumter, SC 29154. We are installing a wireless network device and utility monopole as part of Duke Energy's communication network to securely transmit data to and from substations. The monopole will support smart technology improvements we have made at this location to increase reliability and quality of service to our customers.

Duke Energy Progress, LLC agrees to remove the monopole within 180 days following the end of its useful life.

If you have any questions, feel free to contact me at (910) 523-8708 or the email address shown below.

Sincerely,


A handwritten signature in black ink, appearing to read 'Robert Jackson', with a long horizontal flourish extending to the right.

Robert Jackson
Senior Telecom Analyst
Robert.Jackson3@duke-energy.com

CC:


Quinetta Buterbaugh, Duke Energy District Manager
Alicia Dasch, Duke Energy Infrastructure Engagement Manager
Bush Brunson, Duke Energy Infrastructure Engagement Manager

Location Map




Area Map



Legend
 Case Site Location

DISCLAIMER: While the data of this map has been tested for accuracy, the Sumter City County Planning Commission disclaims any or all responsibility for the exact accuracy or correctness of the map. The Sumter City County Planning Commission is not liable to the user of the map for any damages or losses resulting from the use of the map. The Sumter City County Planning Commission is not liable for any or all liabilities arising from the use of this map and/or its data.




Map Prepared by: Sumter Planning Department
 Copyright 2025
 Date: 8/20/2025
 User Name: crobbins
 Document Name: BOA-25-27



BOA-25-27
 2434 Wedgefield Rd, Sumter, SC 29154
 Tax Map # 206-00-02-010

2040 Land Use Map




Legend

Case Site Location

Land Use

- Conservation Planning Area
- Priority Commercial Mixed Use Area
- Suburban Development Area

DISCLAIMER: While the data of this map has been tested for accuracy, the Sumter City-County Planning Commission disclaims any or all responsibility for the exact accuracy or correctness of the map. The Sumter City-County Planning Commission shall not become liable to the user of this map for any reason. In using this map, the user agrees to hold the Sumter City-County Planning Commission harmless of any or all liabilities arising from the use of this map and/or its data.




Map Prepared by: Sumter Planning Department
Copyright 2025
Date: 8/20/2025
User Name: crobbins
Document Name: BOA-25-27




BOA-25-27
2434 Wedgefield Rd, Sumter, SC 29154
Tax Map # 206-00-02-010

2025 Aerial Photography Map




DISCLAIMER: While the data of this map has been tested for accuracy, the Sumter City-County Planning Commission disclaims any or all responsibility for the exact accuracy or correctness of the map. The Sumter City-County Planning Commission shall not become liable to the user of this map for any reason. In using this map, the user agrees to hold the Sumter City-County Planning Commission harmless of any or all liabilities arising from the use of this map and/or its data.



Map Prepared by: Sumter Planning Department
Copyright 2025
Date: 8/20/2025
User Name: crobbins
Document Name: BOA-25-27




Legend

 Case Site Location

BOA-25-27
2434 Wedgefield Rd, Sumter, SC 29154
Tax Map # 206-00-02-010

Zoning Map




Legend

Case Site Location

Zoning

- PD - Planned Development
- R-15 - Single Family
- R-6 - Single Family Residential
- GR - General Residential

DISCLAIMER: While the data of this map has been tested for accuracy, the Sumter-City County Planning Commission disclaims any or all responsibility for the exact accuracy or correctness of the map. The Sumter City-County Planning Commission shall not become liable to the user of this map for any reason. In using this map, the user agrees to hold the Sumter City-County Planning Commission harmless of any or all liabilities arising from the use of this map and/or its data.



Map Prepared by: Sumter Planning Department
Copyright 2025
Date: 8/20/2025
User Name: crobbins
Document Name: BOA-25-27



BOA-25-27
2434 Wedgefield Rd, Sumter, SC 29154
Tax Map # 206-00-02-010


Highway Corridor Protection District Map



Legend

- Case Site Location
- HCPD City
- HCPD County

DISCLAIMER: While the data of this map has been tested for accuracy, the Sumter-City County Planning Commission disclaims any or all responsibility for the exact accuracy or correctness of the map. The Sumter-City County Planning Commission shall not become liable to the user of this map for any reason. In using this map, the user agrees to hold the Sumter-City County Planning Commission harmless of any or all liabilities arising from the use of this map and/or its data.



Map Prepared by: Sumter Planning Department
Copyright 2025
Date: 8/20/2025
User Name: crobbins
Document Name: BOA-25-27



BOA-25-27
2434 Wedgefield Rd, Sumter, SC 29154
Tax Map # 206-00-02-010